

Product No. 2071

CAUTION: Harmful if swallowed. Avoid contact with skin, eyes, or clothing. In case of contact, flush eyes with plenty of water, get medical attention. Wash skin with soap and water.

Avoid breathing spray mist.

Avoid spray drift onto neighboring crops and pastures. Do not store near seeds, fertilizers, insecticides, or fungicides. Do not reuse shipping containers; destroy by crushing and burying where possible. Avoid contamination of water intended for irrigation or domestic purposes.

Rinse spray equipment and containers and dispose of liquid wastes in a pit in non-crop lands located away from water supply.

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

CONTROL THESE WEEDS IN THE SEEDLING STAGE

Blue (Purple) Mustard
(*Chlorispora tenella*)
Corn Chamomile (Mayweed)
(*Anthemis arvensis*)
Corn Gromwell
(*Lithospermum arvense*)
Cov. Cockle (*Saponaria vaccaria*)
Fiddleneck (Tarweed)
(*Amsinckia intermedia*)
Field Pennycress (*Thlaspi arvense*)
Green Smartweed
(*Polygonum scrabrum*)
Groundsel (*Senecio vulgaris*)
Herbit (Dead Nettle)
(*Lamium Amplexicaule*)
Knawel (*Scieranthus annus*)
Lambsquarters (*Chenopodium album*)

London Rocket (*Sisymbrium irio*)
Mayweed (Dogfennel)
(*Anthemis cotula*)
Peppergrass or Pepperweed
(*Lepidium spp.*)
Shepherdspurse
(*Capsella bursa-pastoris*)
Silverleaf Nightshade
(*Solanum elaeagnifolium*)
Tartary Buckwheat
(*Fagopyrum tataricum*)
Tarweed (*Hemizonia spp.*)
Tumble (Jim Hill) Mustard
(*Sisymbrium altissimum*)
Wild Buckwheat
(*Polygonum convolvulus*)
Wild Mustard (*Brassica kaber*)

DIRECTIONS

Apply 1½ pints of CHIPCO BUCTRIL per acre after grasses emerge and before broadleaf weeds are past the 3 to 4-leaf stage.

Use 2 pints of CHIPCO BUCTRIL per acre if weeds are beyond the 3 to 4-leaf stage but less than 6 inches in height and before flower formation. Weeds that form rosettes should be treated when these rosettes are less than 1½ inches across.

This treatment may be used on seedling grasses such as Merion, Park, Delta or common Kentucky bluegrasses, Pennlawn, Chewings, Illahee or Alta fescues, Orchard grass, Highland, Seaside or Astoria bentgrasses, perennial ryegrasses planted for seed or sod production, or forage grasses planted for seed production purposes only.

HOW TO APPLY: Apply as a water mix spray. CHIPCO BUCTRIL is a contact weed killer and good coverage of the weeds is essential.

FOR GROUND APPLICATION EQUIPMENT: Apply in a minimum of 25 gallons total spray per acre. Use a higher gallonage if necessary to get good coverage. Nozzle pressure should be at least 20 p.s.i.

FOR AERIAL APPLICATION: Apply in a minimum of 10 gallons of total spray per acre. Width of swath flown must not exceed length of spray boom.

Local conditions may effect the use of this chemical. Consult State Agricultural Extension or Experiment Station weed specialists for specific recommendations for local weed problems.

Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage, or handling of this material not in strict accordance with directions given herewith.

See Back Matter for more information.

© 1974

Manufactured by

CHIPMAN DIVISION of RHODIA INC.

NEW BRUNSWICK, NEW JERSEY



KEEP FROM FREEZING!

CAUTION! USE NORMAL PRECAUTIONS
IN HANDLING
KEEP OUT OF REACH
OF CHILDREN

ALANAP

KILLS ANNUAL GRASSES AND BROADLEAF WEEDS

ONE LIQUID GALLON
PREEMERGENCE WEED KILLER

COMPOSITION

Active Ingredient (by weight) 25.0%
Sodium N-ethylphthalate 25.0%
p,p'-DDE 25.0%
Inert Ingredients 25.0%
Total 100.0%

*Equivalent to 22.5% N-ethylphthalic
anhydride acid Each gallon
contains 2.0 lbs. active ALANAP.

E P A Reg. No. 400-49-AA

ACCEPTED

July 18, 1972
H.C. 49

GENERAL INSTRUCTIONS

1. PREPARATION OF SOIL
Area to be treated must be free of all weeds at time of application. ALANAP usually will not control established grasses and weeds. To insure maximum weed and grass control, it is important to have a relatively smooth soil surface. If the area to be treated has been plowed, the soil clods should be broken up. If weather factors make replanting necessary after ALANAP has been applied, thoroughly disk the area prior to replanting.
2. METHOD OF APPLICATION
 - a. Uniform coverage of soil surface is essential.
 - b. Apply ALANAP immediately or within 48 hours after planting.
 - c. Rotary hoe may be used to destroy small weeds without impairing herbicide activity if dry weather follows ALANAP treatment.

CUCURBITS

Cantaloupe, Cucumber, Muskmelon and Watermelon. Apply ALANAP as a preemergence spray immediately after seeding. A second application, post-emergence to the crop, may be made about a month after planting, just before the crop is starting to vine, but before weeds have emerged. ALANAP can also be used as a postemergence spray immediately after transplanting these crops. DO NOT USE POSTEMERGENCE IN WESTERN IRRIGATED AREAS.

ALANAP may be used as a tank mix with benazone (PREFAR 100). See Special Directions below.

NURSERY STOCK

A. For Established Woody Plants (maple, elm, arbutus, taxus, pine, spruce, maple, cedar, cottonwood, plum, birch, poplar, alder, privet, philadelphus, azalea, holly, rhododendron, juniper).

1. Apply ALANAP on a broadcast basis, or as a band spray centering on the row. Additional applications may be made as required.
2. Direct spray seeds. Strike the nursery stock about 2-3 inches, or less, above the ground.

B. For Small Woody Tree Sprouts. 2 methods suggested:

1. Apply ALANAP prior to transplanting. It should be taken care to distribute it over the treated area.
2. Apply ALANAP as a directed spray after the planting.

PEANUTS AND SOYBEANS

Use ALANAP as a preemergence spray immediately after seeding. See dosage chart for rates for various soil types. Do not use ALANAP after soybeans have emerged. Do not apply ALANAP to the soil where crop seeds are expected to show up. The soil depth of plant roots are established as sufficient plowing that the crop seeds are well covered with soil.

Do not apply a tank mix of ALANAP and DDT. Do not use ALANAP after a second application. It may be applied after the soybean is established but before the soybean plants emerge from the soil.

On soybeans, a tank mix of ALANAP and 4-0 Dinitro-2,6-di-tert-butylphenol (Atrazine) may be applied after the soybean is established but before the soybean plants emerge from the soil.

1. PREFAR 100 is a registered trademark of the

another product of

UNIROYAL

ALANAP is a registered trademark of Uniroyal Chemical Company, Inc.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

Lot No

ALANAP is a registered trademark of Uniroyal Chemical Company, Inc.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.

ALANAP is a preemergence herbicide. It is used to control annual grasses and broadleaf weeds. It is applied to the soil surface immediately after planting. It is not a contact herbicide and does not kill weeds that are already growing.