

loc 2
 Pm 23
 359-708

PRODUCT NUMBER
 5300

SUPPLEMENTAL LABELING
 EPA REG. NO. 359-708

TACKLE^R

TACKLE AND SCEPTER^R TANK MIXTURE FOR USE ON SOYBEANS

GENERAL INFORMATION

TACKLE may be tank-mixed with SCEPTER for selective postemergence control of many broadleaf weeds in soybeans. Effective control of all weeds listed on the respective product labels can be expected when both products are mixed at full label use rates and applied to weeds at the proper stage of growth.

MIXING AND APPLICATION

Fill the spray tank 1/2 to 3/4 full with clean water. Begin agitation and add the recommended amount of SCEPTER herbicide. After 5 min, add the recommended amount of TACKLE. The addition of an adjuvant approved for use on growing crops is recommended for optimum weed control with this tank mixture. Use a non-ionic surfactant containing at least 80% active principle at a rate of 0.25% v:v. A crop oil concentrate containing 80-85% paraffin based petroleum oil and 15-20% non-ionic surfactant may be substituted for the non-ionic surfactant at a rate of 1 quart/acre. Use a standard herbicide boom sprayer equipped with screens no finer than 50 mesh in the nozzle tips and in-line strainers. Use flat fan nozzle tips spaced a maximum of 20 inches apart on the boom. Calibrate the sprayer to deliver 20-30 gallons of spray mixture per acre at 30-40 psi pressure at the spray tips. Do not apply sprays under wind conditions which may allow drift to non-target areas or when wind speed exceeds 5 mph.

JUN 12 1987
 359-708

USE RECOMMENDATIONS

TACKLE + SCEPTER TANK MIX

PRODUCTS	RATES	WEEDS CONTROLLED/ COMMENTS
Tackle	1.5-2.0 Pints/A	Controls all weeds listed on the TACKLE label at 1.5 or 2.0 pints/A plus control of common cocklebur up to the 6-true leaf stage. Apply to soybeans with at least one fully expanded trifoliolate leaf.
+	+	
Scepter	0.67 Pints/A	
+	+	
Non-Ionic Surfactant	0.25 % V:V	
or	or	
Crop Oil Concentrate	1.0 Quart/A	

All applicable directions, restrictions, and precautions on the TACKLE and SCEPTER package labels must be followed.

Scepter is a trademark of the American Cyanamid Company, Wayne, NJ 07470.

USE RESTRICTIONS

Do not apply TACKLE + SCEPTER tank-mixtures within 90 days of soybean harvest.

Do not graze or feed treated soybean forage, hay or straw to livestock.

This labeling must be in the possession of the user at the time of pesticide application.

