

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NO.	DATE OF ISSUANCE
	359-722	JAN 13 1987
NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>	TERM OF ISSUANCE	Conditional
	NAME OF PESTICIDE PRODUCT	
CHIPC 26019 FLO		

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

2
18 175

KENCO-Indulco, Inc.
 Agrochemical Division
 P.O. Box 125
 Kenneth Junction, NJ 08852

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.


A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Add the phrase "EPA Registration No. 359-722" to your label before you release the product for shipment.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 3(c). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.


 Lois A. Rossi
 Acting Product Manager (21)
 Fungicide-Herbicide Branch
 Registration Division (TS-767C)

Enclosures


ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
---------------------------------	------

chipco
The right approach

354-722
1/13/87 2:05
SPECIMEN LABEL
PRODUCT NUMBER 3356

26019 F10 FUNGICIDE



ACCEPTED
with COMMENTS
EPA Letter Dated:

JAN 13 1987

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.

A Fungicide for the Prevention and Control of Certain Diseases of Turfgrass

ACTIVE INGREDIENT:

Iprodione: 3-(3,5-dichlorophenyl)-N-(1-methylethyl)-2,4-dioxo-1-imidazolidinecarboxamide *	23.3%
INERT INGREDIENTS	76.7%

ADD → This product contains petroleum distillate.
* Equivalent to 2 lbs. Iprodione per gallon.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

In case of contact, wash skin with soap and water; for eyes flush with water for 15 minutes and get medical attention. If swallowed do not induce vomiting. Contains petroleum distillate. Get medical attention.

See Back Panel for Additional Precautionary Statements

EPA Reg. No. 359-XXX
EPA Est. No.
~~0986~~
0986

RHÔNE-POULENC INC.
AGROCHEMICAL DIVISION
Monmouth Junction, N.J. 08852

NET CONTENTS
1 GALLON
LITER

3

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION Harmful if swallowed. Add

Avoid contact with skin, eyes, or clothing. In case of contact immediately flush eyes or skin with plenty of water. Get Medical Attention if irritation persists.

ENVIRONMENTAL HAZARDS

Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

**DIRECTION FOR USE
GENERAL USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL:

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

Triple rinse (or equivalent). Then puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

In order to assure maximum crop tolerance and disease control, follow recommendations on this label and all the cautions and limitation of the package label.

GENERAL INFORMATION

TURF

Chipco 26019 FLO is a foliar applied fungicide, recommended for turfgrass disease control on golf courses, sod farms, home lawns, and institutional areas where fine turf is grown.

When used in conjunction with good turf management practices, Chipco 26019 FLO is effective in controlling the following diseases:

Spring, Summer and Fall Diseases -

DOLLAR SPOT, BROWN PATCH and FUSARIUM BLIGHT on all common turfgrasses. HELMINTHOSPORIUM LEAFSPOT, RED THREAD and MELTING OUT are controlled on Bluegrass, Bentgrass, and Bermudagrass.

Winter Diseases -

FUSARIUM PATCH (Pink snow mold) and GRAY SNOW MOLD.

Apply the recommended rates as indicated in the table in 2 to 10 gallons of water per 1000 sq. ft. Do not drench. Do not allow the spray mixture to stand for longer than 12 hours as some breakdown of the product may occur. Maintain agitation during spray operations. Apply with a properly calibrated sprayer.

RECOMMENDATION FOR USE

TURF:

Begin applications when conditions favor disease development or when the disease first appears unless otherwise noted.

DISEASE	INTERVAL OF APPLICATIONS	FL OZ. 2 1000 FT
Dollar Spot (Sclerotinia homoeocarpa)	GREENS AND TEES: Repeat at 14-21 day intervals as long as required,	3 - 4 NOTE: On Fairways, for Dollar Spot control use 2 FL oz/ 1,000 Ft.
Brown Patch (Rhizoctonia solani)	FAIRWAYS, HOME LAWNS and OTHER TURF AREAS: Repeat at 22-28 day intervals as long as required.	
Helminthosporium: Leaf Spot and Melting Out (Helminthosporium spp.)		
Fusarium Blight (Fusarium roseum)	Use only preventative foliar applications when conditions first become favorable for disease development. Two additional applications should be made at 2 to 3 week intervals.	8
Fusarium Patch (Fusarium nivale)	Repeat at 14-21 day intervals as long as required.	4-8
PACIFIC NORTHWEST ONLY (West of the Cascade Mountains).		
Gray Snow Mold (Typhula spp.) Pink Snow Mold (Fusarium nivale)	One application before first permanent snow cover. If possible, another application during a midwinter thaw.	4-8
Red Thread (Corticium)	Use as a preventative every 14 days as long as required.	4

Under severe conditions, the higher rate and/or shorter interval of applications are recommended for all diseases. Do not mow or irrigate treated areas until the foliage is completely dry, usually a 24 hour waiting period following treatment is preferred. Do not mix with any sticker, extender, or wetting agent. Do not graze animals on treated turf. Do not feed clippings from treated turf to livestock or poultry.

CONDITION OF SALE, WARRANTY, LIMITATION OF LIABILITY

This product conforms to the chemical description on the label thereof and is reasonably fit for the purpose stated on such label only when used in accordance with directions under normal use conditions. Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of Rhone-Poulenc or the seller. Buyer assumes all risks of use, storage, or handling of this material, not in strict accordance with directions given herewith. In no case shall Rhone-Poulenc or the seller be liable for consequential, special, or indirect damages such as loss of profits or values resulting from the use or handling of this product.

~~LBL 5121~~