

5010


ADD:

SPECIMEN LABEL

RESTRICTED USE PESTICIDE

Acute Dermal Toxicity.

For retail sale to, and use by Certified Applicators or persons under the direct supervision of a Certified Applicator, and only for those uses covered by the Certified Applicator's certification.



ACTIVE INGREDIENT:

Ethoprop: (O-Ethyl S, S-Dipropyl Phosphorodithioate) 10%

INERT INGREDIENTS 90%

ACCEPTED

JUN 2 1987

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 359-739

BEST AVAILABLE COPY

KEEP OUT OF REACH OF CHILDREN

WARNING

(SEE ANTIDOTE AND WARNING INFORMATION ON BACK PANEL)

STATEMENT OF PRACTICAL TREATMENT

SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything to an unconscious person.

INHALED: Remove to fresh air and apply artificial respiration if indicated.

ON SKIN: Remove all contaminated clothing and wash skin with soap and water. Get medical attention. Wash clothing before reuse. Discard contaminated shoes.

IN EYES: Flush with plenty of water for at least 15 minutes. Call a physician immediately.

See side or back panel for additional precautionary statements including note to physician.

EPA Reg. No. 359-XXX
EPA Est.

0587

Manufactured by
RHONE-POULENC INC.
AGROCHEMICAL DIVISION
Merrimack Junction, N.J. 08008

Net Weight
Pounds
(Kilo)

BEST AVAILABLE COPY

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: May be fatal if swallowed, inhaled or absorbed through skin. Rapidly absorbed through skin. Wear protective clothing including rubber gloves. In case of contact, wash immediately with soap and water. Do not breathe fumes or dust. Wear a mask or pesticide respirator jointly approved by the Mining Enforcement & Safety Administration and the National Institute for Occupational Safety and Health. After use, wash hands, arms and face thoroughly with soap and warm water before eating or smoking. Wash all clothing with soap and hot water before reuse. Discard contaminated shoes. Do not contaminate feed or food.

Do not store in or around the home.

SYMPTOMS OF POISONING: Nausea, vomiting, abdominal cramps, diarrhea, excessive salivation, headache, dizziness, weakness, blurring or dimness of vision, excessive tearing, loss of muscular coordination, slurring of speech, twitching of muscles (especially of tongue and eyelids), mental confusion, disorientation, drowsiness, difficulty in breathing (chest tightness), runny nose.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Give 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Call a physician, Poison Control Center, or hospital emergency room. If not breathing, give mouth to mouth artificial respiration.

IN CASE OF SKIN CONTACT: Immediately remove all contaminated clothing, and wash skin with soap and water. Get medical attention. Wash clothing before reuse. Discard contaminated shoes.

FOR EYES: Flush with plenty of water for at least 15 minutes. Call a physician immediately in all cases of suspected poisoning.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration. Get medical attention.

Persons providing first aid should prevent contamination of themselves.

NOTE TO PHYSICIAN: This product is a cholinesterase inhibitor. Severe symptoms and signs include diarrhea, pinpoint and non-reactive pupils, respiratory difficulty, pulmonary edema, cyanosis, loss of sphincter control, convulsions, and coma.

Support respiration as needed. Measures should include removal of secretions, maintenance of a patent airway, and if necessary, artificial ventilation.

If cyanosis is absent, give ATROPINE 2-4 mg intravenously (0.05 mg/kg for children). Repeat ATROPINE at 5-10 minute intervals until atropinization occurs (dry, flushed skin, tachycardia, pupillary dilatation), and maintain for 48 hours. If cyanotic, give initial ATROPINE intramuscularly and start measures to improve ventilation.

Start 2-PAM (PROTOPAM, Ayerst) at the same time. Give 1-2 grams PROTOPAM (20-40 mg/kg for children) in 100cc saline over 15-30 minutes. If pulmonary edema is present, give intravenously slowly as a 5% solution in water over a period of at least 5 minutes.

A second dose may be given after one hour if muscle weakness persists. Additional doses may be given cautiously for persistent muscle weakness. May be given by intramuscular or subcutaneous routes if intravenous administration is not feasible.

In case of skin contact wash patient with soap and water followed by wash with 95% ethyl alcohol. Keep patient under constant observation for 24-36 hours. Symptoms may persist for one month.

The use of theophylline, morphine, barbiturates, phenothiazines, reserpine, and succinylcholine is contraindicated.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Birds feeding in treated areas may be killed. Cover or incorporate granules that are spilled. Do not apply directly to water or wetlands. Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Unprotected persons may enter treated fields after chemical has been mixed into the soil. Granules lying on the soil surface in turn areas at row ends should be incorporated to remove possible hazard to birds and other wildlife.

Should be bold
tape
in
for files

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Unprotected persons may enter treated fields after chemical has been mixed into the soil. Granules lying on the soil surface in turn areas at row ends should be incorporated to remove possible hazard to birds and other wildlife.

STORAGE AND DISPOSAL

PROHIBITIONS:

Do not contaminate water, food, or feed by storage or disposal. Do not store in or around the home.

PESTICIDE DISPOSAL:

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

INCORPORATION INFORMATION

MOCAP nematicide-insecticide can be incorporated with a rotary tiller, rotary hoe, spring-tooth harrow, by double-discing or with other equipment for mixing the chemical with the soil to the depth recommended. Follow any specific incorporating directions given under the crop heading. If moisture is applied immediately after application to carry the treatment into the soil, only shallow incorporation ($\frac{1}{4}$ to $\frac{1}{2}$ inch) with mechanical equipment such as drag chains is required.

ADD →

HOME LAWNS (DOMESTIC TURF)

← ADD

FOR USE ONLY BY CERTIFIED APPLICATOR

NEMATODES CONTROLLED

Lesion Nematodes (*Pratylenchus* spp.)
Root-Knot Nematodes (*Meloidogyne* spp.)
Spiral Nematodes (*Helicotylenchus* spp.)
Sting Nematodes (*Belonolaimus longicaudatus*)
Ring Nematodes (*Crictonemoides* spp.)
Stunt Nematodes (*Tylenchorhynchus* spp.)
Stubby Root Nematodes (*Trichodorus* spp.)
Pin Nematodes (*Paratylenchus* spp.)

INSECTS CONTROLLED

Japanese Beetle (*Popillia japonica*)
European Chafer (*Rhizotrogus majalis*)
Black Turfgrass Attenius (*Ataenius spretulus*)
Chinchbug (*Blissus leucopterus*)
Bluegrass Billbug (*Sphenophorus parvulus*)
Sod Webworm (*Crambus* spp.)
(*Herpetogramma* spp.)
Mole Crickets (*Scapteriscus vicinus*)
(*Scapteriscus acletus*)

BEST AVAILABLE COPY

For Nematode Control (Bahia, Bermuda, Centipede, Fescue, Kentucky Blue, St. Augustine, and Zoysia grasses): Use 4.8 to 6.9 pounds of MOCAP 10% G per 1,000 square feet (200 to 300 pounds per acre) of established turf. Apply uniformly with a fertilizer spreader or other suitable equipment. Severe infestations may require re-treatment after 6 months.

For Insect Control (Bent, Bahia, Bermuda, Centipede, Fescue, Kentucky Blue, Perennial Rye, St. Augustine, and Zoysia grasses): Use 2.3 pounds of MOCAP 10% G per 1,000 square feet (100 pounds per acre) of established turf to control mole crickets. Use 1.15 pounds per 1,000 square feet (50 pounds per acre) of established turf to control chinch bugs and larvae of Japanese beetle, European chafer, black turfgrass Ataenius beetle, bluegrass billbug, and sod webworms. Apply uniformly with a fertilizer spreader or other suitable equipment.

Note: Immediately after application, apply $\frac{1}{2}$ inch of water to treated grass. Failure to apply water may result in a hazard to animals, poor pest control, injury to grass and longer presence of chemical odor. DO NOT allow unprotected humans or animals to walk on untreated areas until grass and soil surface are dry.

Do not apply with equipment carried on the chest. Do not use cyclone or rotary-type applicators which are likely to throw the granules to areas outside the lawn area to be treated. Any granules on non-lawn areas, such as walkways and driveways, must be removed immediately by sweeping or washing the granules onto the lawn.

Do not use on newly seeded areas until plants are well established. Do not apply to wet foliage. Do not cut sod or handle treated turf for 21 days after treatment. Birds and other wildlife in treated areas may be killed. Do not apply where runoff is likely to occur.

CONDITION OF SALE, WARRANTY, LIMITATION OF LIABILITY

This product conforms to the chemical description on the label thereof and is reasonably fit for the purpose stated on such label only when used in accordance with directions under normal use conditions. Follow directions carefully. Timing and method of application, weather and crop conditions, mixture with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of Rhone-Poulenc or the seller. Buyer assumes all risks of use, storage, or handling of this material, not in strict accordance with directions given herewith. In no case shall Rhone-Poulenc or the seller be liable for consequential, special, or indirect damages such as loss of profits or values resulting from the use or handling of this product.

For use on home lawns only by Certified Applicator.

BEST AVAILABLE COPY