

NOTIFICATION

PM 21
363-14
4-13-94
172

Please read Instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93

(A) 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number <div style="font-size: 24px; text-align: center;">203266</div>
----------------	----------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------

Section I		
1. Company/Product Number <div style="text-align: center; font-size: 18px;">363-PA-1</div>	2. EPA Product Manager PM# <div style="text-align: center; font-size: 18px;">21</div>	3. Proposed Classification <input type="checkbox"/> None <input checked="" type="checkbox"/> Restricted
4. Company/Product (Name) 363-14 Black Creosote Coal Tar Solution		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____
5. Name and Address of Applicant (Include ZIP Code) Coopers Creek Chemical Corporation West Conshohocken, PA 19428-2699 <input type="checkbox"/> Check if this is a new address		

Section II	
<input type="checkbox"/> Amendment - Explain below <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below. <u>NOTIFICATION</u>	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

(1) Label change only (PR 93-1) Restricted use pesticide statement is now boxed and reason for restricted use classification is shown.

(2) Label change (PR 93-10) Environmental Hazard statement has been changed to conform to the statement as specified.

FOR GROUND LINE, FOR PRESSURE TREATMENT, FOR NON-PRESSURE TREATMENT

Section III			
1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input checked="" type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted. If "Yes," Unit Package wgt. No. per container		If "Yes," Package wgt. No. per container	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container 5 Gal & 55 Gal Drums	
5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product		6. Manner In Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other (_____) <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled	

Section IV		
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name William A. Connelly	Title Vice-President	Telephone No. (Include Area Code) 1-610-828-0375

Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received _____ (Stamped)
2. Signature 	3. Title Vice-President	
4. Typed Name William A. Connelly	5. Date April 8, 1994	

C. CONTAINMENT TANK FOUNDATION:

1. The containment tank foundation shall be solidly constructed of a material sufficiently impervious to contain leaks, spills and accumulated pesticides and/or mixtures of pesticides;
2. The foundation covering must be free of cracks which would allow leakage;
3. The foundation must be sloped to facilitate cleanup of inadvertent spills;
4. The foundation must be constructed with a rim of sufficient height to contain run-off from cleanup activities or inadvertent spills and be protected from "load washes";
5. The foundation must be so constructed as to discharge all liquids into a sump for reuse; and
6. Wood preserving operations will provide spill containment or control for product (or chemical) storage and work tanks such that at minimum 110% of the volume of the largest tank together with the volumes of the other potential spills will be contained in the event of a worst case rupture of other malfunction.

I. CLOSED PESTICIDE APPLICATION CONTAINMENT SYSTEM REQUIREMENTS FOR DRIP PAD AND ASSOCIATED UNIT MANAGEMENT

- A. Drip pad systems must meet the following requirements:
1. Drip pad systems must be constructed of a curbed and/or sloped base having impermeable construction capable of containing drippage and accumulated precipitation while routed to an associated collection area or device (system);
 2. Drip pad systems must be maintained such that they prevent preservative from leaking from the drip pad;
 3. The drip pad and associated collection system must be designed and operated to collect and drain liquid resulting from drippage or precipitation in order to prevent run-off and must be designed and maintained so as to be capable of containing precipitation from a 25-year/24-hour storm event if exposed to rainfall;
 4. Run-on onto the drip pad and associated collection system must be prevented unless the system has sufficient excess capacity to contain any run-on that might enter the system;
 5. Drippage and accumulated precipitation must be removed from the containment system as necessary to prevent overflow from the drip pad and associated collection system; and
 6. If the owner or operator detects a condition that could lead to a release of preservative, the condition must be repaired within a reasonably prompt period of time following discovery or the pad must be removed from service.

B. General Operating Requirement:

Drip pads must be operated and maintained in a manner to minimize incidental tracking of preservative or preservative constituents off the drip pad by personnel or equipment.

C. Inspections:

Drip pad systems must be inspected thoroughly for visual signs of ineffectiveness. Facility inspection programs must involve inspection of the entire drip pad system at least monthly.

FOR EXTERIOR USE ONLY

OTHER REGULATED SUBSTANCES, N.O.S., 9,
(CONTAINS CREOSOTE) NA3082, R.Q.

FOR MARINE SHIPMENTS

ENVIRONMENTALLY HAZARDOUS SUBSTANCES
LIQUID, 9, N.O.S. (CONTAINS CREOSOTE)
UN3082 MARINE POLLUTANT, R.Q.



MARINE POLLUTANT

PRECAUTIONS FOR GROUND LINE TREATMENT

Applicators must wear long sleeved shirts, long pants, and an impermeable apron during the application and mixing processes and all situations where dermal contact is expected.

Work clothing must be changed when it shows signs of contamination. Launder work clothing separately from other household clothing. Dispose of worn-out work clothing and workshoes or boots in any general landfill, in the trash, or in any other manner approved for pesticide disposal.

PRECAUTIONS FOR PRESSURE TREATMENT OF WOOD USE

Individuals must wear gloves impervious to the wood treatment formulation in all situations where dermal contact with creosote is expected (e.g., handling freshly treated wood and manually opening cylinder doors).

Individuals who manually open cylinder doors must wear gloves and a respirator. Individuals who enter pressure treatment cylinders and other related equipment that is contaminated with the wood treatment formulation (e.g., cylinders that are in operation or are not free of the treatment formulation) must wear protective clothing (including overalls, jacket, gloves and boots) impervious to the wood treatment formulation and a respirator. Acceptable materials for protective clothing during application and handling of this product are polyvinyl acetate (PVA), polyvinyl chloride (PVC), neoprene and NBR (Buna-N).

Applicators must not eat, drink, or use tobacco products during those parts of the application process that may expose them to the wood treatment formulation (e.g., manually opening/closing cylinder doors, moving trams out of cylinder, mixing chemicals, and handling freshly treated wood).

PRECAUTIONS FOR NON-PRESSURE TREATMENT OF WOOD USE

Applicators must wear gloves impervious to the wood treatment formulation in all situations where dermal contact is expected (for example, during the actual application process and when handling freshly treated wood).

Spray applicators must wear protective clothing (including overalls, jacket, gloves, boots and head covering) impervious to the wood treatment formulation, and a respirator and goggles when spraying. Acceptable materials for protective clothing during application and handling of this product are polyvinyl acetate (PVA), polyvinyl chloride (PVC), neoprene and NBR (Buna-N).

Individuals who enter, clean or repair valves, tanks or other related equipment that is contaminated with the wood treatment formulation (e.g., tanks that are in operation or are not free of the treatment formulation) must wear protective clothing (including overalls, jacket, gloves and boots) impervious to the wood treatment formulation, and goggles and a respirator.

Applicators who apply creosote by other application processes (e.g., brush on) must wear disposable coveralls or other suitable impermeable protective clothing.

NOTE TO USER: As used on this label, the term "respirator" means properly fitting, well-maintained, half-mask canister or cartridge respirators which are MSHA/NIOSH approved for polynuclear aromatics and organic vapors. Examples of acceptable materials for protective clothing (e.g., gloves, overalls, jackets, and boots) required during application and handling of creosote are polyvinyl acetate (PVA), polyvinyl chloride (PVC), neoprene and NBR (Buna-N).

CANCER HAZARD

This product contains creosote which may cause cancer of the skin, lungs, kidneys, or bladder. Risk depends on duration and level of exposure. Follow recommended hygiene practices to protect yourself. Product has a strong odor. Do not use where odor may penetrate. For outside or exterior use only.

FOR EXTERIOR USE ONLY

MANAGEMENT

A. Commercial applicators electing to install closed containment systems for pesticides classified as a hazardous waste upon disposal must have such systems completed and operational on or before December 31, 1992. Following this effective date, any commercial applicator who is certified or licensed after January 1, 1993 who elects to install a closed containment system for pesticides classified as hazardous waste upon disposal, must have such system completed and operational before the issuance of the certification or license. (To be modified to reflect individual applicator licensing not facility licensing.)

B. CONTAINMENT TANKS:

1. Different containment tanks must be installed for different pesticides and/or mixtures of pesticides, except the same containment tanks may be used for two or more pesticides when such pesticides are physically and chemically compatible and when their use is not prohibited by their labels.

2. (i) General Requirements - Storage containers and tanks shall be constructed so as to prevent the discharge of liquid bulk pesticide. Storage containers and appurtenances shall be constructed of materials which are resistant to corrosion, puncture or cracking. Materials used in the construction or repair of storage containers and appurtenances may not be a type which reacts chemically or electrolytically with stored bulk pesticide in a way which may weaken the storage container or appurtenance, create a risk of discharge, or adulterate the pesticide. Metals used for valves, fittings and repairs on metal containers shall be compatible with metals used in the construction of the storage container, so that the combination of the metals does not cause or increase corrosion which may weaken the storage container or its appurtenances, or create a risk of discharge. Storage containers and appurtenances shall be designed to handle all operating stresses, taking into account: static head, pressure buildup from pumps and compressors, and any other mechanical stresses to which the storage containers and appurtenances may be subject in the foreseeable course of operations.

(ii) Appurtenances - Every storage container connection, except a safety relief connector, shall be equipped with a shutoff valve located on the storage container or at a distance from the storage container dictated by standard engineering practice. Except for a storage container of mini-bulk pesticide, all welded parts inside shutoff valves, and all connections from the storage container to the shutoff valve, shall be made of materials compatible with the pesticide. Valves shall be secured to protect against vandalism or accidental valve opening which may result in a discharge. Pipes and fittings shall be made of materials compatible with the pesticide and shall be secured to protect against sagging and possible breakage because of gravity and other forces which may be encountered in the ordinary course of operations.

RESTRICTED USE PESTICIDE

(DUE TO CHRONIC TOXICITY IN ANIMAL STUDIES)

FOR RETAIL SALE TO AND USE ONLY FOR BY CERTIFIED APPLICATORS
OR BY PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR
THOSE USES COVERED BY THE CERTIFIED APPLICATORS' CERTIFICATION.

FOR GROUND LINE TREATMENT OF UTILITY POLES
FOR PRESSURE TREATMENT OF WOOD
FOR USE IN NON-PRESSURE TREATMENT

SINCE 1915

THE **C-4** BRAND
BLACK CREOSOTE
COAL TAR SOLUTION
PRESERVES AND LENGTHENS LIFE OF WOOD

ACTIVE INGREDIENT:	
Creosote (AWPA P2)	97.0%
INERT INGREDIENT:	
Water (Maximum)	3.0%
Total	100.0%

KEEP OUT OF REACH OF CHILDREN

DANGER!

FIRST AID

Statement of Practical Treatment

- IF SWALLOWED: Call a Physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
- IF IN EYES: Flush with plenty of water. Call a Physician.
- IF ON SKIN: Remove from skin with waterless hand cleaner. Wash with plenty of soap and water. Get Medical Attention.
- IF INHALED: Remove victim to fresh air. Get Medical Attention.

See Side Panel For Additional Precautionary Information Under Heading "Precautionary Statements: Hazards to Humans and Domestic Animals"

Manufactured by

COOPERS CREEK CHEMICAL CORPORATION

West Conshohocken, Pa. 19428
215-828-0375

EPA Registration Number 363-14
EPA Establishment Number 363-PA-

— GALLON U.S. MEASURE