

GER

absorbed through the skin. Do not get in eyes, on skin of spray mist, vapors, and before using, apply protective goggles and protective clothing

vomiting, but call a physician into eyes, flush with plenty physician at once. If product thoroughly with soap and water physician attend the affected Clothing and other apparel product should be washed off

of children, pets, domestic

ners and dispose of wastes away from water supplies. used for irrigation or domestic wells or streams where run-off should be disposed of by burying with wastes.

PTED
ood faith, however, the seller
ages of any kind caused by
g or use.
1975

ERIAL INSECTICIDE
RODENTICIDE ACT
POISON REGISTER
363 25

DESCRIPTION

C-4 BRAND SOLUBLE CRESYLIC DISINFECTANT is a Saponified Cresylic Solution conforming with specifications of and permitted by the Animal Disease Eradication Branch of the United States Dept. of Agriculture for use as a disinfectant in connection with the interstate shipment of livestock and also for disinfection of premises which have been exposed to communicable diseases of livestock.

A.N.H. specifications require the use of 4 fluid ounces of Soluble Cresylic Disinfectant to 1 gallon of water. This is equivalent to:

- 1/2 cupful to 1 gal. water
- 1 pint to 4 gals. water
- 1 quart to 8 gals. water
- 1 gallon to 32 gals. water

Since 1915

THE **C-4** BRAND Soluble Cresylic Disinfectant

SAPONIFIED CRESYLIC SOLUTION

ACTIVE INGREDIENTS

Cresylic Acids 50%

Soap 34%

INERT INGREDIENTS 16%

DANGER! KEEP OUT OF REACH OF CHILDREN AND ANIMALS. May be fatal if swallowed or absorbed through the skin. May produce severe burns. Do not get in eyes, on skin or clothing. Wash thoroughly. Keep away from food.

AVOID BREATHING SPRAY MIST

EPA Reg. No. 363-25

EPA Est. 363-PA-1

1 QUART U.S. MEASURE

READ PRECAUTIONS ON SIDE PANEL

DIRECTIONS FOR USE IN INTERSTATE MOVEMENT OF LIVESTOCK UNDER A.N.H. REGULATIONS

1. Remove all animals from premises, cars, boats, etc.
2. Clean the premises, such as cars, boats, yards, pens, chutes, alleys, troughs, racks and feeding or watering appliances by removing all litter and manure.
3. Then saturate all surfaces with C-4 Brand Soluble Cresylic Disinfectant in the dilution rate of 4 fluid ounces to 1 gallon of water.
4. Immerse all halters, ropes and other types of equipment used in handling or restraining the animals, as well as the forks, shovels, scrapers and other equipment used in removal of litter and manure in the cresylic solution as recommended above.
5. Ventilate buildings, cars, boats and other closed spaces after treatment. Do not house livestock or employ equipment until treatment has been absorbed, set or dried.
6. All treated feed racks, troughs, automatic feeders, foundations, and waterers must be thoroughly scrubbed with detergents and rinsed with potable water prior to reuse.

Do not use in milking stalls, milking parlors, or milk houses.

**USE THE C-4 BRAND
AND
C-4 YOURSELF**

MANUFACTURED BY
COOPERS CREEK CHEMICAL CORP.
WEST CONSHOHOCKEN, PENNSYLVANIA, U.S.A. 19428

**USE THE C-4 BRAND
AND
C-4 YOURSELF**

Since 1915

THE C-4 BRAND

Phenolated Pine-Odor Disinfectant

PHENOL COEFFICIENT 5 A.O.A.C. METHOD

ACTIVE INGREDIENTS

Soap	8.25%
Isopropanol	6.20%
Pine Oil	5.00%
Ortho-benzyl-para-chlorophenol	3.60%
Tetrasodium Ethylene diaminetetraacetate	1.80%
	24.85%

INERT INGREDIENT

Water	75.15%
Total	100.00%

Deodorizes — Disinfects — Cleanses
WARNING: KEEP OUT OF THE REACH OF CHILDREN
 See Other Precautions on Side Panel
 EPA Registration No. 363-47
 One Quart U.S. Measure

Sold By
COOPERS CREEK CHEMICAL CORPORATION
WEST CONSHOHOCKEN, PENNSYLVANIA, U.S.A. 19428

ACCEPTED

OCT 31 1973

UNDER FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR FUMIGANT POISON REGISTERED
 UNDER NO. 363-47 SUBJECT
 TO ATTACHED COMMENTS.

FIRST AID

If swallowed, give raw egg white, milk, mucilage, gruel or corn-starch. Call physician immediately.

WARNING

Harmful if swallowed. Causes skin or eye irritation. In case of contact, flush with plenty of water. For eyes get medical attention! Avoid breathing spray mist. Avoid contamination of feed and foodstuffs.

RECOMMENDED

Disinfecting of floors, garbage receptacles. For use as a deodorant it will

DIRECTIONS

Prior to application of disinfectant, dirt must be removed. The floor must be mopped or scrubbed and disinfected for at least 15 minutes. As a deodorant and cleaner use 3½ tablespoons of Disinfectant per quart of water. Rinse empty container

PH

DEC

Soluble in water, form recommended dilution, not stain surfaces or clothing.

KI