

365-76

9/7/2010

11/10



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

SEP -7 2010

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Troy Chemical Corporation c/o
Troy Corporation
8 Vreeland Road
Florham Park, NJ 07932

Attention: Peko Rasic
Product Registration Specialist

Subject: Grotan – Notification for Storage and Disposal
EPA Reg. No. 365-76
Notification Letter Dated August 24, 2010
Application Dated August 24, 2010

This will acknowledge receipt of your notification for the aforementioned product label, submitted under the provisions of Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) Section 3© (9). Based on a review of the submitted material, the following apply:

- To revise the labeling for the Container Handling under the heading Storage and Disposal in accordance with the provisions of PR Notice 2007-4.

The Notification is in compliance with PR Notice 98-10 and is acceptable. This information has been made a part of your file.

If you have any questions concerning this letter, please contact Abigail Downs at (703) 305-5259.

Sincerely,

A handwritten signature in black ink, appearing to read "M Swindell".

Marshall Swindell
Product Manager (33)
Regulatory Management Branch I
Antimicrobials Division (7510P)



EPA

United States Environmental Protection Agency Washington, DC 20460

- Registration
Amendment
Other: [checked]

OPP Identifier Number 289719

Application for Pesticide - Section I

1. Company/Product Number 365-76
2. EPA Product Manager Marshall Swindell
3. Proposed Classification [checked] None [] Restricted
4. Company/Product (Name) Grotan PM# 33
5. Name and Address of Applicant Troy Chemical Corporation
6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(l), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name

Section - II

Amendment - Explain below. Resubmission in response to Agency letter dated. Notification - Explain below. Final printed labels in response to Agency letter dated. "Me Too" Application. Other - Explain below.

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product.

Section - III

1. Material This Product Will Be Packaged In: Child-Resistant Packaging, Unit Packaging, Water Soluble Packaging, 2. Type of Container, 3. Location of Net Contents Information, 4. Size(s) Retail Container, 5. Location of Label Directions, 6. Manner in Which Label is Affixed to Product

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application) Name Peko Rasic Title Product Registration Specialist Telephone No. (973) 443-4200 ext 2285
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.
2. Signature Peko Rasic 3. Title Product Registration Specialist
4. Typed Name Peko Rasic 5. Date 08/24/2010
6. Date Application Received (Stamped)

3/10



TROY CORPORATION

Hand Delivered

August 24, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

Attention: Mr. Marshall Swindell
PM Team 33

Subject: Grotan
EPA Reg. No.: 365-76
Submission of Labeling Revisions per PR Notice 2007-4

Dear Mr. Swindell:

Enclosed, please find the revised labeling for the subject product in accordance with the provisions of PR notice 2007-4. Please note that no other labeling changes have been made outside the scope of this PR Notice. Included under this cover please find:


- application form 3570-1 (OPP Identifier No.: 289719);
- one copy of product label with revisions underlined.

Please contact me at either 973-443-4200, ext. 2285 or at rasicp@troycorp.com should you have any questions or require any additional information.

With kind regards,


Peko Rasic
Product Registration Specialist

Enclosure



GROTAN

A long lasting Broad Spectrum Bactericide, and Fungicide for the Preservation of Adhesives, drilling additives, Fuel Oils and Fuel Systems, Metal Cutting Fluids and Coolants, Joint Cements, Resin Emulsions and Pigment Dispersions for Paint Use.

MASTER LABEL

Sub-label A: MWF Fluid, Material Preservative Use

Sub-label B: Drilling Additive Use

Sub-Label C: Fuel Oils and Fuel Systems Use

ACTIVE INGREDIENT:	% Weight
Hexahydro-1,3,5-tris(2-hydroxyethyl)-s-triazine.....	78.5%
INERT INGREDIENTS	<u>21.5%</u>
TOTAL	100.0

EPA Reg. No.	365-76
EPA Establishment Number	5383-xxxx

DANGER

SOLD FOR INDUSTRIAL USE

See Side Panel for Additional Precautionary Statements

KEEP OUT OF REACH OF CHILDREN

**IN CASE OF EMERGENCY:
CALL 1-800-424-9300**

Troy Chemical Company, Ltd.
242 Applewood Crescent, Unit 14
Concord, Ontario L4K 4E5 Canada
1-800-461-9364

Net Weight:

5/10

**GROTAN
SUB-LABEL A
METALWORKING FLUIDS/MATERIAL PRESERVATIVE USE**

6/20

GROTAN

A long lasting Broad Spectrum Bactericide, and Fungicide for the Preservation of Adhesives, Metal Cutting Fluids and Coolants, Joint Cements, Resin Emulsions and Pigment Dispersions for Paint Use.

ACTIVE INGREDIENT:	% Weight
Hexahydro-1,3,5-tris(2-hydroxyethyl)-s-triazine.....	78.5%
INERT INGREDIENTS	<u>21.5%</u>
TOTAL	100.0

EPA Reg. No.	365-76
EPA Establishment Number	5383-xxxx

DANGER

SOLD FOR INDUSTRIAL USE

See Side Panel for Additional Precautionary Statements

KEEP OUT OF REACH OF CHILDREN

IN CASE OF EMERGENCY:
CALL 1-800-424-9300

Troy Chemical Company, Ltd.
242 Applewood Crescent, Unit 14
Concord, Ontario L4K 4E5 Canada
1-800-461-9364

Net Weight:

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

DANGER

Corrosive. Causes irreversible eye damage. Do not get in eyes or on clothing. Wear goggles or face shield. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

FIRST AID	
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
IF INHALED:	Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN:	
Probable mucosal damage may contraindicate the use of gastric lavage.	

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional office of the EPA

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SOLUBLE EMULSION, SYNTHETIC AND SEMI-SYNTHETIC CUTTING FLUIDS AND COOLANTS

GROTAN should be used at a dilution of 0.15%.

For best results, drain and clean the system before adding fresh cutting fluid. Add 0.15% of GROTAN to the use dilution (1.2 pints per 100 gallons of diluted cutting fluid). 0.15% of GROTAN should be added to the use dilution of the make-up fluid. To inhibit the growth of bacteria and fungi in metalworking, cutting fluids, cooling, and lubricating fluids add GROTAN to the metalworking concentrate that will result in a 0.15% concentration. For example add 3% GROTAN to a metalworking fluid concentrate that will be diluted to 5% in water for use.

For all other uses (Adhesives, drilling additives, joint cements, pigment dispersions, asphalt emulsions and resin emulsions for paint use) use levels from 0.1-0.3% based on the total weight of the formulation. Grotan should be added to the latter phase of the manufacturing process. It should not be exposed to temperatures exceeding 125°F (52 °C) for prolonged periods of time. Further it is not suitable for systems with a pH below 7. Grotan may also be used to control microbial growth at the air-water interface of paint manufacturing raw material storage tanks. A 1.0% aqueous solution of Grotan may be sprayed over the surface. Care should be taken to avoid removal of this interface in paint production. NOTE: May cause discoloration. Color stability in systems should be checked before use.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning if available, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

10/10

**GROTAN
SUB-LABEL B
DRILLING ADDITIVE USE**