ACTIVE INGREDIENTS Chlordane Technical* Petroleum Distillate INERT INGREDIENTS Pyrophyllite

80%

100%

20%


18%

* Equivalent to 12% Octachloro - 4, 7 -Methanatetrahydroindane Plus 8% Related Insecticidal Compounds.

CAUTION— Avoid inhalation or contamination of loods. Should not be used in dwellings or dairy barns because of possibility hazards to the health of humans, animals and contamination of milk or food stuffs.

DIRECTIONS: Place steel fly trap on any quart or gallon jar (preferably fruit jar). In jar place 1:4 lb. raw meat, liver or uncooked fish. Do not used smoked or alted meat. Place in sunlight for 3 or 4 days so meat ecays and causes odor (stink attracts flies). After meat begins to stink add 1 cup of water and 1 teaspoonful of SHR-DETH BRAND Fly Control Powder. Place SHUR-DETH BRAND Fly Trap at least 25 feet from house or barn. Do not place in barn or coops where animals or chickens are kept. Place trap in sheltered places where wind will not blow and cause jar to fall and break. Never let trap become dry. Keep water line about 1 2 inch above dead flies. When trap is full, empty, leaving about 1 inch of dead flies. Thus stink is in jar and there is no need to buy more meat to reactivate the odor-merely add more water and control powder. Bury or burn dead flies which you have removed from the jar.

Fly Control Powder KILLS BLOW FLIES



U.S.D.A. REG. NO. 368-26 Contents: 2 Ounces (30 Teaspoonsful) \$1.00

The second of th