

**CAUTION:** Protect children, pets and domestic animals from bait. If swallowed by humans, domestic animals or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such case, intra-venous and oral administration of vitamin K combined with blood transfusions are indicated as in the case of hemorrhage caused by overdoses of bishydroxycoumarin.

This rodenticide contains warfarin, an anticoagulant chemical that reduces the clotting ability of the blood and upon repeated feedings, causes fatal hemorrhage in rats and mice. It also contains an antibacterial agent which inhibits bacteria that produce vitamin K, an antidote for warfarin. It hereby increases effectiveness against hard-to-kill rats and mice and gives better and more thorough control.

**DIRECTIONS FOR USE OF RAT BAIT:** Place 4 to 6 ounces of bait in dry container next to burrows, in runways, or where rats are accustomed to feed. Assure an uninterrupted supply of bait for a period of not less than 12 days and continue baiting until all signs of feeding have stopped. Replace stale, damp or moldy baits with fresh bait.

**DIRECTIONS FOR USE OF MOUSE BAIT:** Place tablespoonful amounts of bait in shallow containers, where mice or signs of mice have been seen. Bait stations at intervals of 8 to 12 feet are recommended. Assure an uninterrupted supply of bait for period of not less than 12 days.



**\*PROLIN CONCENTRATE**

**New Improved Warfarin Rodenticide**

**CAUTION**

U.S.D.A. REG. NO. 368-43

**KEEP OUT OF REACH OF CHILDREN**

1 oz. \$ .50 Mix 1 lb. corn meal—add 1 cup of juices  
 4 oz. \$1.75 Mix 5 lbs. corn meal—add 3 cups of juices  
 8 oz. \$3.00 Mix 10 lbs corn meal—add 6 cups of juices  
 1 lb. \$5.00 Mix 20 lbs. corn meal—add 12 cups of juices  
 If meat juices are used in mixing, replace baits as needed for they may become rancid.

NET WEIGHT: 4 OZ.

Manufactured By

**Master Laboratories, Beaver Falls, Pa.**

**DIRECTIONS FOR MANUFACTURING RAT OR MOUSE BAIT:** Mix prolin concentrate thoroughly with cracked corn or grains, dog food, or other edible inert baiting materials. Use 1 part prolin concentrate to 19 parts by weight of inert bait. For best results add bacon fryings or meat juices. If meat juices, bacon fryings, or dog food are used, keep baits from reaching domestic pets by protective wood or metal bait stations.

For hard to kill rats and mice. A better and more effective rodenticide. Especially recommended for rat and mouse infestations which are difficult to control. The most notable advance in rodenticides since Warfarin. The antibacterial agent increases the effectiveness of this product and assures more thorough control of rats and mice. Especially recommended for rat and mouse infestations which are difficult to control.

**ACTIVE INGREDIENTS:**

"Warfarin 3—(2-acetylbenzyl)-4-hydroxycoumarin" 0.5%

"N¹-(2-Quinoxaliny) sulfanilamide (sulfaquinoxaline)" 0.5%

**INERT INGREDIENTS:** 99.0%

100.0%

\*Prolin (warfarin plus an antibacterial agent) is manufactured under license from the Wisconsin Alumni Research Foundation, U.S. Patent No. 2,427,578 and U.S. Patent No. 3 113,071.

A  
 UNDE  
 FINGI  
 FOR E  
 ED UN  
 TO AT

ACCEPTED WITH COMMENTS