

SPEC SPEC

Warning!

MAY BE FATAL IF SWALLOWED

Avoid breathing dust.

Do not get in eyes or on skin.

Wash thoroughly after handling.

Toxic to fish.

Keep out of any body of water.

When this container is empty discard immediately. Do not re-use.


USDA Registration No. 372-15

3965



5 LBS.

(2.27 Kgs.)



ACTIVE INGREDIENT

Cadmium Succinate 60%
Total Cadmium (Cd) 29%
INERT INGREDIENTS 40%

WARNING!


KEEP OUT OF REACH OF CHILDREN.

See left panel for additional cautions.

MALLINCKRODT CHEMICAL WORKS

ST. LOUIS

NEW YORK • LOS ANGELES • MONTREAL



372-15

APPLICATION

Apply CADMINATE at the rate of 1 ounce in 100 gallons of water to every 1,000 sq. ft. of turf to be treated. Prepare the spray by adding the CADMINATE directly to water in the spray tank. Agitate to form a suspension.

After spraying with CADMINATE rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by puncturing with a sharp tool, filling with wastes, or by burning, keeping out of smoke.

DOLLAR SPOT

PREVENTIVE Dollar spot can be prevented by treating turf with 1 ounce of CADMINATE per 1,000 sq. ft. every month.

CURATIVE If dollar spot has already appeared, 1 ounce of CADMINATE per 1,000 sq. ft. plus another 1 ounce per 1,000 sq. ft. 2 weeks later.

When dollar spot is established, use the preventive spray schedule.

COPPER SPOT

Same treatment as dollar spot.

RED THREAD (PINK PATCH)

Same treatment as dollar spot.

SNOW MOLD (TYPHULA BLIGHT)

Apply 1 to 4 ounces per 1,000 sq. ft. in the late fall before the ground freezes and before the first regular snow cover is expected. A second application during a hard winter may provide additional protection. If pink snow mold, Fusarium Patch, or other snow mold fungi in addition to the Typhula species, commonly occur, Calo-Clor, which is a specific for all the snow mold species, is recommended for broad spectrum control.

BROWN PATCH

To prevent brown patch apply CALO CLOR or CALOCURE at the recommended dosage between successive CADMINATE treatments. CADMINATE may also be mixed with CALO CLOR or CALOCURE if applied as a single spray.

© 1965, The Mallinckrodt Chemical Works, St. Louis, Missouri. Printed in U.S.A.

MAY BE FATAL IF SWALLOWED


Avoid breathing dust
Do not get in eyes or on skin.
Wash thoroughly after handling
Toxic to fish
Keep out of any kind of water
When this container is empty
discard immediately. Do not re-
use.

3965

Mallinckrodt

5 LBS.

(2765)



**CADMIUM
SULFIDE
(PINK PATCH)**

ACTIVE INGREDIENT

INERT INGREDIENTS

WARNING!

KEEP OUT OF REACH OF CHILDREN.
See label for additional instructions.

MALLINCKRODT CHEMICAL WORKS

ST. LOUIS

NEW YORK, N.Y. PHILADELPHIA, PA.

APPLICATION

Use as directed on label.
Apply to surface of material to be treated.
Do not breathe dust.
Wash thoroughly after handling.

DOLLAR SPOT

Use as directed on label.
Apply to surface of material to be treated.
Do not breathe dust.
Wash thoroughly after handling.

COPPER SPOT

RED THREAD (PINK PATCH)

FLOW MOULD TYPHUS BLIGHT

BROWN PATCH