

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING!

MAY BE FATAL IF SWALLOWED.

Avoid breathing dust
Do not get in eyes or on skin
Wash thoroughly after handling

FIRST AID

IN CASE OF CONTACT. Immediately flush eyes or skin with plenty of water. **FOR EYES.** Flush with water for at least 15 minutes. **IF SWALLOWED,** induce vomiting immediately by giving two glasses of water and sticking finger down throat. **CALL A PHYSICIAN**

ENVIRONMENTAL HAZARDS

THIS PRODUCT IS TOXIC TO FISH. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

MANUFACTURED FOR
Mallinckrodt, Inc.
St. Louis, Missouri 63147

3965

Mallinckrodt

25 LB.
(11.3 Kg)

CADMINATE®

BRAND

A TURF FUNGICIDE

for Control of
DOLLAR SPOT • COPPER SPOT
RED THREAD (PINK PATCH)
SNOW MOLD

ACTIVE INGREDIENT

Cadmium Succinate 60%

(Total Cadmium) 39%

INERT INGREDIENTS

41%

KEEP OUT OF REACH OF CHILDREN

WARNING!

See Side Panels for Additional Precautionary Statements

EPA Registration No. 372-15

EPA Est. No. 228-IL-1

DIRECTIONS

IT IS A VIOLATION OF FEDERAL (U.S.A.) LAW TO USE THIS PRODUCT IN A MANNER NOT SPECIFIED ON THE LABEL.
FOR PROFESSIONAL USE ONLY

APPLICATION

Apply CADMINATE at the rate of 1/2 to 1 1/2 gallons of water per 1,000 sq. ft. of turf. Prepare the solution by adding the CADMINATE to the water in the spray tank. Agitate to maintain suspension.

DOLLAR SPOT

Apply 1/2 to 1 1/2 gallons of water per 1,000 sq. ft. of turf. Apply CADMINATE at the rate of 1/2 to 1 1/2 gallons of water per 1,000 sq. ft. of turf. Apply CADMINATE at the rate of 1/2 to 1 1/2 gallons of water per 1,000 sq. ft. of turf. Apply CADMINATE at the rate of 1/2 to 1 1/2 gallons of water per 1,000 sq. ft. of turf.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Stable at normal temperature and humidity.

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide spray mixture or rinse water that remains must be disposed of according to applicable Federal, State, and local regulations.

CONTAINER DISPOSAL: Completely empty container by shaking and tapping particles. Empty residue of application equipment. Then dispose of in a manner approved by State and local authorities in a safe manner.

WARRANTY

This product is warranted to be effective against the diseases listed on the label when used in accordance with the directions on the label. The warranty does not extend to areas where the product is used in a manner not specified on the label. The warranty is void where prohibited by law.

3965

Mallinckrodt

25 LB.
(11.3 Kg)

CADMINATE®

BRAND

A TURF FUNGICIDE

for Control of
DOLLAR SPOT • COPPER SPOT
RED THREAD (PINK PATCH)
SNOW MOLD

1982

Insecticide
Fungicide
Fertilizer

EPA Reg. No. 772-1-1

ACTIVE INGREDIENT

Cadmium Succinate 60%

(Total Cadmium (Cd) 24%)

INERT INGREDIENTS 40%

**KEEP OUT OF REACH OF CHILDREN
WARNING!**

See Side Panels for Additional Precautionary Statements

EPA Registration No. 372-15
EPA Est. No. 228-IL-1

DIRECTIONS

IT IS A VIOLATION OF FEDERAL (U.S.A.) LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING FOR PROFESSIONAL USE ONLY

APPLICATION

Apply CADMINATE at the rate of 1.0 to 1.5 gallons of water per 1,000 sq. ft. of turf. Mix with water in a spray nozzle. Apply to the turf in the morning or late afternoon.

DOLLAR SPOT

Apply CADMINATE at the rate of 1.0 to 1.5 gallons of water per 1,000 sq. ft. of turf. Mix with water in a spray nozzle. Apply to the turf in the morning or late afternoon. Repeat applications as needed.

COPPER SPOT

Same treatment as Dollar Spot.

RED THREAD (PINK PATCH)

Same treatment as Dollar Spot.

SNOW MOLD (TYPHULA BLIGHT)

Apply 1.0 to 1.5 gallons per 1,000 sq. ft. of turf late in the fall before the first frost and before the first freeze. A second application during a mild winter may be expected. A second application during a mild winter may be expected. A second application during a mild winter may be expected.

STORAGE AND DISPOSAL

STORAGE Store in a cool, dry place. Stable at normal temperatures and humidities. Store in a dry place in a cool, dry place.

PROHIBITIONS Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL Pesticide spray mixture or rinse water that cannot be used according to label directions should be disposed of according to applicable Federal, State, or local procedures.

CONTAINER DISPOSAL Completely empty inner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into appropriate equipment. Then dispose of inner in a sanitary landfill or by incineration. Followed by state and local authorities if drums cannot be reused, dispose of in the same manner.

WARRANTY

Mallinckrodt warrants that this product conforms to the specifications stated on the label and that it is free from adulteration. The user assumes all responsibility for the proper use of this product. The user assumes all responsibility for the proper use of this product.