

RUSSELL INCUBATOR FUMIGANT

To: Distributors, Retailers, Veterinarians, Poultry Raisers

ACTIVE INGREDIENTS

Isopropenol 49.0%
Formaldehyde 21.0%

INERT INGREDIENTS

30.0%

Contains Methanol

POISON  **POISON**

DANGER: KEEP OUT OF REACH OF CHILDREN

See separate page for First Aid statement.

CAUSES IRRITATION OF SKIN, EYES, NOSE AND THROAT

Use with care. Avoid Contact with Skin, Eyes &

HARMFUL OR FATAL IF SWALLOWED

Keep away from fish and wild life. Do not use in areas where birds can get equipment and other things. Avoid use in areas where children play.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

CONTENTS 1 GALLON

Manufactured By

I. D. RUSSELL CO. LABORATORIES

KANSAS CITY, MO. 64111

INCUBATOR DIRECTIONS in Fluid Ounces

Incubator at least should be fumigated with this fumigant after each air change. Fumigate at least 1 hour before starting incubation. Fumigation should be carried out between 4:00 to 8:00 a.m. after setting the eggs because of the danger of moldy entries at that stage of development. Give a second fumigation when 10 to 12% of the chicks are hatched and a third fumigation 10 or 12 hours later. Fumigate not over two hours during hatching.

To determine the amount of fumigant to use, multiply the length by the width by the height (inside measurement) of the incubator and divide the result by 100. This will be the number of ounces. Do not make any allowance for equipment inside incubators.

Use about 1/2 yard of cheese cloth for each ounce of fumigant required. Saturate the cloth with the fumigant, turn off fan and hang up in the machine, then turn fan on.

FIRST AID Call a physician at once

INTERNAL If patient is conscious give an emetic (syringe of ammonia) if unresponsive in a 1/2 cup of water. Induce vomiting freely. Then induce vomiting by giving large quantities of warm salt water (1 table spoonful of salt to a glass of water). Repeat until patient feels better. Give large quantities of water. If patient is unconscious, repeat with water.

EXTERNAL Remove clothing. Wash affected area with large quantities of water.

EYES Flush immediately with large quantities of water. If patient is unconscious, repeat with water.

DANGER: Methanol is highly toxic. It is absorbed through the skin and causes blindness. It is also absorbed through the lungs. It is highly flammable. It is highly volatile. It is highly toxic. It is highly flammable. It is highly volatile. It is highly toxic.

