

# caution!

Specimen

5 1968

JUN 2

KEEP OUT OF REACH OF CHILDREN.
MAY CAUSE IRRITATION OF EYES, NOSE,
THROAT, AND SKIN
HARMFUL IF INHALED OR SWALLOWED

Avoid breathing dust or spray mist.

Avoid contact with skin, eyes, and clothing.

Wash thoroughly after handling.

In case of contact, flush skin or eyes with plenty of water; for eyes,

get medical attention.

This Product is Toxic to Fish,
Keep out of any Body of Water.

USDA REGISTRATION NO. 372-26

### MALLINCKRODT CHEMICAL WORKS

NEW YORK . LOS ANGELES . MONTREAL

## directions

THIRAMAD when applied regularly in conjunction with good turf management will prevent and control the common turf diseases such as dollar spot, brown patch and snow mold.

When a regular preventive treatment schedule is not followed, the turf should be inspected daily and at the first sign of these diseases the THIRAMAD curative treatment should be applied.

#### PREVENTIVE TREATMENT

To prevent dollar spot and brown patch use 21/2 ozs. of THIRAMAD per thousand square feet at seven day intervals throughout the warm season. It may be necessary to make more frequent applications or combine 21/2 ozs. with 1/2 oz. CALO-CLOR® when conditions are especially favorable for the development of disease.

For snow mold: Apply 8 ozs. of THIRAMAD per thousand square feet in the fall, just prior to snowfall.

#### **CURATIVE TREATMENT**

For dollar spot and large bros patch use 3 ozs. of THIRAMAD and 3/4 oz. CALO-CLOR per thousand sq. ft. applied as a tank mixture at 5 to 7 day into vals.

#### PREPARATION OF SPRAYS

Use only enough water with THIRAMAD to assure thorough coverage of the leaf surfaces. The actual amount of water is not critical and will vary depending upon the type of applicator used.

For best results do not water or mow grass for 24 hours after application.

Do not allow animals to feed or graze on treated areas. Do not use grass clippings from treated areas for food or feed purposes. Avoid spray drift to fish pools and ponds.