



372-3

BRAND

MERCURIAL TURF FUNGICIDE

for

SNOW MOLD CONTROL

ACTIVE INGREDIENTS

Mercurous Chloride	1.8%
Mercuric Chloride	0.9%
(Total Mercury (as Hg)	2.2%)

INERT INGREDIENTS

KEEP OUT OF REACH OF CHILDREN

DANGER!

- Corrosive, causes eye damage or skin irritation.
- Do not get in eyes, on skin or on clothing.
- Wear goggles or face shield and rubber gloves when handling.
- Harmful or fatal if swallowed.
- Wash hands thoroughly after handling.
- Do not feed clippings from treated turf to livestock and poultry or discard them into or near ponds or streams.
- Keep children and animals off of treated areas.
- Use prohibited within 25 ft. of any body of water where fish are taken for human consumption.
- Do not breathe dust.

STATEMENT OF PRACTICAL TREATMENT

- IF IN EYES Immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.
- IF ON SKIN Immediately wash affected area with plenty of soap and water.
- IF SWALLOWED Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

Lot Mark

INSTRUCTIONS

ACTIVE INGREDIENTS

Mercurous Chloride 1.8%
Mercuric Chloride 0.9%
(Total Mercury (as Hg) 2.2%)

INERT INGREDIENTS 97.3%

KEEP OUT OF REACH OF CHILDREN

DANGER!

**Corrosive, causes eye damage or skin irritation.
Do not get in eyes, on skin or on clothing.
Wear goggles or face shield and rubber gloves when handling.
Harmful or fatal if swallowed.
Wash hands thoroughly after handling.
Do not feed clippings from treated turf to livestock and poultry
or discard them into or near ponds or streams.
Keep children and animals off of treated areas.
Use prohibited within 25 ft. of any body of water
where fish are taken for human consumption.
Do not breathe dust.**

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES Immediately flush eyes with plenty of water
for at least 15 minutes. Call a physician.
IF ON SKIN Immediately wash affected area with plenty of soap and water.
IF SWALLOWED Call a physician or Poison Control Center. Drink 1 or 2 glasses
of water and induce vomiting by touching back of throat with finger. Do not
induce vomiting or give anything by mouth to an unconscious person.

Lot Mark _____

DIRECTIONS

**IT IS A VIOLATION OF FEDERAL (U.S.A.) LAW TO USE THIS PRODUCT
IN A MANNER INCONSISTENT WITH ITS LABELING.**

This is a copy of the label for Calo-Gran.

FOR SNOW MOLD CONTROL

Before the ground freezes, or before a heavy snow, apply granular Calo-Gran to greens, approaches and collars at the rate of 6 pounds/1000 sq. ft. Where prolonged snow cover is anticipated, or where mat and thatch are heavy an application of 8 to 10 pounds/1000 sq. ft. will provide better disease protection under these more severe conditions. If repeated rains or periods of thawing occur after the initial application, an additional treatment during an open period in mid-winter assures added protection. Apply uniformly. Calibrate each spreader to assure accurate distribution of an effective dosage.

'Suggested settings for calibrating individual spreaders'

Rate per 1000 sq. ft.	Scott Drop Spreader	Settings	
		Once over	Twice over
6 lbs.	6	4 1/4	3 1/2
10 lbs.	8	5 1/4	3 3/4

**NOTE: Thoroughly wash spreader immediately after use.
When this container is empty discard immediately. Do not reuse.**

To be applied only by or under the direct supervision of golf course superintendents.

**MALLINCKRODT, INC.
St. Louis, Missouri 63147**

**E.P.A. Registration No. 372-33AA
E.P.A. Est. No. 372-PA-1**

Printed in U.S.A. 4-81