


4324

2 LB.
(0.9 Kg)



FUNGICIDE

30% WETTABLE POWDER

For control of damping-off root and stem rot diseases caused by Pythium and Phytophthora in ornamental and nursery crops.

ACTIVE INGREDIENT

5-Ethoxy-3-trichloro-
methyl-1,2,4-thiadiazole* 30%

INERT INGREDIENTS 70%

KEEP OUT OF REACH OF CHILDREN

WARNING!

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED, induce vomiting immediately by giving two glasses of water and sticking finger down throat. Never give anything by mouth to an unconscious person. GET MEDICAL ATTENTION.

IF INHALED, Induce coughing.

IF ON SKIN, Wash off with soap and water.

IF IN EYES, Flush eyes with water.

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA Reg. No. 372-43

EPA Est. No. 228-IL-1

*Licensed under U.S. Patents 3,260,588 & 3,260,725

Manufactured For

St. Louis, Missouri 63147

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: HARMFUL IF SWALLOWED. Inhaled, or absorbed through skin. Always wear protective clothing and respirator when mixing and applying pesticides. May cause irritation. Avoid breathing spray mist. Avoid contact with skin, eyes and on clothing. **IN CASE OF CONTACT,** immediately flush eyes or skin with plenty of water. **GET MEDICAL ATTENTION** if irritation persists. Wash thoroughly with soap and water after handling. Wash contaminated clothing before re-use. Do not contaminate feed or food. Keep children and pets out of treated area during application.

ENVIRONMENTAL HAZARDS

THIS PRODUCT IS TOXIC TO FISH. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not store near heat or open flame.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL (U.S.A.) LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

FOR PROFESSIONAL USE ONLY

TRUBAN® is a soil fungicide for control of damping off, root and stem rot diseases caused by Pythium and Phytophthora. It may be used at time of seeding and transplanting either as a soil mix or as a drench for control of these problem fungi in greenhouses and outdoors.

TRUBAN suspensions in water should be constantly agitated to assure uniform application of material. TRUBAN suspensions need not be protected from light. Use at recommended rates. Overdosage may result in toxicity to sensitive plants. If plants are suspect of being sensitive, apply fungicide to a small number to insure safety. TRUBAN should not be mixed with other pesticides or nutrients.

Thoroughly rinse TRUBAN residues out of all equipment after use.

PLANT TYPE	REMARKS
Bedding Plants Impatiens Larkspur Marigold Petunia Portulaca Salvia Snapdragon Stokesia Verbena Viola Foxglove	BEDDING PLANTS: 2 to 3 oz. Mix 4.6oz. of TRUBAN 30 WP with 100 gal. of water and apply to 400 sq. ft. of bed area. Top dress 1 sq. ft. and irrigate immediately. Re-treat at 4 to 12 week intervals if necessary.
Foliage Plants Aglaonema Anthurium Brassia Calceolaria Chinese Evergreen Dieffenbachia Ficus Nerve Plant Peperomia Plea Pothos Philodendron Zygocactus	BENCH PLANTINGS OF TROPICAL FOLIAGE PLANTS Seal and other high organic growth media 6" deep. Mix 8-12 oz. with 100 gal. of water and apply to 400 sq. ft. of bench area. Irrigate immediately with additional water equal to at least half the volume of the fungicidal drench for improved soil penetration of the fungicide. Re-treat at 2-3 month intervals to maintain disease control.
	BEDGROWN PLANTS Mix 3 to 10 oz. with 100 gal. of water per 400 sq. ft. or apply in sufficient amount to saturate the soil mixture. Re-treat at 4 to 12 week intervals if necessary.
Container & Bedgrown HERBACEOUS - African Violet Begonia - Calceolaria Carnation - Chrysanthemum Easter Lily - Geranium Gerbera - Gypsophila Orchids - Sinningia WOODY Arctostaphylos - Camellia Carissa - Ceanothus - Fir Hemlock - Juniper - Magnolia Poinsettia - Rhamnus Rhododendron - Southern Pine Western Pine	CONTAINER & BEDGROWN PLANTS Mix 3 to 10 oz. with 100 gal. of water per 400 sq. ft. or apply in sufficient amount to saturate the soil mixture such as 1/2 pint per 6" pot. Irrigate immediately with additional water equal to at least half the volume of the fungicidal drench for improved soil penetration of the fungicide. Re-treat at 4 to 12 week intervals if necessary.
DRY SOIL MIX for Plants Listed above: Mix 1 to 3 oz. of TRUBAN 30 WP with each cu. yd. of soil mixture. Ingredients for the soil mix should be free of large lumps and dry enough to prevent agglomeration during mixing. (Improved uniformity of blending will be assured if the TRUBAN is pre-mixed with about five times its volume of dry soil.) Re-treat if needed as indicated under appropriate soil drench recommendations.	

STORAGE AND DISPOSAL

STORAGE: Not sensitive to light. Stable at normal temperatures and humidities. Store in a dry place.

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Dispose of bags according to approved Federal, State or local procedures under the Resource Conservation and Recovery Act.

WARRANTY

This material conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing and method of application, weather, watering practices, nature of soil or potting medium, the disease problem, condition of the crop, incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the Seller. Buyer assumes all risks of use, storage or handling of this material. Obtain instructions in accordance with directions given herewith. **NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY IS MADE.**

**PRECAUTIONARY STATEMENTS.
HAZARDS TO HUMANS &
DOMESTIC ANIMALS.
WARNING**

Contains petroleum distillates. Harmful if swallowed. If swallowed, do not induce vomiting. Call physician immediately. May be absorbed through skin. Causes skin irritation. Avoid breathing vapor or spray mist. Use in well ventilated area. Avoid contact with skin, eyes or clothing. In case of contact, immediately remove contaminated clothing and wash skin with soap and water. For eyes, flush with plenty of water and get medical attention. Wash clothing before reuse. **KEEP OUT OF REACH OF CHILDREN.**

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

**COMBUSTIBLE MIXTURE DO NOT USE, POUR,
SPILL OR STORE NEAR HEAT OR OPEN FLAME.**

N.Y.F.D. Certificate of Approval No. 3799

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **BEFORE USE, THOROUGHLY MIX CONTENTS OF CAN DO NOT THIN.** Apply by brush, spray or dip to clean, dry, bare wood. Use one thin coat under finishes. When no finish is to be used, two generous coats applied within 1 hour, or a 3-minute dip, is recommended. **THOROUGHLY cover ends.** The more preservative absorbed by the wood, the longer and more effective the protection. Cuprinol Wood Preservative dries to the touch rapidly. Clean excess from surface with mineral spirits and let dry approximately 24 hours before applying dark paint or finish. Clean Cuprinol Green No. 10 from brushes, etc., with mineral spirits or turpentine. Not recommended to be overcoated with latex (water base) paint or clear finishes until thoroughly cured (6-12 months).

Coverage: 300 sq. ft. per gallon average, depending on wood porosity and surface roughness.

STORAGE AND DISPOSAL

STORAGE: Do not use or store near heat or open flame. Avoid storage near feed or food products.

DISPOSAL: Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

Darworth 
AVON, CONNECTICUT 06001

**PANTONE
349**