

4322



2 LB.
(0.9 Kg)

BANROT®
Broad Spectrum Fungicide
40% Wettable Powder

For control of damping-off and stem rot diseases caused by *Pythium*, *Phytophthora*, *Rhizoctonia*, *Fusarium*, and *Thielaviopsis* in ornamental and nursery crops

ACTIVE INGREDIENTS

5-Ethoxy-3-trichloro-
methyl-1,2,4-thiadiazole* 15%
Dimethyl 4,4'-o-Phenylenebis
(3-thioallophanate) 25%
INERT INGREDIENTS 60%

ACCEPTED **KEEP OUT OF REACH OF CHILDREN**

MAR 3 1983 **DANGER!**
CORROSIVE

Under the Federal Insecticide, Fungicide, and Rodenticide Act, this pesticide causes EYE DAMAGE AND SKIN IRRITATION HARMFUL IF SWALLOWED

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES. flush eyes immediately with plenty of water for at least 15 minutes. **GET MEDICAL ATTENTION.**

IF SWALLOWED. drink promptly a large quantity of milk, egg white, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. **CALL A PHYSICIAN IMMEDIATELY.**

IF INHALED. induce coughing immediately.

IF ON SKIN. wash thoroughly with soap and water. If irritation persists, get medical attention.

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

*Licensed under U.S. Patent No. 3,260,588; 3,260,725

EPA Registration No. 372-46
EPA Establishment No. 228-IL-1

Manufactured for
MALLINCKRODT, INC.
ST. LOUIS, MISSOURI 63147