

8850

Mallinckrodt



2 LB.
(0.9 Kg)



ACTIVE INGREDIENTS:

Thiophanate-methyl (Dimethyl[(1,2-phenylene) bis (iminocarbonothioyl)]bis [carbamate]) 15%

A coordination product of zinc ion and manganese ethylenebis dithiocarbamate 60%

in which the ingredients are:

Manganese (Mn) ++ 12%

Zinc (Zn) ++ 1.5%

Ethylenebis dithiocarbamate 46.5%

INERT INGREDIENTS: 25%

TOTAL 100%

KEEP OUT OF REACH OF CHILDREN

WARNING!

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED, induce vomiting immediately by giving two glasses of water and sticking finger down throat. Never give anything by mouth to an unconscious person. **OBTAIN MEDICAL ATTENTION IMMEDIATELY**

IF INHALED, induce coughing

IF ON SKIN, Wash off with soap and water.

IF IN EYES, Flush eyes with water

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

MANUFACTURED FOR

MALLINCKRODT, INC.

ST. LOUIS, MISSOURI 63147

EPA EST. NO. 228-IL-1

EPA REG. NO. 372-48

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING! Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed or inhaled. Avoid breathing dust or spray mist. Wash thoroughly with soap and water after handling. Wash contaminated clothing before reuse. Always wear protective clothing and respirator when mixing and applying pesticides. Do not contaminate feed or food. Keep children and pets off treated area until dry or material has washed into the soil.

ENVIRONMENTAL HAZARDS

THIS PRODUCT IS TOXIC TO FISH. Do not apply directly to lakes, streams, or ponds. Do not contaminate water by cleaning equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Keep away from fire or sparks

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL (U.S.A.) LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

FOR PROFESSIONAL USE ONLY

Add recommended amount to a partially filled spray tank under agitation. Complete filling to the desired volume. Keep agitated to insure even suspension of material. Make fresh daily. Spray uniformly over the area with a boom-type or other power sprayer.

HORTICULTURAL & NURSERY CROPS

When disease prevalent spray foliage with a suspension containing 1.5 lb. per 100 gal. of water at weekly intervals unless otherwise specified.

For plants where large leaves which are difficult to wet use 2 toz of AQUA-GRO per 100 gal. of water.

* For Flower Blight (Ovomium) on azaleas and rhododendrons 1 lb. per 100 gal. on a 4 to 6 day interval is recommended. For Gymnosporangium on Crabapple use 2 lb. per 100 gal. at 2-week intervals. For Phomopsis on Juniper use 3 lb. per 100 gal. at 7 to 10 day intervals.


Use on horticultural and nursery crops for prevention and control of the following diseases in the greenhouse or field.

DISEASE CATEGORY	ORGANISM GENERA
1 ANTHRACNOSE	Colletotrichum Gloeosporium Mycosphaerella spp.
2 BLACKSPOT	Diplorcarpon rosae
3 FLOWER BLIGHT	Ascochyta Botrytis Curvularia Ovulinia Sclerotinia spp.
4 LEAF BLIGHT	Alternaria Ascochyta Cercospora Curvularia Fusarium Rhizoctonia Volvutella spp.
5 STEM & TWIG BLIGHT	Pestalotia Phomopsis Rhizoctonia spp.
6 DOWNY MILDEW	Plasmopara viburni
7 POWDERY MILDEW	Erysiphe cichoraceae Microsphaera Podophaera and Sphaerataeca spp.
8 SCAB	Fusicladium and Venturia spp.
9 RUST	Gymnosporangium juniperi-virginianae

NOTE: For LEAF SPOT see LEAF BLIGHT. The following plants are subject to the diseases indicated (by number) and tolerate ZYBAN* at normal rates of application.

WOODY	HERBACEOUS
Azalea (1, 4)	African Marigold (3)
Adonis (3, 4)*	Aphelandra (4)
Brassica (1, 4, 5)	Aster (3)
Camelia (3)	Begonia (3, 4)
Cherry Laurel (4)	Carnation (4)
Crabapple (7, 9)*	Cissus (4, 5)
Crape Myrtle (7)	Chrysanthemum (1, 3)
Dogwood (1)	Dahlia (3)
Dracaena (4, 5)	Dieffenbachia (4)
Fatsia (4)	Eupremania (4)
Hawthorn (7, 9)	Geranium (3)
Juniper (5, 9)*	Impatiens (3)
Lilac (7)	Kalanchoe (3, 7)
Photinia (4)	Liriodendron (4, 7)
Poinsettia (4)	Moro Grass (1)
Pyracantha (8)	Pachysandra (4)
Rhododendron (3)	Parley (1)
Rose (2, 3, 7)	Pelaea (4)
Viburnum (6)	Petunia (3)
	Philodendron (3)
	Phlox (4, 7)
	Snapdragon (3)
	Spathiphyllum (4, 5)
	Stocks (3, 7)
	Streptzia (1)
	Verbena (3, 4)
	Vinca (4)
	Zinnia (4, 7)

*See special instructions above. One of use on E. Yucca Mangold or Glaxina. Registered trademark of Aquatic Corporation of America.



STORAGE AND DISPOSAL

STORAGE: Do not store in unapproved containers. Do not store in areas where children or animals can gain access. Do not store in areas where food or feed is stored. Do not store in areas where food or feed is prepared or consumed. Do not store in areas where food or feed is stored or prepared.

DISPOSAL: Do not dump in water. Do not dump in areas where children or animals can gain access. Do not dump in areas where food or feed is stored or prepared.

CONTAINER DISPOSAL: Do not reuse. Do not burn. Do not incinerate. Do not dump in water.

WARRANTY


This product is warranted to be free from adulteration and to conform to the specifications on the label. It is warranted to be effective against the diseases and insects specified on the label when used in accordance with the directions on the label. The manufacturer is not responsible for the results obtained from the use of this product.

6534

Mallinckrodt



2 LB.
(0.9 Kg)



Under the Fungicide and Related Act as amended for the pesticide registered under EPA Reg. No. 228-119

ACTIVE INGREDIENTS:

Thiophanate-methyl (Dimethyl [(1,2-phenylene) bis (iminocarbonothioyl)]bis [carbamate]) 15%

A coordination product of zinc ion and manganese ethylenebis dithiocarbamate 60%
in which the ingredients are:

- Manganese (Mn) ++ 12 %
- Zinc (Zn) ++ 15%
- Ethylenebis dithiocarbamate 46.5%

INERT INGREDIENTS: 25%
TOTAL 100%

KEEP OUT OF REACH OF CHILDREN

WARNING!

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED. Induce vomiting immediately by giving two glasses of water and sticking finger down throat. Never give anything by mouth to an unconscious person. **OBTAIN MEDICAL ATTENTION IMMEDIATELY.**

- IF INHALED.** Induce coughing
- IF ON SKIN.** Wash off with soap and water
- IF IN EYES.** Flush eyes with water

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

MANUFACTURED FOR
MALLINCKRODT, INC.
ST. LOUIS, MISSOURI 63147

EPA EST. NO. 228-IL-1
EPA REG. NO. 372-48



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING! Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed or inhaled. Avoid breathing dust or spray mist. Wash thoroughly with soap and water after handling. Wash contaminated clothing before reuse. Always wear protective clothing and respirator when mixing and applying pesticides. Do not contaminate feed or food. Keep children and pets off treated area until dry or material has washed into the soil.

ENVIRONMENTAL HAZARDS

THIS PRODUCT IS TOXIC TO FISH. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Keep away from fire or sparks.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL (U.S.A.) LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

FOR PROFESSIONAL USE ONLY

Add recommended amount to a partially filled spray tank under agitation. Complete filling to the desired volume. Keep agitated to insure even suspension of material. Make fresh daily. Spray uniformly over the area with a boom-type or other power sprayer.

TURF

Apply after mowing or avoid mowing for 12 hours after application. Apply in sufficient water to obtain thorough coverage, usually 5 gal per 1000 sq. ft. of turf area. Always treat aprons and approaches to golf greens. Under conditions of severe disease, apply every 5 to 7 days. **Note to user:** Do not apply to areas likely to be grazed by livestock and do not feed clippings to livestock or poultry.

Use on golf course greens, tees, lawn and fairways of Bentgrasses, Bluegrasses, Fescues, Bermuda-grasses, Ryegrasses, St Augustine grass or their mixtures for the prevention and control of the following diseases:

DOLLAR SPOT *Sclerotinia homoeocarpa* — Apply at 3 oz per 1000 sq. ft. beginning when the disease first appears and continue at 10-14 day intervals as needed. Re-treat at 5-7 day intervals under severe conditions.

ANTHRACNOSE *Colletotrichum graminicola*.

BROWN PATCH *Rhizoctonia solani*

COPPER SPOT *Gloeocercospora sorghi*

FUSARIUM PATCH *Fusarium nivale*

LEAF SPOTS *Helminthosporium* spp.

RED THREAD *Corticium fuckiforme*

RUST *Puccinia coronata*

Apply at 4.6 oz. per 1000 sq. ft. when disease appears and continue at 10-14 day intervals. Use at 5-7 day intervals for severe disease.

STORAGE AND DISPOSAL

STORAGE: Do not store in areas where children or pets can have access. Do not store in areas where it can be used for purposes other than those intended. Do not store in areas where it can be used for purposes other than those intended.

DISPOSITION: Do not use for purposes other than those intended.

TESTING: Do not use for purposes other than those intended.

CONTAINER DISPOSAL: Do not use for purposes other than those intended.

WARRANTY