

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed or inhaled. Avoid breathing dust or spray mist. Wash thoroughly with soap and water after handling. Wash contaminated clothing before reuse. Always wear protective clothing and respirator when mixing and applying pesticides. Do not contaminate feed or food. Keep children and pets off treated area until dry or material has washed into the soil.

ENVIRONMENTAL HAZARDS

THIS PRODUCT IS TOXIC TO FISH. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Keep away from fire or sparks.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL (U.S.A.) LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

FOR PROFESSIONAL USE ONLY

Add recommended amount to a partially filled spray tank under agitation. Complete filling to the desired volume. Keep agitated to insure even suspension of material. Make fresh daily. Spray uniformly over the area with a boom-type or other power sprayer.

TURF

Apply after mowing or avoid mowing for 12 hours after application. Apply in sufficient water to obtain thorough coverage, usually 5 gal. per 1000 sq. ft. of turf area. Always treat aprons and approaches to golf greens. Under conditions of severe disease, apply every 5 to 7 days. **Note to users:** Do not apply to areas likely to be grazed by livestock and do not feed clippings to livestock or poultry.

Use on golf course greens, tees, lawn and fairways of Bentgrasses, Bluegrasses, Fescues, Bermudagrasses, Ryegrasses, St. Augustine grass or their mixtures for the prevention and control of the following diseases.

DOLLAR SPOT *Sclerotinia homocarpa* — Apply at 3 oz. per 1000 sq. ft. beginning when the disease first appears and continue at 10-14 day intervals as needed. Re-treat at 5-7 day intervals under severe conditions.

ANTHRACNOSE *Colletotrichum traminicola*

BROWN PATCH *Rhizoctonia solani*

COPPER SPOT *Gloeocercospora sorghi*

FUSARIUM PATCH *Fusarium nivale*

LEAF SPOTS *Helminthosporium* spp.

RED THREAD *Corticium fusiforme*

RUST *Puccinia coronata*

Apply at 4-6 oz. per 1000 sq. ft. when disease appears and continue at 10-14 day intervals. Use at 5-7 day intervals for severe disease.

ORNAMENTAL & NURSERY CROPS

Spray foliage with a suspension containing 1.5 lb. per 100 gal. of water when conditions for disease prevail.

*For Ciborinia on camellia and Ovulinia on azaleas and rhododendrons, 1 lb. per 100 gal. on a 4 to 6 day interval is recommended. For Gymnosporangium on crabapple, use 2 lb. per 100 gal. at 2 week intervals. For Phomopsis on juniper, use 3 lb. per 100 gal. at 7 to 10 day intervals.

Use on ornamental and nursery crops for prevention and control of the following diseases in the greenhouse, field or landscape.

DISEASE CATEGORY	ORGANISM GENERA
1. ANTHRACNOSE	Colletotrichum, Gloeosporium, Marssonina, Mycosphaerella spp.
2. BLACKSPOT	Diplocarpon rosae
3. FLOWER SPOT AND BLIGHT	Alternaria, Ascochyta, Botrytis, Ciborinia, Curvularia, Ovulinia spp.
4. LEAF SPOT AND BLIGHT	Alternaria, Ascochyta, Botrytis, Cercospora, Curvularia, Entomosporium, Fusarium, Rhizoctonia, Septoria, Volvutella spp.
5. STEM & TWIG BLIGHT	Pestalotia, Phomopsis, Rhizoctonia spp.
6. DOWNY MILDEW	Plasmopara spp.
7. POWDERY MILDEW	Erysiphe cichoracearum, Microsphaera, Podosphaera, and Sphaerotheca spp.
8. SCAB	Fusicladium, Venturia and Sphaceloma spp.
9. RUST	Gymnosporangium spp.

The following plants are subject to one or more of the diseases indicated (by number) and tolerate DUOSAN® at normal rates of application:

WOODY

Aralia (1,4)
Ash (1)
Azalea (3,4)*
Black Walnut (1)
Brassia (1,4,5)
Camellia (3)*
Cherry Laurel (4)
Crabapple (7,8,9)*
Crape Myrtle (7)
Dogwood (1,4)
Dracaena (4,5)
Euonymus (1)
Fatsia (4)
Hawthorn (7,9)
Juniper (5,9)*
Lilac (7)
Maple (1)
Photinia (4)
Pittosporum (4)
Poinsettia (3,4,8)
Pyracantha (8)
Rhapilepis (4)
Rhododendron (3)*
Rose (2,3,4,7)
Sycamore (1)
Viburnum (6)

HERBACEOUS

African Marigold (3,4)
Aphelandra (4)
Aster (3,4)
Begonia (3,4)
Carnation (3,4)
Cissus (4,5,6)
Chrysanthemum (1,3,4)
Dahlia (3,4)
Dieffenbachia (4)
Epipremnum (4)
Geranium (3,4)
Impatiens (3,4)
Kalanchoe (3,4,7)
Liriope (4,7)
Mondo Grass (1)
Pachysandra (4)
Pansy (1,3,4)
Pellea (4)
Petunia (3,4)
Philodendron (4)
Phlox (3,4,7)
Snapdragon (3,4,6)
Spathiphyllum (4,5)
Stocks (3,4,7)
Strelitzia (1)
Verbena (3,4)
Vinca (4)
Zinnia (3,4,7)

*See special instructions above.
Do not use on French Marigold or Gloxinia

BEST AVAILABLE COPY

STORAGE AND DISPOSAL

STORAGE: Do not store at a temperature exceeding 122°F (50°C). Store in a dry place in a well-closed container. Do not allow to become wet or over-heated in storage. This may cause chemical changes which will impair the fungicidal effectiveness of DUOSAN® and may also generate flammable vapors.

PRECAUTION: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.

CONTAINER DISPOSAL: Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

WARRANTY

This material conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing and method of application, weather, watering practices, nature of soil or potting medium, the disease problem, condition of the crop, incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith. **NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY.**