

BEST DOCUMENT AVAILABLE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. May cause irritation. Avoid breathing dust. IN CASE OF CONTACT: Immediately flush eyes or skin with plenty of water. GET MEDICAL ATTENTION if irritation persists. Always wear protective clothing and respirator when mixing and applying pesticides. Wash thoroughly with soap and water after handling. Wash contaminated clothing before reuse. Do not contaminate feed or food. Keep children and pets out of treated area during application.

ENVIRONMENTAL HAZARDS

THIS PRODUCT IS TOXIC TO FISH. Do not apply to lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL (U.S.A.) LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING. Incorporate recommended amount of TRUBAN 5-G in each cu. yd. of soil mix when seeding or replanting for control of damping-off and root rot diseases caused by Pythium and Phytophthora. Overdosage may result in phytotoxicity. If plants are suspected of being sensitive, apply fungicide to a small number to insure safety. Use in greenhouses and outdoors.

STORAGE AND DISPOSAL

STORAGE: Store in original container. Do not use if container is damaged or leaking. PACKAGING: Do not use if damaged. Do not use if contents are not as labeled. PESTICIDE DISPOSAL: Do not mix with other pesticides. Do not dump into water. Do not dump into soil. Do not dump into air. Do not dump into fire. Do not dump into water. Do not dump into soil. Do not dump into air. Do not dump into fire.

6937

40 LB. (18 Kg)

MAY 18 1981

37252

5-G

FUNGICIDE

For control of damping-off, root rot, and other soil-borne diseases of plants and seedlings.

ACTIVE INGREDIENT

Benlate hydrochloride 5%

INERT INGREDIENTS 95%

KEEP OUT OF REACH OF CHILDREN

CAUTION!

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES. Flush eyes with water for 15 minutes.

IF INHALED. Induce coughing.

IF ON SKIN. Wash off with soap and water.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 372-52

EPA EST. NO. 228-IL-1

EPA EST. NO. 1258-MS-1

*Licensed under U.S. Patent Nos. 3,265,568 and 3,266,715

Manufactured For

St. Louis, Missouri 63147

RECOMMENDATIONS

Table with columns for PLANT TYPE (BEDDING PLANTS, FOLIAGE PLANTS, CONTAINER & BEDGROWN), and sub-columns for HERBACEOUS and WOODY plants. Lists various plant species and their corresponding fungicide application rates.

DRY SOIL MIX for BEDDING PLANTS: Mix 5 oz. TRUBAN 5-G with each cu. yd. of soil mixture.

DRY SOIL MIX for FOLIAGE and CONTAINER & BEDGROWN PLANTS: Mix 10 oz. TRUBAN 5-G with each cu. yd. of soil mixture. Ingredients for the soil mix should be free of large lumps, fine enough to prevent clogging during mixing. Retreatment needed with Malathion or TRUBAN 30 Wettable Powder, TRUBAN 25 Emulsifiable Concentrate or DANROTH as indicated under appropriate soil-drenching recommendations.

WARRANTY

Manufacturer warrants that the product is free from adulteration and that it conforms to the specifications stated on the label. The manufacturer does not warrant that the product will be effective against all diseases or insects, or that it will be effective under all conditions of use. The manufacturer does not warrant that the product will be effective against all diseases or insects, or that it will be effective under all conditions of use.

58