

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. May cause irritation. Avoid breathing dust. **IN CASE OF CONTACT,** immediately flush eyes or skin with plenty of water. **GET MEDICAL ATTENTION** if irritation persists. Always wear protective clothing and respirator when mixing and applying pesticides. Wash thoroughly with soap and water after handling. Wash contaminated clothing before reuse. Do not contaminate feed or food. Keep children and pets out of treated area during application.

ENVIRONMENTAL HAZARDS

THIS PRODUCT IS TOXIC TO FISH. Do not apply directly to lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

PRODUCT INFORMATION

KOBAN 13-G is intended for use on ornamental turf which is subject to Pythium blight, damping-off or cottony blight. It may be used at time of seeding to control damping-off or on established turf to prevent or control Pythium blight (cottony blight).

KOBAN 13-G does not afford broad spectrum fungus disease control for Fusarium (brown patch), Sclerotinia (dollar spot), Gloeocercospora (copper spot) and similar turf diseases. A fungicide program to control these diseases should be followed if they co-exist with Pythium blight.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL (U.S.A.) LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

STORAGE AND DISPOSAL

STORAGE: Do not store near seeds or fertilizer. Keep container closed when not in use.
PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.
PESTICIDE DISPOSAL: Dispose of in an incinerator or landfill approved for pesticide containers or bury in a safe place.
CONTAINER DISPOSAL: Discard empty containers in accordance with governmental regulations.

5549

Mallinckrodt

40 LB. (18 Kg)



ACTIVE INGREDIENT

5-Ethoxy-3-trichloro-methyl-1,2,4-thiadiazole* ... 1.3%

INERT INGREDIENTS 98.7%

KEEP OUT OF REACH OF CHILDREN

CAUTION!

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES, Flush eyes with water for 15 minutes.

IF INHALED, induce coughing.

IF ON SKIN, Wash off with soap and water.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA REG. NO. 372-55

EPA EST. NO. 228-IL-1

EPA EST. NO. 1258-MS-1

*Licensed under U.S. Patent No. 3,260,588 and 3,260,725

Manufactured For



DIRECTIONS FOR USE (Cont'd.)

For control of Pythium blight (cottony blight), grease spot, damping-off on turf.

Night temperatures above 65 F (18.3 C) with high humidity are favorable for Pythium development.

KOBAN 13-G should be applied with a lawn spreader or any other applicator that will give uniform coverage. A more uniform coverage can be made by spreading half of the required amount of KOBAN 13-G over the area to be treated then applying the remainder at right angles or crosswise. Avoid misses by overlapping slightly.

On established turf, apply 3 lb per 1000 sq ft when disease or conditions favorable for Pythium exist. Re-treat in 5 to 10 days if conditions favorable for disease persist or when disease reappears. For control of damping-off in newly seeded areas, apply 8 lb per 1000 sq ft and topdress lightly along with the seed. Re-treat at 5 to 7 day intervals at the 3 lb rate to maintain a preventive disease control program after germination.

NOTE: On newly seeded areas, an application of Mallinckrodt's Aqua-Gro S will help insure uniform wetting and soil penetration.

Spreaders should be calibrated for accurate output. The following settings are suggested as approximations for calibration.

Make of Spreader	Desired Rate Per 1000 Sq Ft	Spreader Setting	Spread Width
Cyclone	3.0 lb	4	4 ft
	6.0 lb	6	6 ft
Scott	3.0 lb	4	4 ft
	6.0 lb	6	6 ft

*Registered trademark of Aquatrols Co. of America

WARRANTY

This material conforms to the description on the label and is reasonably fit for the purposes referred to in the directions for use. Timing and method of application, weather, watering practices, nature of soil, the disease problem, condition of the crop, incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage, handling of this material in strict accordance with directions given hereon. NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY IS MADE.