

ORNALIN™

**CONTACT FUNGICIDE
50% WETTABLE POWDER/TURF**

For control of Diseases on Ornamental Plants and Turfgrasses

3-(3,5-dichlorophenyl)-5-ethenyl-5-methyl-2,4-oxazolidinedione

TOTAL

KEEP OUT OF REACH OF CHILDREN

CAUTION

CAUSES EYE AND SKIN IRRITATION

This product is a potential skin sensitizer.

Do not get on skin, in eyes or on clothing

FIRST AID: If contacted, flush eyes immediately with water for at least 15 minutes. Remove contaminated clothing and wash exposed skin thoroughly with soap and water. Consult physician if irritation persists.

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 372-56

EPA EST. NO. 602-MO-1

Mallinckrodt, Inc.

St Louis Missouri 63147

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

[illegible]

THIS PRODUCT IS TOXIC TO FISH

IT IS A VIOLATION OF FEDERAL (U.S.A.)
LAW TO USE THIS PRODUCT IN A MANNER
INCONSISTENT WITH ITS LABEL
ING

ORNALIN is a new, safe, effective, and pleasant-tasting oral contraceptive. It is a combination of norgestrel and ethinyl diol, the most effective and safest combination available. It is available in a 21-day regimen, and is suitable for use by women with a variety of medical conditions. It is also suitable for use by women who are smokers. Ornalin is available in a 21-day regimen, and is suitable for use by women with a variety of medical conditions. It is also suitable for use by women who are smokers.

[illegible]

ORIGIN - ...

COLLAR SPOTS (*Ischnospora hemecarpa*) LEAF SPOTS (*Helminthosporium* spp.) RED THREAD (*Corticium fusiforme*)
 FUSARIUM (Fusarium spp.)

FUSAR UM PATCH (Fusarium nivale) without prolonged snow cover

GENERAL

[illegible]

HERBACEOUS

[illegible][illegible]

Figure 6

As a general guide, use 10 to 15 g (i.e., 100 g/l) of water. Remember that, 10 to 14 days before planting, the seedlings should be hardened off to 20 °C, i.e., 10 °C below the temperature of the growing medium.

(Flower Dipl

01. 1. 2018. 10:00
 02. 1. 2018. 15:30
 03. 1. 2018. 18:00
 04. 1. 2018. 20:30
 05. 1. 2018. 23:00
 06. 1. 2018. 01:00
 07. 1. 2018. 03:00
 08. 1. 2018. 05:00

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840. 84

WARRANTY

Mallinckrodt

2 LB.
(0.9 Kg)

ORNALINTM

**CONTACT FUNGICIDE
50% WETTABLE POWDER/TURF**


**For control of Diseases
on Ornamental Plants
and Turfgrasses**

ACTIVE INGREDIENT:

3-(3,5-dichlorophenyl)-5-ethenyl-
5-methyl-2,4-oxazolidinedione

INERT INGREDIENTS:

TOTAL



KEEP OUT OF REACH OF CHILDREN

CAUTION

CAUSES EYE AND SKIN IRRITATION

This product is a potential skin sensitizer

Do not get on skin, in eyes or on clothing

FIRST AID If contacted, flush eyes immediately with water
for at least 15 minutes. Remove contaminated clothing
and wash exposed skin thoroughly with soap and water.
Consult physician if irritation persists.

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

EPA REG. NO. 372-56

EPA EST. NO. 602-MO-1

Mallinckrodt, Inc.

St. Louis, Missouri 63147

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION Avoid contact with skin eyes or clothing. May cause irritation. Avoid breathing dust. **IN CASE OF CONTACT**, immediately flush eyes or skin with plenty of water. **GET MEDICAL ATTENTION** if irritation persists. Always wear protective clothing and respirator when mixing and applying pesticides. Wash thoroughly with soap and water after handling. Wash contaminated clothing before reuse. Do not contaminate feed or food. Keep children and pets out of treated area during application.

ENVIRONMENTAL HAZARDS

THIS PRODUCT IS TOXIC TO FISH. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Not dangerous to honey bees.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL (U.S.A.) LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

FOR PROFESSIONAL USE ONLY

ORNALIN is effective for control of Botrytis spp. and Sclerotinia spp. on ornamental herbaceous woody and bulb crops grown in greenhouses and outside.

IMPORTANT: **ORNALIN** has demonstrated safety in use to the plants tested. However, all species and varieties have not been tested. When treating large numbers of plants of a single variety, apply to a few plants and observe prior to full application.

| PLANT TYPE | | REMARKS |
|--------------------------------------|--------------|---|
| HERBACEOUS | | As foliar spray use 1.5 lb per 100 gal of w. Spray all surfaces of the plant to drip. Begin applications when conditions for disease prevail. Repeat every 10 to 14 days during this period. |
| African Violet | Impatiens | |
| Alyssum | Ivy | |
| Anthurium | Kalanchoe | |
| Aspidistra | Liatis | |
| Begonia | Mangold | |
| Calceolaria | Pelargonium | |
| Carnation | Peperomia | |
| Chrysanthemum | Petunia | |
| Coleus | Pilea | |
| Crossandra | Primula | |
| Croton | Saintpaulia | |
| Cyclamen | Salvia | |
| Dieffenbachia | Saxifraga | |
| Dracaena | Scindapsus | |
| Euphorbia | Senecio | |
| Fuchsia | Sinningia | |
| Geranium | Snapdragon | |
| Gerbera | Statice | |
| Gymnura | Zinnia** | |
| WOODY | | |
| Almond | Hydrangea | |
| Elm** | Pine | |
| Azalea | Plum** | |
| Cedar | Poinsettia | |
| Chokeberry** | Redwood | |
| Crape Myrtle | Rhododendron | |
| Flr | Spruce | |
| Lonicera | | |
| Ficus* | | |
| Jun | | |
| BULB AND CORM | | As foliar spray use 1.0 to 1.5 lb per 100 gal of water. Repeat every 10 to 14 days. For bulb and corm dip use 1.5 to 2.0 lb per 100 gal of water. Maintain suspension by agitation. Dip flower buds 3 seconds in 1.5 to 3.0 lb per 100 gal of water. 1 to 1 lb per gal prior to cold storage and after grading. Addition of a wetting agent will enhance spreadability. |
| Gladiolus** | | |
| Lily | | |
| Narcissus** | | |
| Tulip | | |
| ROSE | | |
| (Flower Dip) | | |
| For prevention of gray mold | | |
| on Rose | | |
| Cuttings in trays or containers | | |
| * Do not use on non-bearing plants | | |
| ** Susceptible to Sclerotinia spp. | | |
| NOTE: Other plants listed | | |
| in this section are also susceptible | | |

BEST DOCUMENT AVAILABLE

ORNALIN is effective for control of Dollar Spot (Sclerotinia homoeocarpa) and Red Thread (Corticium fusiforme) on turfgrass. Apply to the lawn with a backpack sprayer or broadcast spreader. Apply when the lawn is dry and the temperature is above 50°F. Repeat applications as needed.

DOLLAR SPOT (Sclerotinia homoeocarpa) **LEAF SPOTS (Helminthosporium spp.)** **RED THREAD (Corticium fusiforme)**
Apply **ORNALIN** to the spray tank with the fungicide. Dilute with water for each 1,000 sq ft of lawn to be treated. Apply to the lawn to be treated. Repeat applications as needed.

FUSARIUM PATCH (Fusarium nivale) without prolonged snow cover
Apply **ORNALIN** to the spray tank with the fungicide. Dilute with water for each 1,000 sq ft of lawn to be treated. Apply to the lawn to be treated. Repeat applications as needed.

STORAGE AND DISPOSAL

STORAGE: Store in original container in a cool, dry place. Do not store in areas where food or feed is stored. Do not use for storage of other materials.

PRECAUTIONS: Do not use if the container is damaged or leaking. Do not use if the product has been exposed to moisture.

PESTICIDE DISPOSAL: Do not pour down the drain or into the water. Do not burn. Do not use for disposal of other materials.

CONTAINER DISPOSAL: Do not reuse. Do not burn. Do not use for disposal of other materials.

WARRANTY