

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**WARNING!** MAY BE FATAL IF ABSORBED THROUGH SKIN. HARMFUL IF SWALLOWED OR INHALED. CAUSES EYE IRRITATION. Always wear protective clothing and respirator when mixing and applying pesticides. May cause irritation. Avoid breathing spray mist. Avoid contact with skin, eyes and on clothing. **IN CASE OF CONTACT**, immediately flush eyes or skin with plenty of water. **GET MEDICAL ATTENTION** if irritation persists. Wash thoroughly with soap and water after handling. Wash contaminated clothing before reuse. Do not contaminate feed food. Keep children and pets out of treated area during application. Do not graze treated areas. Do not feed clippings to livestock.

**ENVIRONMENTAL HAZARDS**  
**THIS PRODUCT IS TOXIC TO FISH.** Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**PHYSICAL OR CHEMICAL HAZARDS**  
 Do not use or store near heat or open flame.

**DIRECTIONS FOR USE**  
**IT IS A VIOLATION OF FEDERAL (U.S.A.) LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.**

**FOR PROFESSIONAL USE ONLY**  
 KOBAN FLOWABLE is intended for use on ornamental turf which is subject to Pythium blight, damping off or cottony blight. It may be used at time of seeding to control damping off, or on established turf to prevent or control Pythium blight (cottony blight).

KOBAN FLOWABLE does not afford broad spectrum fungus disease control for Rhizoctonia (brown patch), Sclerotinia (dollar spot), Gloeocercospora (copper spot), and similar turf diseases. A fungicide program to control these diseases should be followed if they co-exist with Pythium blight.

For control of Pythium blight (cottony blight, grease spot, damping off) on turf, night temperatures above 65°F (18.3°C) with high humidity are favorable for fungus development.

ADD KOBAN FLOWABLE to the spray tank with the agitator in operation. Disperse 1 to 3 fl oz of KOBAN FLOWABLE in 5 gal of water for each 1000 sq ft of turf to be treated. Use 1 fl oz / 1000 sq ft when disease incidence is expected to be light and 3 fl oz / 1000 sq ft for more severe conditions.

**SHAKE WELL BEFORE USING.**

See opposite panel for additional directions for use.

7860

Mallinckrodt

1 GAL.  
(3.8 Liter)

**ACTIVE INGREDIENT**  
 5-Ethoxy-3-trichloromethyl-1,2,4-thiadiazole\* 40.7%

**INERT INGREDIENTS** 58.3%

**KEEP OUT OF REACH OF CHILDREN**

**WARNING!**

**MAY BE FATAL IF ABSORBED THROUGH SKIN.  
 HARMFUL IF SWALLOWED OR INHALED.  
 CAUSES EYE IRRITATION.**

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED**, drink promptly a large quantity of milk, egg white, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. **DO NOT INDUCE VOMITING.** Contains petroleum hydrocarbons. **GET MEDICAL ATTENTION.**

**IF ON SKIN**, wash thoroughly with soap and warm water. Remove contaminated clothing and wash before reuse.

**IF IN EYES**, flush eyes with plenty of water for at least 15 minutes.

**IF INHALED**, remove to fresh air.

**IF UNCONSCIOUS**, maintain breathing and heart beat (CPR, card pulmonary resuscitation, if necessary). **CONTACT YOUR LOCAL POISON CONTROL CENTER, HOSPITAL OR PHYSICIAN IMMEDIATELY.**

See Side Panels for Additional Precautionary Statements

\*Licensed under U.S. Patents 3,260,568 & 3,260,725

Manufactured For

**Mallinckrodt, Inc.**

St. Louis, Missouri 63147

EPA Reg. No. 372-58

EPA Est. No. 1258-MS-1

#### DIRECTIONS FOR USE — Cont'd.

Apply uniformly to the turf area with a SPRAY-HAWK® mobile spray boom or other suitable equipment.

Re-treat in 5-10 days, depending upon climatic conditions, to maintain disease control. KOBAN FLOWABLE should not be mixed with other pesticides or nutrients.

For control of damping-off in newly seeded areas, apply 4 to 5 fl. oz. of KOBAN FLOWABLE in 5 to 10 gal. of water/1000 sq. ft. immediately after seeding. Irrigate promptly for improved soil penetration of the fungicide and to initiate seed germination. Re-treat at 5 to 7 day intervals at the 1 to 3 fl. oz. rate in order to maintain a preventive disease control program after germination.

Use FUNGO® 50, KROMAD®, DUOSAN®, or CADMINATE® to control a broad spectrum of diseases other than Pythium.

**Grass Seed Treatment:** To prevent Pythium blight, apply 3 to 4 fl. oz. of KOBAN FLOWABLE to 100 lb. of seed using suitable seed treating equipment. KOBAN FLOWABLE may be diluted with sufficient water to insure optimum coverage of seed. Seed should be sound, well-cured and free from trash prior to treatment. Blend thoroughly. For smaller seed, use the higher rate.

**IMPORTANT:** Bags containing treated seed should bear a tag with the following statement: This seed has been treated with 40% Ethazole at the rate of 3 to 4 fl. oz. / 100 lb. seed. **DO NOT USE FOR FEED, FOOD, OR OIL PURPOSES.**

#### STORAGE AND DISPOSAL

**STORAGE:** Stable at normal temperatures and humidities. Store above freezing temperature in a well-closed container.

**PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

**PESTICIDE DISPOSAL:** Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling, or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by State and local authorities.

#### WARRANTY

This material conforms to the description on the label and is suitable for the purposes referred to in the directions for use. Timing and method of application, weather, water, soil practices, nature of disease problem, and condition of the crop, incompatibility with other chemicals not specifically recommended, and other influencing factors in the use of this product are beyond the control of the seller. Buyer assumes all risks of use, storage, or handling of this material in accordance with the directions given hereon. **NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY IS MADE.**

Printed in U.S.A. 1624-114