

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.

Remove pets and birds, and cover fish aquariums before spraying.

KEEP OUT OF REACH OF CHILDREN. Do not allow children or pets to contact treated surfaces until spray has dried. Do not use on plants. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product. Wash thoroughly after handling and before eating or smoking.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

This is a flammable mixture in the concentrate form. DO NOT USE, STORE OR MIX NEAR HEAT OR OPEN FLAME. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its label.

Resicide Brand Emulsion Concentrate has been formulated to be diluted with water before using. For routine control of small easy-to-kill species of Silverfish and Ants, use 6.4 ounces of Resicide Brand Emulsion Concentrate per gallon of water. To control the larger harder-to-kill species of Roaches, Confused Flour Beetle, Red Flour Beetle, Cadelle, Sawtooth Grain Beetle, Spider Beetle, Cigarette Beetle, Drug Store Beetle, and Hide Beetles, use 12.8 ounces per gallon of water. Pour concentrate into spray tank, add required amount of water, and shake well. Only mix what you are going to use each spray operation.

ACCEPTED

APR 5 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 373-7



BEST AVAILABLE COPY

RESICIDE
EMULSION CONCENTRATE

ACTIVE INGREDIENTS:

Pyrethrins	1.35%
Piperonyl Butoxide, Technical*	2.70%
N-octyl Bicycloheptene Dicarboximide	4.46%
Petroleum Distillate	79.49%
INERT INGREDIENTS	12.00%
Total	100.00%

*Equivalent to 2.18% (butylcarbitol) (6-propylpiperonyl) Ether and 54% related compounds

AN EMULSIFIABLE PYRETHRIN CONCENTRATE USED IN CONTROLLING INSECTS IN INDUSTRIAL LOCATIONS, SUCH AS, WAREHOUSES, FLOUR AND GRAIN ELEVATORS, AND OTHER AREAS WHERE FOOD IS PROCESSED OR EATEN.

KEEP OUT OF REACH OF CHILDREN
CAUTION!

STATEMENT OF PRACTICAL TREATMENT

- If Swallowed: Call a physician immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.
- If Inhaled: Remove victim to fresh air immediately.
- If on Skin: Remove contaminated clothing and wash affected areas with soap and water.
- If in Eyes: Flush eyes immediately with plenty of water. Obtain medical attention if irritation persists.

See Side Panel for Additional Precautionary Statements

MADE BY **residex** CORPORATION

EPA Reg No 373-7
EPA Est No 373-01

225 TERMINAL AVENUE CLARK, NEW JERSEY 07066

DIRECTIONS

To control Roaches, Flour Beetle, Red Flour Beetle, Spider Beetle, Drug Store Beetle, Hide Beetle, etc., in cracks, counters, etc., so as to hide there. A coarse material should be used to insure best results.

Resicide Brand Emulsion Concentrate is used for control of exposed surfaces, Flour Beetle, Spider Beetle, Drug Store Beetle, Hide Beetle, etc., in cracks, counters, etc., so as to hide there. A coarse material should be used to insure best results.

STORAGE

Do not contaminate storage or disposal areas.

Storage: If container is damaged, it should be repositioned or otherwise repaired to avoid contact with the contents. Do not use protective equipment unless necessary. Do not use absorbent material such as sawdust, sand, or sawdust on to a salvage drum. Do not place any leaking or glass container spill near heat or open flame.

Pesticide Disposal
Use of this product or at an approved disposal site.

Container Disposal
Then offer for recycling, puncture and disposal or by other procedure and local authority.

NET CONTENT

BP-1382® INSECTICIDE EMULSION (FIA) CONCENTRATE 26%

BEST AVAILABLE COPY

FORMULA I

Contains 2lb/gal (240 g/L) of SBP-1382

Authorized by USDA for use in edible product areas of official establishments operating under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs.

ACCEPTED
APR 1 1985
EPA Reg. No. 432-606

ACTIVE INGREDIENTS:

*Resmethrin(5-(phenylmethyl)-3-furanyl)methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate	26.00%w/w
Related Compounds	3.54%
Aromatic Petroleum Solvent	64.19%
INERT INGREDIENTS:	6.27%

100.00%w/w

*Cis/trans isomers ratio: max. 30%(1)cis and min. 70%(1)trans.

†U.S. Patent Nos. 3,485,007 and 3,542,928

•Penick's SBP-1382® brand of resmethrin insecticide.

Penick Corp., 1050 Wall Street West, Lyndhurst, N.J. 07071

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.

A SYNTHETIC PYRETHROID FOR CONTROLLING THE FOLLOWING FLYING AND CRAWLING INSECTS IN AND AROUND HOUSEHOLDS, GREENHOUSES, BUILDINGS, VEHICLES, BOATS, KENNELS AND STABLES.

HOUSEHOLD PESTS		FLAUNT PESTS	
house flies	flea	aphids	whiteflies
mosquitoes	ticks	fungus gnats	lace bugs
gnats	ants	gypsy moths	leaf beetles
flying moths (millers)	fire ants	lent caterpillars	mosaic worms
fruit flies	crickets	Japanese beetles	roller moths
deer flies	grasshoppers	leafhoppers	scabies
stable flies	silverfish (firebrats)	plan bugs	spruce budworms
black flies	scorpions	spittle bugs	sawflies
wasps	earwigs	thrips	weevils
hornets	spiders	tussock moths	root knots
yellow jackets	grain insects	citrus blackflies	army worms
bees	sawbugs (pillbugs)	caterpillars	inchworms
cockroaches	centipedes	fly beetles	elm spanworms
bed bugs	millipedes	oakworms	cankerworms
		cicadas	(fall & spring)

**KEEP OUT OF REACH OF CHILDREN
WARNING**

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS AND STATEMENT
OF PRACTICAL TREATMENT

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

Causes substantial but temporary eye injury. Do not get in eyes, on skin, or on clothing. Wear goggles or safety glasses. Harmful if swallowed or absorbed through skin. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Do not apply directly to food or feedstuffs. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in bakeries and other food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled, with potable water. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Do not induce vomiting. This product contains aromatic petroleum solvent. Aspiration may be a hazard.

IF IN EYES OR ON SKIN: Flush with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment, or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. Flash point minimum 100°F (38°C). Do not apply this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazards. Do not use on surfaces that can be harmed or stained by water.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Do not store at temperatures below 40°F (4.5°C). If this material has been exposed to temperatures below 40°F (4.5°C), there may be precipitation. Check for crystallization. If evident, warm to 80°F (26.5°C) and thoroughly mix before using. **DO NOT USE OPEN FLAME.** For Containers One Gallon and Under: Store product in original container in a locked storage area.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: For Containers 1 Gallon and Under: Do not reuse empty container. Wrap container and put in trash. For Containers Over 1 Gallon: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

EPA Reg. No. 432-605

EPA Est. 432-NJ-1

NET CONTENTS:
LOT NO:

gal (

L)

PENICK

Penick Corporation

1050 Wall Street West, Lyndhurst, N.J. 07071 U.S.A.

DIRECTIONS FOR USE (continued)