

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. May be absorbed through skin. Avoid skin contact. Avoid contamination of feed and feedstuffs. Do not use on household pets and humans. Use water-proof gloves, face shield or goggles and protective clothing when handling. Keep children and animals away from treated areas until spray has dried.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to lakes, streams or ponds. Do not discharge into water by clean-up or equipment maintenance or disposal of wastes.

**PHYSICAL AND CHEMICAL HAZARDS
DO NOT USE OR STORE NEAR HEAT
OR OPEN FLAME**

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

STORAGE AND DISPOSAL

DO NOT STORE NEAR HEAT OR OPEN FLAME. DO NOT CONTAMINATE WATER, FOOD OR FEED. BY STORAGE OR DISPOSAL OPEN DUMPING IS PROHIBITED

PESTICIDE DISPOSAL: Pesticide spray mixture or residue that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act

CONTAINER DISPOSAL: Reseal container and offer for recycling or reuse. Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures

residex

LINDANE

20% EMULSIFIABLE

A WATER MISCIBLE CONCENTRATE CONTAINING 20% BY WEIGHT OF LINDANE FOR PROFESSIONAL CONTROL OF CERTAIN wood infesting beetles

Only For Sale To, Use and Storage By Pest Control Operators

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

TREATMENT: CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY.

If swallowed—Contains petroleum distillates. Do not induce vomiting.

If inhaled—Remove victim to fresh air. Apply respiration if indicated.

If on skin—Wash area immediately with soap and warm water.

If in eyes—Flush with plenty of water and get prompt medical attention.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

ACTIVE INGREDIENTS:

Gamma Isomer of Benzene Hexachloride (From Lindane)	20.0%
Aromatic Petroleum Derivative Solvent	51.0%

INERT INGREDIENTS:	29.0%
Total	100.0%

Contains 1.6 Pounds of Lindane Per Gallon

EPA Reg. No. 148
EPA Est. No. 1133

residex

DIRECTI

To control Lyctid...
homes...
Use a 0...
ounces...
or 16...
treating...
attached...
areas...
other...
untreated...
areas

Do not

Do not...
when a...
Do not...
barns...
barns...
spray...
use on...
ed be...
restau...
comme

DO NOT...
OR...
CONTAM

residex

LINDANE

20% EMULSIFIABLE

A WATER MISCIBLE CONCENTRATE, CONTAINING 20% BY WEIGHT OF LINDANE FOR THE CONTROL OF CERTAIN WOOD INFESTING BEETLES

Only For Sale To, Use, and Stored by
Pest Control Operators

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

TREATMENT. CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY.

If swallowed—Contains petroleum distillates. Do not induce vomiting.

If inhaled—Remove victim to fresh air. Apply respiration if indicated.

If on skin—Wash area immediately with soap and warm water.

If in eyes—Flush with plenty of water and get prompt medical attention.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

ACTIVE INGREDIENTS:

Gamma Isomer of Benzene Hexachloride (From Lindane)	20.0
Aromatic Petroleum Derivative Solvent	57.5

INERT INGREDIENTS:	22.5
Total	100.0

Contains 1.6 Pounds of Lindane Per Gallon

EPA Reg. No. 114d
EPA Est. No. 3731

residex

DIRECTIONS FOR USE: (Cont'd.)

To control wood infesting beetles of the Families Lyctidae, Anobiidae, and Cerambycidae in homes, barns and other existing structures

Use a 0.5% emulsion prepared by diluting 32 ounces of 20% Lindane to one (1) gallon of water or 16 ounces (1 pint) to 5 gallons of water. For treating support wood (Beams, Timbers, etc.) in attached porches, outside buildings and storage areas outside and around the home, barns and other existing structures, apply as a coarse spray until surfaces are wet. Brush emulsion onto small areas.

Do not apply as a coarse spray or as broadcast application in living areas.

Do not apply as a mist. Best results are obtained when applied to dry wood.

Do not use in poultry houses. Do not use in dairy barns and milk rooms. Remove animals from barns and cover all feed and water troughs before spraying building. Do not use on animals. Do not use on humans or household pets. Do not use in edible products areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed.

DO NOT APPLY TO FEED OR FORAGE TO BE FED TO OR EATEN BY LIVESTOCK OR POULTRY. DO NOT CONTAMINATE FEED OR FOOD CROPS.

MAR 11 1983

373-48