

[373-60]

DIRECTIONS FOR USE

GENERAL INFORMATION

Residex Resicide Fogging Compound kills accessible stages of Flour Beetles, Cereal Moths, Flies, Mosquitoes, Weevils, Roaches, and other insects that infest residential and industrial buildings.

Residex Resicide Fogging Compound is designed primarily to be used to control flying insects. For most effective results, use in a misting or fogging device capable of producing very fine spray particles, ranging in size from 10 to 20 microns. If possible, close windows and doors before application to confine spray vapors.

DIRECTIONS FOR USE

To control flying insects use Resicide Fogging Compound at the rate of 1.2 to 2 ounces per 1000 cubic feet. Regulate fogging machine to deliver insecticide in a fine mist spray (10 to 20 microns - particle size), or fog. Keep fogged area tightly closed for at least 15 minutes to insure best results. To control crawling insects, such as Silverfish, Earwigs, Grain Beetles, and other crawling insects in warehouses, industrial plants and storage areas, use a coarser spray (20 to 40 microns - particle size). To insure the killing of these crawling species, it is desirable to contact them directly with this coarser type spray by treating cracks, crevices, and infested areas. Repeat application when necessary.

Do not remain in treated areas. Ventilate area when treatment is complete.

residex

RESICIDE FOGGING COMPOUND

CAUTION! Keep out of Reach of Children
(See Side Panel for Additional Caution Statements)

ACTIVE INGREDIENTS:

Pyrethrins30%
*Technical Piperonyl Butoxide60%
N-octyl Bicycloheptene Dicarboximide	1.00%
Petroleum Distillates	98.10%
Total	100.00%

*Consists of 0.48% (Butylcarbitol) (6 Propylpiperonyl) Ether, and 0.12% related products

A HIGHLY CONCENTRATED, READY-TO-USE PYRETHRIN INSECTICIDE TO BE USED IN MISTING OR FOGGING DEVICES FOR THE CONTROL OF FLYING OR CRAWLING INSECTS IN RESIDENTIAL AND INDUSTRIAL BUILDINGS.

U.S.D.A. Reg. No. 37360

MADE BY

residex

CORPORATION

125 TERMINAL AVENUE • CLARK, N. J.

SPECIAL NOTE

Do not use more than one (1) gallon of Resicide Fogging Compound to each 50,000 cubic feet of space. Turn off all pilot lights. Do not use in the presence of open flames.

CAUTION

This is a flammable mixture and should not be used near open flame. Harmful if swallowed. KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS. Avoid prolonged exposure to the fog. If operator is directly exposed to the fog, he should wear a mask.

In food handling establishments, do not apply directly on food products or surfaces where food is prepared. Do not spray directly over food.

All foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as a space spray in these areas, apply only when plant is not in operation.

NET CONTENTS

ACCEPTED
7-29-70
MAY 1970
FUNGICIDE
FOR CONTROL OF
MOLD AND
MILDEW