

RESICIDE FOGGING COMPOUND

KEEP OUT OF REACH OF CHILDREN CAUTION!

(SEE SIDE PANEL FOR ADDITIONAL CAUTION STATEMENTS)

ACTIVE INGREDIENTS:

Thursday in the control of the contr	.30%
*Technical Piperonyl Butoxide	.60%
N-octyl Bicycloheptene Dicarboximide	1.00%
Petroleum Distillates	98.10%
Total	100.0%

*Consists of 0.46% (Butylcarbityl) (6-Propylpiperonyl) Ether, and 0.12% related products.

A HIGHLY CONCENTRATED, READY-TO-USE PYRETHRIN INSECTICIDE TO BE USED IN MISTING OR FOGGING DEVICES FOR THE CONTROL OF FLYING OR CRAWLING INSECTS IN RESIDENTIAL AND INDUSTRIAL BUILDINGS.

MADE BY TESICEY CORPORATION

EPA Reg No 37140

225 TERMINAL AVENUE CLARK, NEW JERSEY 07066

BEST AVAILABLE COPY

not use in the presence of open flames.

CAUTION

This is a flammable mixture and should not be used near open flame. Harmful if swa 'owed. KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS. Avoid prolonged exposure to the fog. If operator is directly exposed to the fog, he should wear a mask.

In food handling establishments, do not apply directly on food products or surfaces where food is prepared. Do not spray directly over food.

All foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as a space spray in these areas, apply only when plant is not in operation.

ACCEPTTD

JUL 2 6 1985

United the rector to European American American Country to the properties and the properties of the pr

NET CONTENTS:

insects that infect residential and industrial buildings.

Residex Resicide Fogging Compound is designed primarity to be used to control flying insects. For most effective results, use in a misting or fogging devide capable of producing very fine apray particles, ranging in size from 10 to 20 miorons. If possible, close windows and doors before application to confine spray vapors.

DIRECTIONS FOR USE

The control flying insects use Residide Fogging inpound at the rate of 1/2 to 2 ounces per 1000 cubic feet. Regulate fogging machine to deliver insecticide in a fine mist spray (10 to 20 microns -particle size), or fog. Keep fogged area tightly closed for at least 15 minutes to insure best results. To control crawling insects, such as Silverfish, Earwigs, Grain Beeties, and other crawling insects in warehouses, industrial plants and storage areas, use a coarser spray (20 to 40 microns - particle size). To insure the killing of these crawling species, it is desirable to contact them directly with this coarser type spray by treating cracks, crevices, and infested areas. Repeat application when necessary.

Ponot remain in treated areas. Ventilate area when treatment is complete.

