

#### DIRECTIONS FOR USE

**RATS** — RESRATTUS-PLUS is a potent blood thinner. No food need be added. **RATS** — Effective use of RESRATTUS-PLUS depends upon providing sufficient bait for successive feedings for 12 or more days. Place 4-6 ounces of bait in feeding stations located at intervals along rat runways or feeding areas. Inspect bait every day or two for the first week, and at regular intervals thereafter. Replenish baits as they are eaten, and replace if they become moldy or stale. When reinfestation is likely to occur, permanent bait stations should be installed to guard against a buildup of the rat population.

**MICE** — Follow the same directions for rats, except that 1 or 2 tablespoons of RESRATTUS-PLUS per mouse can last 12 or more days. Mice do not require more frequent baiting than rats, but that rat control is well interrupted supply of bait is essential for at least 10 days to insure complete feeding interruption.

#### PROPERTIES

RESRATTUS-PLUS contains WARFARIN, a potent anticoagulant that reduces the clotting ability of the blood, and, upon repeated feedings, causes fatal hemorrhage. RESRATTUS-PLUS also contains an anti-bacterial agent which is effective in the production of Vitamin K, the antidote for WARFARIN. RESRATTUS-PLUS is highly accepted by rodents, and effective against nearly all types of rats for control and eradication. RESRATTUS-PLUS is a non-toxic baiting to domestic animals, and is safe for use in homes, schools, hospitals, and other public places.

# residex

## RESRATTUS-PLUS

Contains Warfarin and Sulfaquinoxaline, an anti-bacterial agent.

**CAUTION** **KEEP OUT OF REACH OF CHILDREN**  
(See Side Panel for Additional Caution Statements)

#### ACTIVE INGREDIENTS:

Warfarin (3-( $\alpha$ -acetylbenzyl)-	
-4-hydroxycoumarin) . . . . .	0.025%
N'-(2-quinoxalyl) Sulfanilamide	
(sulfaquinoxaline) . . . . .	0.025%

<b>INERT INGREDIENTS:</b> . . . . .	99.950%
	100.000%

PROFESSIONAL FORMULATION  
U.S.D.A. Reg. No. 373-93

MANUFACTURED BY

# residex

CORPORATION

225 TERMINAL AVENUE • CLARK, N.J.

4-20-72

373-93

#### CAUTION

Follow directions carefully. RESRATTUS-PLUS should be placed in location not accessible to children, pets, wildlife, and domestic animals, or in tamper-proof bait boxes. In case baits are eaten, call physician at once. Note for Physician: When a human is known to have ingested RESRATTUS-PLUS, blood transfusions along with oral and intravenous injections of Vitamin K are indicated as in the case of hemorrhages due to overdoses of Dicumareol.

Do not reuse container. Destroy when empty.

NET CONTENTS: