

ACCEPTED

CENTER PANEL

RESIDEX
DIREX EC

-7

FOR PEST CONTROL OPERATORS ONLY

Contains 0.89 lbs. Vapona Insecticide per gallon
plus 0.89 lbs. Diazinon per gallon

ACTIVE INGREDIENTS:

O,O-diethyl O-(2-isopropyl-4-methyl-6-pyrimidinyl) phosphorothioate	10.5%
2,2-dichlorovinyl dimethyl phosphate	9.8%**
Related Compounds7%**
Petroleum Hydrocarbons	74.00%

INERT INGREDIENTS	5.0%
Total	<u>100.0%</u>

**Equivalent to 10.5% w Vapona^R Insecticide

U.S.D.A. Reg. No. 373 X

DANGER Skull
 & POISON
 Bones

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS
(12 pt.)
See other precautions and antidote on side panels
(12 pt.)

Manufactured By
Residex Corporation
225 Terminal Avenue
Clark, New Jersey 07066

NET CONTENTS _____

RIGHT PANEL

CAUTION: Combustible Mixture
N. Y. R. D. C. of A. No. _____

DIRECTIONS FOR USE

Household Insects
(By Pest Control Operators Only)

Prepare a 1/2 % Diazinon and 0.5 % DDVP emulsion by mixing one fluid ounce of Resivap E.C. in sufficient water to make one gallon of finished spray.

Cockroaches (Waterbugs), Ants and Silverfish: Spot application should be made as a coarse spray or with a paint brush to baseboards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves and similar areas where these insects hide.

Spiders: Spray to run-off around windows and doors, and along baseboards. Make spot applications to other areas over which these pests may crawl.

Brown Dog Ticks in Buildings: Thoroughly spray infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets and localized areas of floors and floor coverings. Fresh bedding should be placed in animal quarters following treatment.

DO NOT TREAT ANIMALS WITH THIS FORMULATION.

Notes:

The solvent used in this formulation is a petroleum distillate which may stain certain plastic, rubber, and asphalt materials such as tiles and floor coverings. Do not treat such materials. Care should also be taken to avoid spotting of wall-paper and fabrics. When used in dwellings, care should be taken to avoid neopants which could be frequently contacted by children. Do not contaminate food, food containers or cooking utensils.

LEFT PANEL

CAUTION: Combustible Mixture
N. Y. R. D. C. of A. No. _____

PRECAUTIONS IN USING

Resivap E.C. and the diluted emulsion is poisonous. Therefore, precautions should be observed when handling them. (See antipile and warnings below)

LEFT PANEL (CONT'D.)

Store the concentrate in a safe place. Children or animals must not be able to reach or handle the concentrate or diluted emulsion. It is recommended that only the amount of diluted emulsion that will be used immediately be prepared from the concentrate. Mix the concentrate into water outdoors or in a well ventilated room. Wash off the outside of the bottle of concentrate in running water before storing away. Highly toxic to fish. Do not contaminate any body of water nor apply to any area not specified on label. Do not contaminate feed, water or foodstuffs, milk or milking utensils.

DANGER

Resivap E.C. is poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get on skin or eyes. Do not breathe fumes. Avoid prolonged exposure to fumes. Wear clean rubber gloves, protective clothing and goggles when handling the concentrate to prepare emulsions. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for DDVP (Vapona Insecticide) protection. Keep all unprotected persons out of operational area. In case of contact, wash immediately with soap and water. Wash thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

DECONTAMINATE AND DESTROY USED CONTAINERS

Decontaminate containers by washing thoroughly with a strong solution of alkali and detergent and rinsing with water.

Destroy containers by crushing or puncturing; then bury or burn.

Dispose of rinsing in a way as not to constitute a hazard, or contaminate water supplies.

ANTIDOTE AND FIRST AID TREATMENT

Atropine is the emergency antidote for both Diazinon and Vapona Insecticide poisoning. Consult your physician about obtaining an adequate supply of 1/100 grain atropine tablets for emergency use. **CALL A PHYSICIAN IMMEDIATELY IN ANY CASE OF SUSPECTED POISONING.**

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

EXTERNAL: If the material has been spilled on the skin, immediately remove person from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into the eye, wash immediately with running water for at least ten minutes.

IF WARNING SYMPTOMS APPEAR: Administer two 1/100 grain atropine tablets immediately.

LEFT PANEL (CONT'D.)

NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR.
(See warning symptoms below.)

Keep patient prone and quiet.

Start artificial respiration immediately if patient is not breathing.

Transport the patient immediately to the nearest physician.

NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10 minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred.

Morphine is contraindicated.

Clear chest by postural drainage.

Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.