

5014

1 GAL.

(3.79 liters)

(9.0 lbs.)

Mallinckrodt

**FORMALDEHYDE
SOLUTION**

U.S.P.

ACTIVE INGREDIENTS:

Formaldehyde 37%

Methyl Alcohol 10%

INERT INGREDIENTS 53%

DANGER! • POISON

KEEP OUT OF REACH OF CHILDREN.

See antidote statement and other
precautions on back panel.

MALLINCKRODT, INC.

ST. LOUIS, MISSOURI 63103

DIRECTIONS

For use as a general disinfectant on inanimate objects (such as walls, floors, work surfaces etc.) in hospitals and laboratories. May be used full strength or diluted with 10 parts of water with 1 part of this solution. Apply with an ordinary insect spray gun until all surfaces are thoroughly wet.

DO NOT STORE BELOW 15°C. (59°F.)

When this container is empty, rinse out and discard immediately. Do not reuse.

EPA Registration No. 372-17

EPA EST. NO. 372-MO-1

DANGER!

**MAY BE FATAL
IF SWALLOWED, INHALED, OR
ABSORBED THROUGH SKIN
METHANOL MAY CAUSE BLINDNESS
CAUSES IRRITATION OF SKIN, EYES,
NOSE AND THROAT
MAY CAUSE SKIN SENSITIZATION**

Avoid contact with skin. Avoid breathing vapors. Use with adequate ventilation.
KEEP OUT OF REACH OF CHILDREN

POISON

**CALL A PHYSICIAN IMMEDIATELY
ANTIDOTE**

If swallowed, give a teaspoonful of 1% sodium bicarbonate solution and 1 quart of water. Do not induce vomiting. If necessary, give 1 quart of water.

If inhaled, remove to fresh air. If necessary, give 1 quart of water. If necessary, give 1 quart of water.

In case of contact, immediately flush eyes with water for 15 minutes. If necessary, give 1 quart of water.

ACCEPTED

JUN 11 1974

**UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 372-17**