

**GLOVER'S**



12 CAPSULES 1.0 CC EACH

**GLOVER'S**



12 CAPSULES

**GLOVER'S**

**GLOVER'S**



12 CAPSULES 1.0 CC EACH

**GLOVER'S**



12 CAPSULES

**GLOVER'S**



12 CAPSULES 1.0 CC EACH



NET WT. 2 1/2 OZ.

It may be the only medicine you'll ever give your pet, or it may be the only one. Some of them have proved their worth for 90 years or more. A few have been totally quarantined by the Glover Company. Please remember that we never intend to do our best in any way for your pet's health. If your pet has an illness which is not serious, a short time with your pet will be a happy one for you.

**H. CLAY GLOVER CO., INC.**  
1001 Franklin Avenue  
Garden City, N.Y. 11530

**GLOVER'S**

IMPERIAL<sup>™</sup>  
**DOG CAPSULES**  
 BUTYL CHLORIDE CAPSULES

EXPEL  
 ROUND WORMS (ASCARIDS)  
 AND HOOK WORMS




CAUTION: KEEP OUT OF REACH OF CHILDREN

12 CAPSULES 1.0 CC EACH

**GLOVER'S**

IMPERIAL  
**ROUNDWORM CAPSULES**

EXPEL ROUND WORMS (ASCARIDS)  
 AND HOOK WORMS




CAUTION: KEEP OUT OF REACH OF CHILDREN

12 CAPSULES

**GLOVER'S**

IMPERIAL  
**PUPPY CAPSULES**  
 BUTYL CHLORIDE CAPSULES

EXPEL  
 ROUND WORMS (ASCARIDS)  
 AND HOOK WORMS




CAUTION: KEEP OUT OF REACH OF CHILDREN

16 CAPSULES 0.5 CC EACH

**GLOVER'S**

IMPERIAL<sup>™</sup>  
**TAPEWORM CAPSULES**

EXPEL THE WORMS OF THE TAPEWORMS  
 FROM THE MOUTH OF DOGS AND CATS



CAUTION: KEEP OUT OF REACH OF CHILDREN


10 CAPSULES

You may use these Glover products whenever your pet's condition calls for them. Some of them have proven their effectiveness for 90 years or more. All are unconditionally guaranteed by the Glover Company.

Please remember that we never intend to be a substitute in any way for your veterinarian. If your pet has an illness which persists for even a short time, call your veterinarian for professional help.

**GLOVER'S**

IMPERIAL  
**FLEA KILLER**  
 FOR DOGS AND CATS  
 KILLS FLEAS AND LICE



CAUTION: KEEP OUT OF REACH OF CHILDREN

See other precautions on the package

H. CLAY GLOVER CO., INC.

RECEIVED  
 OCT 23 1973

**GLOVER'S**

IMPERIAL  
**FLEA SOAP**  
 FOR DOGS



CAUTION: KEEP OUT OF REACH OF CHILDREN

NET WT. 3-1/2 OZS.

OCT 23 973

IMPERIAL®  
**SARCOPTIC  
MANGE  
MEDICINE  
FOR DOGS**

VETERINARY

NON-ALCOHOLIC  
VOLATILE AVOID FLAME  
ACTIVE INGREDIENTS:  
Crude Petroleum .89.33%  
Pine Tar Oil ..... 6.71%  
Sulphur ..... 2.43%  
INERT INGREDIENTS 1.53%

See insert for directions.

**CAUTION: KEEP OUT OF  
REACH OF CHILDREN.**

**HARMFUL IF SWALLOWED**

**CAUTION: DO NOT USE  
ON CATS.**


Caution: If undue skin  
irritation develops or in-  
creases, discontinue use  
and consult Veterinarian.



**Shake Well Before Using**

0 FL OZ

H. CLAY GLOVER CO., INC.  
Toms River, N.J. 08753  
Made and Printed in U.S.A.  
EPA REG. NO. 387-4




ACCEPT  
NOV 7 1977

**GLOVER'S**  
IMPERIAL®  
**DOG  
CAPSULES**  
BUTYL CHLORIDE CAPSULES  
EXPEL  
ROUND WORMS, ASCARIDS  
AND HOOK WORMS  
  
CAUTION - KEEP OUT OF REACH OF CHILDREN  
12 CAPSULES 1.0 CC EACH

**GLOVER'S**  
IMPERIAL  
**ROUNDWORM CAPSULES**  
EXPEL  
ROUND WORMS, ASCARIDS  
AND HOOK WORMS  
  
  
CAUTION


You may use these Glover products whenever your pet's condition calls for them. Some of them have proven their effectiveness for 90 years or more. All are unconditionally guaranteed by the Glover Company. Please remember that we never intend to be a substitute in any way for your veterinarian. If your pet has an illness which persists for even a short time, call your veterinarian for professional help.

RECEIVED  
NOV 10 1977



## Sarcoptic Mange

*Sarcoptes Scabiei*



This infestation causes severe itching and scratching with accompanying scab formation. Loss of hair may occur. Mites can be detected by microscopic examination. This disease is highly contagious and, therefore, premises must be disinfected as part of treatment.

*(Note with regard to Demodectic Mange)*

This serious disease should have the attention of a veterinarian. In the early stages, it may only cause mild itching and slight loss of hair, often starting around eyes and face. Advanced cases may show wide-spread hair loss, itching, crusty dermatitis and unthriftiness. GLOVER'S Sarcoptic Mange Medicine is not recommended as a treatment for Demodectic Mange.

Mange, a common and serious skin disease of dogs, is usually one of two kinds: follicular (also called demodectic or red mange) and sarcoptic both caused by microscopic mites.

Should sarcoptic mange be diagnosed or suspected, GLOVER'S Sarcoptic Mange Medicine may be used to help kill the sarcoptic mite and to aid in relieving irritation and inflammation which occurs from the mite burrowing into the skin.

The symptoms of this disease are constant scratching, hair loss, scab formation, and, in persistent cases, wrinkling of the skin with generalized crust formation. Any or all parts of the body may be affected.

Treatment is directed at: (1) killing the mites, (2) reducing the inflammation, (3) maintaining good nutrition, since mange has a debilitating effect upon the animal. The use of such foods as raw, fatty beef, whole milk or dry milk powder, cooked eggs, cooked liver, vitamins and minerals are of benefit.

Bathe the dog with GLOVER'S Flea Soap. Avoid undue irritation on open sores by an application of white petrolatum jelly before bathing. Avoid getting soap in eyes. After drying carefully, apply medicine to approximately one fourth of the Dog's body, starting with head, neck and ears. Avoid contact with eyes and mucous membranes. Second day apply Medicine to the shoulders and front legs. Third day apply Medicine to the trunk and over back. Fourth day, apply Medicine to the back legs. After each course of treatment, the application should be omitted for three or four days, then repeated until the skin is healed and the itching disappears. If the repetition of this series of treatments does not appear to be obtaining the desired results, consult your Veterinarian.

If only small areas are affected, they may be treated by the application of the Medicine every second day until the condition is corrected. If the desired results are not obtained in two or three weeks, consult your Veterinarian.

Sarcoptic mange will occasionally affect humans; therefore wash hands well or use disposable gloves when handling a suspected case.

**GLOVER'S**

**GLOVER'S**

IMPERIAL®

# SARCOPTIC MANGE MEDICINE

FOR DOGS

VETERINARY



**ACTIVE INGREDIENTS:**

Crude Petroleum ..... 89.33%  
Pine Tar Oil ..... 6.71%  
Sulphur ..... 2.43%

**INERT INGREDIENTS 1.53%**

CAUTION:  
DO NOT USE ON CATS.

NON-ALCOHOLIC  
VOLATILE  
AVOID FLAME

Caution: If undue skin irritation develops or increases, discontinue use and consult Veterinarian

EPA REG. NO. 387-4



CAUTION: KEEP OUT OF REACH OF CHILDREN

6 FL. OZS.

**ACTIVE INGREDIENTS:**

Crude Petroleum ..... 89.33%  
Pine Tar Oil ..... 6.71%  
Sulphur ..... 2.43%

**INERT INGREDIENTS 1.53%**

CAUTION:  
DO NOT USE ON CATS.

NON-ALCOHOLIC  
VOLATILE  
AVOID FLAME

Caution: If undue skin irritation develops or increases, discontinue use and consult Veterinarian

EPA REG. NO. 387-4

1. Bathe the Puppy or Dog with Glover's Flea Soap. Avoid undue irritation on open sores by an application of white petrolatum jelly before bathing. Avoid getting Soap in eyes.  
After drying carefully, apply Medicine to approximately one fourth of the Dog's body, starting with head, neck and ears. Avoid contact with eyes and mucous membranes.

2. On the second day apply Medicine to the shoulders and front legs.
3. On the third day apply Medicine to the trunk and over back.
4. On the fourth day, apply Medicine to the back legs.

After each course of treatment, the application should be omitted for three or four days, then repeated until the skin is healed and the itching disappears.

If the repetition of this series of treatments does not appear to be obtaining the desired results, consult your Veterinarian.

**SPOT TREATMENTS:** If only small areas are affected, they may be treated by the application of the Medicine every second day until the condition is corrected. If the desired results are not obtained in two or three weeks, consult your Veterinarian.

COPYRIGHTED 1969  
by H. CLAY GLOVER CO., INC.

MADE AND PRINTED IN U.S.A.

**H. CLAY GLOVER CO., INC.**

Union, N.J. 08753

387-4  
11/1/69