

**ACCEPTED**  
**5-4-64**  
 UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR ECONOMIC POISON REGISTER-  
 ED UNDER NO. ~~50000~~

390-7

390-7


05/04/1964

# PETTIT YACHT COPPER PAINT

**RED**

SMOOTH SAILING BOTTOM

1636



PETTIT PAINT CO., INC.

BELLEVILLE, MISSOURI

SAN FRANCISCO, CALIF.

## PETTIT YACHT COPPER PAINT

This famous brand of copper paint has been on the market for many years. It is made in two colors, Red and Green. This paint is manufactured for use on the bottoms of wooden boats as a positive protection against barnacles, teredo worms and other marine growths. Do not use on any type of metal boat bottom.

### DIRECTIONS

Stir the copper paint thoroughly and apply two coats, allowing the first coat to dry overnight before applying the second coat. Keep the paint stirred while in use. The bottom to be painted should be as dry as practical. The old paint should be scrubbed or scraped off as thoroughly as possible. On bare wood first apply one coat of PETTIT'S RED LEAD PRIMER. The boat should be launched within 48 hours after the second coat is applied.

### DANGER & POISON

**HARMFUL OR FATAL IF SWALLOWED. FLAMMABLE!**  
 CONTAINS COPPER AND PETROLEUM DISTILLATE. DO NOT INDUCE VOMITING. Do not apply on window sills, toys, furniture, or interior surfaces which may be used by children. Use with adequate ventilation. Avoid prolonged contact with skin and breathing of vapor or spray mist. Wash thoroughly after handling and before eating or smoking. **FLAMMABLE.** Keep away from heat, sparks and open flame. Close container after each use. **KEEP OUT OF REACH OF CHILDREN.**

ONE QUART U. S. STANDARD

IMPERIAL MEASURE 33 FL. OZ.

Active Ingredients  
 Cuprous Oxide  
 Inert Ingredients


25.00%  
 75.00%  
 100.00%

1/1

# COPPER PAINT

**RED**

**1636**



**PETTIT PAINT CO., INC.**

**BELLEVILLE, N. J.**

NT



Active Ingredients  
Cuprous Oxide  
Inert Ingredients

25.00¢  
75.00¢  
100.00¢

### PETTIT YACHT COPPER PAINT

This famous brand of copper paint has been on the market for many years. It is made in two colors, Red and Green. This paint is manufactured for use on the bottoms of wooden boats as a positive protection against barnacles, teredo and other marine growths. Do not use on any type of metal boat bottom.

#### DIRECTIONS

Stir the copper paint thoroughly and apply two coats, allowing the first coat to dry overnight before applying the second coat. Keep the paint stirred while in use. The bottom to be painted should be as dry as practical. The old paint should be scrubbed or scraped off as thoroughly as possible. On bare wood first apply one coat of PETTIT'S RED LEAD PRIMER. The boat should be launched within 48 hours after the second coat is applied.

#### DANGER & POISON

**HARMFUL OR FATAL IF SWALLOWED. FLAMMABLE!**

CONTAINS COPPER AND PETROLEUM DISTILLATE. DO NOT INDUCE VOMITING. Do not apply on window sills, toys, furniture, or interior surfaces which may be used by children. Use with adequate ventilation. Avoid prolonged contact with skin and breathing of vapor or spray mist. Wash thoroughly after handling and before eating or smoking. **FLAMMABLE.** Keep away from heat, sparks and open flame. Close container after each use. **KEEP OUT OF REACH OF CHILDREN.**

ONE QUART U. S. STANDARD

IMPERIAL MEASURE 33 FL. OZ.

BELLEVILLE, N. J.      SAN FRANCISCO, CAL.      SINCE 1861