

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING

Causes eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wear protective clothing such as gloves, long-sleeved cotton shirt, long pants, and hat. May be fatal if swallowed or inhaled. Do not breathe sanding dust, vapor or spray mist. While spraying or sanding any flume surface, wear a mask or respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

If swallowed: Drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.

If in eyes: Flush with plenty of water. Get medical attention.

If on skin: Wash with plenty of water. Get medical attention.

If inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

ENVIRONMENTAL HAZARDS

This material is toxic to fish. Do not apply directly to water by cleaning of equipment or disposal of wastes. Do not allow chips and dust generated during paint removal to enter water. Dispose of paint debris in an approved landfill.

PHYSICAL OR CHEMICAL HAZARD

COMBUSTIBLE! Do not use or store near heat or open flame

(continued on right hand panel)

RECEIVED
with comments
28 1983
390-65

(continued from left hand panel)

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

NOTE - When product is used in confined areas or applied by spraying, wear a respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR 11.

GENERAL DESCRIPTION

Award is an antifouling protective coating resistant to algae, barnacles and other marine fouling.


STORAGE & DISPOSAL

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

Container Disposal

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

E.P.A. REG. NO. 390-65
E.P.A. REG. NO. 390-NJ-1



Sea-master

AWARD
HARD VINYL COPPER
ANTI-FOULING
PAINT

ACTIVE INGREDIENTS
Copper Oxide 66.83%
INERT INGREDIENTS 33.17%

COPPER AS METALIC... 5.93%

This product contains
petroleum distillates.

32 FL OZ. (1 QT) 946 mL

KEEP OUT OF REACH OF CHILDREN.
WARNING! SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS.

Mr. G. J. Meyers
Pettit Paint Company
36 Pine St., P.O. Box 378
Borough of Rockaway, NJ 07866

March 17, 1983

Gentlemen:

Subject: Antifoulant Label Improvement Program (LIP)
Seamaster Award Hard Vinyl Copper Antifouling Paint
EPA Registration No. 390-65
Seamaster Fisherman's Mate Hard Vinyl Copper
Antifouling Paint 414 Red
EPA Registration No. 390-68
Seamaster Shrimp Boat Copper Antifouling
Paint 401 Red
EPA Registration No. 390-70
Submissions: March 17, 1983

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A), is acceptable, provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. Delete the term flume, so that the statement reads...while spraying or sanding any surface....
 - b. For registration 390-65, delete -- This antifouling bottom paint, developed by the U.S. Navy, is currently the Navy's most acceptable standard formula -- and the term unique. These statements are misleading.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

-2-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Richard P. Mountfort *RFM*
Product Manager (23)
Fungicide-Herbicide Branch
Registration Division (TS-767)

Enclosure

RD:RFMountfort:DCR-25263:WANG-3297C:jjk:Raven:479-2013:3/24/83