

Castoleum-aa's

"STERI-SAN" BACTERIOSTATIC SELF SANITIZER

treated fabric when used as directed will develop bacteriostatic activity and residual self-sanitizing activity against Gram positive (*S. aureus*) and Gram negative (*Klebsiella pneumoniae*) under conditions of high relative humidity or wet contamination.

"STERI-SAN" BACTERIOSTATIC SELF SANITIZER

inhibits the growth of ammonia producing organisms (*B. ammoniageses*) which act on urine in the diapers to produce ammonia.

"STERI-SAN" BACTERIOSTATIC SELF SANITIZER

in the presence of high humidity and moisture reduces the number of *E. COLI* and *STAPH* due to its self sanitizing residual on the fabric.

USE—DIRECTIONS:

Use 1½ oz. "STERI-SAN" BACTERIOSTATIC SELF SANITIZER per 100 lbs. of dry fabric, pour in the final rinse cycle.

For best results dilute dosage in 1 to 2 gallons of water and then add to final rinse before softener.

"STERI-SAN" BACTERIOSTATIC—SELF SANITIZER

FABRIC TREATMENT CONCENTRATE, RESIDUAL BACTERIOSTATIC AND RESIDUAL SELF SANITIZER UNDER CONDITIONS OF HIGH RELATIVE HUMIDITY OR WET CONTAMINATION.

FOR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL USE ONLY.

Active Ingredients:

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides . . 12.5%

n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides 12.5%

Inert ingredients 75.00%
100.00%

Net Contents: 55 Gallons EPA Reg. No. 397-10

EPA Establishment Reg. No. 00397NY01

DANGER:

Keep out reach of children. See right side panel for precautionary and first aid statements.

NOBLE PINE PRODUCTS COMPANY

**P.O. BOX 41
CENTUCK STATION
YONKERS, N. Y. 10710**

"STERI-SAN" BACTERIOSTATIC SELF SANITIZER

drums and containers are not to be reused. Rinse empty containers thoroughly with water and discard it.

DANGER:

Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

