

400-82

8-15-1969

1/3

WARNING! KEEP OUT OF REACH OF CHILDREN.

For other warning statements see back panel.

OMITE[®]

30W

AGRICULTURAL
MITICIDE

NET WT. 5 POUNDS

COMPOSITION

Active Ingredient (% by weight)	
2-(p-tert-butylphenoxy)cyclohexyl	
2-propynyl sulfite*	30%
Inert Ingredients	70%
Total	100%

*U.S. PATENT NO. 3,272,854

another product of

UNIROYAL

312-67F-4

© 1969 UNIROYAL, Inc. All Rights Reserved.

OMITE[®] 30W

AGRICULTURAL
MITICIDE

2/3

A dry wettable powder for preparing sprays to control European red, McDaniel, Pacific spider, peach silver, strawberry spider and two-spotted spider mites.

Omite 30W is not systemic in action, therefore, complete coverage of both upper and lower leaf surfaces and of fruit is necessary for effective control. Mites hit by the spray stop feeding and are killed within 48 to 72 hours, depending on temperature. Young mites hatching from eggs after the spray is applied will be killed by the residue of Omite left on the leaves and fruit. Add recommended dosage (from table) of Omite 30W to the spray tank, add water, agitate and spray thoroughly to cover foliage and fruit for best results. Cover both upper and lower leaf surfaces.

CROPS and MITES CONTROLLED	DOSAGE INSTRUCTIONS					APPLICATION NOTES
	Amount	Dilute Spray		Concentrate Spray		
		OMITE 30W per acre.	OMITE 30W per 100 gallons of water.	Gallons spray solution per acre.	Omite 30W per acre.	
APPLES European red Pacific spider two-spotted spider	4 to 12 lbs.	1 to 1½ lbs.	400 to 800	4 to 12 lbs.	50 to 100	Use from 1 to 3 applications per year as mites appear. Spray can be applied up to 7 days before harvest.
PEACHES* European red Pacific spider two-spotted spider strawberry spider McDaniel peach silver	3 to 15 lbs.	1 to 1½ lbs.	300 to 1000	3 to 15 lbs.	50 to 200	Two treatments can be made in one season. Spray can be applied up to 28 days before harvest.
PEARS European red two-spotted spider	3 to 7½ lbs.	1 to 1½ lbs.	300 to 500	DO NOT USE	DO NOT USE	Two spray applications can be made in one season. Spray can be applied up to 14 days before harvest. Do not use on D'Anjou or Comice varieties or injury will result. Leaf bronzing may occur on other varieties.
PLUMS-PRUNES European red two-spotted spider Pacific mite	3 to 15 lbs.	1 to 1½ lbs.	300 to 1000	3 to 15 lbs.	50 to 200	Two treatments can be made in one season. Spray can be applied up to 28 days before harvest.

* Do not use on peaches in southeastern United States.

WARNING!

HANDLING Avoid inhaling dust or spray. Do not get in eyes. May cause eye damage. The wearing of goggles is recommended. In case of contact with eyes, flush with running water for 15 minutes and get medical attention. In case of skin contact, wash thoroughly with warm water and soap. May be harmful if swallowed.

FISH AND WILDLIFE Keep out of any body of water. This product is toxic to fish.

USE RESTRICTIONS Do not graze or feed livestock on cover crops grown among the trees listed on this label. Do not feed animals apple pomace made from Omite treated apples.

COMPATIBILITY Omite 30W is compatible with captan, Chlorobenzilate Cyprex, DDD, DDT, dieldrin, Diazinon, Endrin, Ethion, Folpet, fixed neutral copper, glyodrin, Guthion, Karathane, lead arsenate, malathion, methyl parathion, parathion, Phosdrin, Phygon, Sevin, rotenone, R-meta-Systox, sabadilla, Systox, TEPP, Trithion, Thiodan, thiram, Toxaphene, zineb, and zinc oxide.

NOTE: Do not mix Omite with alkaline mate-

rials such as lime, Bordeaux mixture and lime sulfur. Compatibility with summer foliage oils has not been determined.

CONTAINER DISPOSAL Burn or bury container 18 inches below soil surface at safe disposal site. Never reuse for food.

IMPORTANT NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

LOT NO.

USDA Permit No. 400-82

UNIROYAL CHEMICAL—Division of UNIROYAL, Inc.—Naugatuck, Conn. 06770

ACCEPTED
AUG 15 1969
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER
ED UNDER NO. 400-82