

PLEASE NOTE

**This image contains more than one label
approved for this product on this date.**


400-82

1-4-1974

1/2

WARNING! KEEP OUT OF REACH OF CHILDREN.

For other warning statements see back panel.




OMITE[®]

30W

**AGRICULTURAL
MITICIDE**

(West of the Rocky Mountains)



NET WT. 5 POUNDS

COMPOSITION

Active ingredient (% by weight)	
2-(p-tert-butylphenoxy) cyclohexyl	
2-propynyl sulfite*	30%
Inert ingredients	70%
Total	100%

*U.S. PATENT NOS. 3,272,854 and 3,463,859
EPA REGISTRATION NO. 400-82-AA

another product of

OMITE-30W[®] AGRICULTURAL MITICIDE

A dry wettable powder for preparing sprays to control brown almond, citrus red, clover, European red, McDaniel, Pacific spider, peach silver, strawberry spider, two-spotted spider and Willamette mites. Omite-30W is not systemic in action; therefore,

complete and uniform coverage of both upper and lower leaf surfaces and of fruit is necessary for effective control. Always use at least the minimum recommended amount of Omite-30W per acre. Omite-30W can be used in concentrate sprays.

DOSAGE INSTRUCTIONS

Crop	Mites controlled	Amount OMITE-30W per acre per treatment	OMITE-30W per 100 gallons of water West of Rocky Mountains	Gallons spray solution per acre	Total number of sprays /year	Last spray days before harvest
ALMONDS (California only)	Clover, European red, Two-spotted spider, Strawberry spider, Pacific spider	5-22 lbs.	1-1½ lbs.	500-1500	2	28
APPLES	European red, Two-spotted spider, Pacific spider, McDaniel	5-12 lbs.	1-1½ lbs.	500-800	3	7
APRICOTS	Pacific spider, Two-spotted spider	6-9 lbs.	1½ lbs.	400-600	2	14
CALIFORNIA WALNUTS	European red, Two-spotted spider	7-22 lbs.	1½ lbs.	500-1500	2	14
GRAPES (California only)	Pacific spider, Strawberry spider, Willamette, Two-spotted spider	5-9 lbs.	1½ lbs.	350-600	2	21
HOPS	Two-spotted spider	5 lbs.	2½ lbs.	200	2	14
NECTARINES	Pacific spider, Brown almond	9 lbs.	1½ lbs.	600	2	14
ORANGES AND LEMONS (California only)	Citrus red	10-15 lbs.	1-1½ lbs.	600-1500	2	7
PEACHES	European red, Pacific spider, Two-spotted spider, Strawberry spider, McDaniel, Peach silver	5-15 lbs.	1½ lbs.	300-1000	2	14
PLUMS PRUNES	European red, Two-spotted spider, Pacific spider	5-15 lbs.	1½ lbs.	300-1000	2	28
STRAWBERRIES (See application notes below)	Pacific spider, Strawberry spider, Two-spotted spider	5-10 lbs.	5 lbs.	100-200	3*	3

*Apply as necessary but no more than three applications can be made per crop season. (bloom to harvest.)

APPLICATION NOTES

- Do not combine with other chemicals or spray adjuvants, as leaf and fruit injury may occur. (strawberries only)
- California: Do not apply at day temperatures above 80° F as fruit burn may occur. (strawberries only)
- Omite-30W may cause some leaf burn on new growth (feather growth) of oranges and lemons.
- Omite performance is best when daily temperatures average above 70° F.

FOR POST HARVEST AND NON-BEARING TREES ONLY

Non-bearing trees are those that will not bear fruit within one year of Omite Application

DOSAGE INSTRUCTIONS

Crop	Mites controlled	Amount OMITE-30W per acre per treatment	OMITE-30W per 100 gallons of water West of Rocky Mountains	Gallons spray solution per acre	Total number of sprays /year	Last spray days before harvest
CHERRIES	European red, Two-spotted spider, Pacific spider, McDaniel	6 lbs.	1½ lbs.	400	-	-
PEARS	European red, Two-spotted spider	5-7½ lbs.	1½ lbs.	300-500	-	-

WARNING:

HANDLING: Avoid inhaling dust or spray. Do not get in eyes. May cause eye damage. The wearing of goggles is recommended. In case of contact with eyes, flush with running water for 15 minutes and get medical attention. In case of skin contact, wash thoroughly with warm water and soap. May be harmful if swallowed.

FISH AND WILDLIFE: This product is toxic to fish. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

USE RESTRICTIONS: Do not graze or feed livestock on cover crops grown among the trees listed on this label. Do not feed animals apple pomace made from Omite treated apples. Do not feed hop refuse or cones to livestock.

CAUTION:

- Leaf injury and fruit spotting may occur if the following conditions are not observed:
 - Do not apply Omite-30W when air temperatures are above 95° F.
 - Do not apply Omite-30W in combination with Guthion emulsifiable concentrate.
 - Do not apply Omite-30W before, with, or following spring and summer foliar spray oils. (Further information available from supplier.)

- Do not use more than four ounces of additional spray adjuvant per 100 gallons if Omite-30W is used alone. Add no spray adjuvant if Omite-30W is mixed with one or more pesticide formulations in the spray tank.

- Omite-30W is not compatible with alkaline materials such as lime, lime sulfur or Bordeaux. The effectiveness of Omite will be reduced.

COMPATIBILITIES: Except as noted above, Omite-30W is compatible with most pesticides. (See caution statements.) Check with your supplier for details. Observe all cautions and limitations on labeling of all products used in mixtures.

CONTAINER DISPOSAL: Burn or bury container 18 inches below soil surface at safe disposal site. Never reuse.

IMPORTANT NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

UNIROYAL CHEMICAL—Division of UNIROYAL, Inc.—Nauugatuck, Connecticut 06770

LOT NO.

4-58-73W

© 1969, 1971, 1973, UNIROYAL, Inc. All Rights Reserved

NEXT

LABEL

400-82

1-4-1974

1/2

DANGER! KEEP OUT OF REACH OF CHILDREN.

Corrosive. Causes skin and eye damage.

Do not get in eyes, on skin or on clothing.

Wear goggles or face shield and rubber gloves when handling.

Harmful if swallowed. Avoid inhaling dust or spray.

Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately. For other precautionary statements see back panel.

OMITE®

30W

AGRICULTURAL MITICIDE

(West of the Rocky Mountains)

ACCEPTED

JAN 4 1974

 400-92
 TO ATTENTION CONTROL U.S.


NET WT. 5 POUNDS

COMPOSITION

Active ingredient (% by weight)	
2-(p-tert-butylphenoxy) cyclohexyl	
2-propynyl sulfite*	30%
Inert ingredients	70%
Total	100%

*U.S. PATENT NOS. 3,272,854 and 3,463,859
 EPA REGISTRATION NO. 400-82-AA

another product of



OMITE-30W

AGRICULTURAL
MITICIDE

2/2

A dry wettable powder for preparing sprays to control brown almond, citrus red, clover, European red, McDaniel, Pacific spider, peach silver, strawberry spider, two-spotted spider and Willamette mites. Omite-30W is not systemic in action; therefore,

complete and uniform coverage of both upper and lower leaf surfaces and of fruit is necessary for effective control. Always use at least the minimum recommended amount of Omite-30W per acre. Omite-30W can be used in concentrate sprays.

DOSAGE INSTRUCTIONS

Crop	Mites controlled	Amount OMITE-30W per acre per treatment	OMITE-30W per 100 gallons of water West of Rocky Mountains	Gallons spray solution per acre	Total number of sprays / year	Last spray days before harvest
ALMONDS (California only)	Clover, European red, Two-spotted spider, Strawberry spider, Pacific spider	5-22 lbs.	1-1½ lbs.	500-1500	2	28
APPLES	European red, Two-spotted spider, Pacific spider, McDaniel	5-12 lbs.	1-1½ lbs.	500-800	3	7
APRICOTS	Pacific spider, Two-spotted spider	6-9 lbs.	1½ lbs.	400-600	2	14
CALIFORNIA WALNUTS	European red, Two-spotted spider	7-22 lbs.	1½ lbs.	500-1500	2	14
GRAPES (California only)	Pacific spider, Strawberry spider, Willamette, Two-spotted spider	5-9 lbs.	1½ lbs.	350-600	2	21
HOPS	Two-spotted spider	5 lbs.	2½ lbs.	200	2	14
NECTARINES	Pacific spider, Brown almond	9 lbs.	1½ lbs.	600	2	14
ORANGES AND LEMONS (California only)	Citrus red	10-15 lbs.	1-1½ lbs.	600-1500	2	7
PEACHES	European red, Pacific spider, Two-spotted spider, Strawberry spider, McDaniel, Peach silver	5-15 lbs.	1½ lbs.	300-1000	2	14
PLUMS PRUNES	European red, Two-spotted spider, Pacific spider	5-15 lbs.	1½ lbs.	300-1000	2	14
STRAWBERRIES (See application notes below)	Pacific spider, Strawberry spider, Two-spotted spider	5-10 lbs.	5 lbs.	100-200	3	3

*"Apply as necessary but no more than three applications can be made per crop season." (bloom to harvest.)

APPLICATION NOTES

1. Do not combine with other chemicals or spray adjuvants, as leaf and fruit injury may occur. (strawberries only)
2. California: Do not apply at day temperatures above 80° F. as fruit burn may occur. (strawberries only)
3. Omite-30W may cause some leaf burn on new growth (feather growth) of oranges and lemons.
4. Omite performance is best when daily temperatures average above 70° F.

FOR POST HARVEST AND NON-BEARING TREES ONLY

Non-bearing trees are those that will not bear fruit within one year of Omite Application

DOSAGE INSTRUCTIONS

Crop	Mites controlled	Amount OMITE-30W per acre per treatment	OMITE-30W per 100 gallons of water West of Rocky Mountains	Gallons spray solution per acre	Total number of sprays / year	Last spray days before harvest
CHERRIES	European red, Two-spotted spider, Pacific spider, McDaniel	6 lbs.	1½ lbs.	400	-	-
PEARS	European red, Two-spotted spider	5-7½ lbs.	1½ lbs.	300-500	-	-

WARNING:

FISH AND WILDLIFE: This product is toxic to fish. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

USE RESTRICTIONS: Do not graze or feed livestock on cover crops grown among the trees listed on this label. Do not feed animals apple pomace made from Omite treated apples. Do not feed hop refuse or cones to livestock.

CAUTION:

A. Leaf injury and fruit spotting may occur if the following conditions are not observed:

1. Do not apply Omite-30W when air temperatures are above 95° F.
2. Do not apply Omite-30W in combination with Guthion emulsifiable concentrate.
3. Do not apply Omite-30W before, with, or following spring and summer foliar spray oils.

(Further information available from supplier.)

4. Do not use more than four ounces of additional spray adjuvant per 100 gallons if Omite-30W is used alone. Add no spray adjuvant if Omite-30W is mixed with one or more pesticide formulations in the spray tank.

5. Omite-30W is not compatible with alkaline materials such as lime, lime sulfur or Bordeaux. The effectiveness of Omite will be reduced.

COMPATIBILITIES: Except as noted above, Omite-30W is compatible with most pesticides. (See caution statements.) Check with your supplier for details. Observe all cautions and limitations on labeling of all products used in mixtures.

CONTAINER DISPOSAL: Burn or bury container 18 inches below soil surface at safe disposal site. Never reuse.

IMPORTANT NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Post harvest
and non bearing