

PLEASE NOTE

**This image contains more than one label
approved for this product on this date.**

400-82

3-14-1975

1/2

DANGER! KEEP OUT OF REACH OF CHILDREN.**Corrosive.** Causes skin and eye damage.

Do not get in eyes, on skin or on clothing.

Wear goggles or face shield and rubber gloves when handling.

Harmful if swallowed. Avoid inhaling dust or spray.

Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

For other precautionary statements, see back panel.

ACCEPTED**MAR 14 1975**

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 400-82

OMITE®

30W

AGRICULTURAL MITICIDE

(East of the Rocky Mountains)

Net Weight: 5 POUNDS**COMPOSITION**

Active Ingredient (% by weight)	
Propargite 2-(p-tert-butylphenoxy) cyclohexyl 2-propynyl sulfite*	30%
Inert Ingredients	70%
Total	100%

*U.S. PATENT NOS. 3,272,854 and 3,463,859
EPA REGISTRATION NO. 400-82-AA



OMITE-30W

AGRICULTURAL
MITICIDE

A dry, wettable powder for preparing sprays to control European red, two-spotted spider, McDaniel, Pacific spider, peach silver, brown almond and strawberry spider mites.

Omite-30W is not systemic in action; there-

fore, complete and uniform coverage of both upper and lower leaf surfaces and, of fruit is necessary for effective control. Always use at least the minimum recommended amount of Omite-30W per acre.

DOSAGE INSTRUCTIONS

Crop	Mites controlled	Amount OMITE-30W per acre per treatment	OMITE-30W per 100 gallons of water East of Rocky Mts.	Gallons spray solution per acre	Total number of sprays /year	Last spray days before harvest
APPLES	European red two-spotted spider Pacific spider McDaniel	5-12 lbs.	1½ - 1½ lbs.	400-800	3	7
PEACHES	European red two-spotted spider peach silver strawberry spider McDaniel Pacific spider	5-15 lbs.	1½ - 1½ lbs.	400-1000	2	14
PLUMS PRUNES	European red two-spotted spider Pacific spider	5-15 lbs.	1½ - 1½ lbs.	400-1000	2	14

CROP SEASON

Crop	Mites controlled	Amount OMITE-30W per acre per treatment	OMITE-30W per 100 gallons of water East of Rocky Mountains	Gallons spray solution per acre	Total number of sprays (Bloom to Harvest)	Last spray days before harvest
STRAWBERRIES (Florida and Louisiana only)	two-spotted spider	2½	2½	100	3	3

* Do not apply more than 3 applications of Omite in any 21 day period during the harvesting season.
FOR POST HARVEST AND NON-BEARING TREES ONLY
Non-bearing trees are those that will not bear fruit within one year of Omite Application

Item 1
A revision of the application instructions for strawberries.

DOSAGE INSTRUCTIONS

Crop	Mites controlled	Amount OMITE-30W per acre per treatment	OMITE-30W per 100 gallons of water East of Rocky Mts.	Gallons spray solution per acre	Total number of sprays /year	Last spray days before harvest
PEARS	European red two-spotted spider	5-7½ lbs.	1½ - 1½ lbs.	400-500	-	-

1. COMPLETE AND UNIFORM COVERAGE IS NECESSARY FOR OPTIMUM RESULTS.
2. ALWAYS USE AT LEAST THE MINIMUM RECOMMENDED AMOUNT OF OMITE-30W PER ACRE.
3. Omite-30W can be used in concentrate sprays.
4. Do not reduce the rate per acre when applying concentrate sprays.
5. Omite performance is best under normal summer temperatures.
6. Do not exceed the recommended amount of Omite-30W per acre.

WARNING!

FISH AND WILDLIFE: This product is toxic to fish, shrimp, Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

USE RESTRICTIONS: Do not graze or feed livestock on cover crops grown among the trees listed on this label. Do not feed animals apple pomace made from Omite-treated apples.

CAUTION:

A. Leaf injury and fruit spotting may occur if the following conditions are not observed:

1. Do not apply Omite-30W when air temperatures are above 90°F.
2. Do not apply Omite-30W in combination with Guthion emulsifiable concentrate.
3. Do not apply Omite-30W in combination with any other foliar spray oils.
4. Do not use additional spray adjuvants.

B. Omite-30W is not compatible with alkaline materials such as lime, lime sulfur or Bordeaux. The effectiveness of Omite will be reduced.

COMPATIBILITIES: Except as noted above, Omite-30W is compatible with most pesticides. (See caution statements.) Check the Omite use booklet or with your supplier for details.

CONTAINER DISPOSAL: Burn or bury container 18 inches below soil surface at safe disposal site. Never reuse.

Item 2
The deletion of the use restriction on the feeding of apple pomace

IMPORTANT NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

UNIROYAL Chemical - Division of UNIROYAL, Inc. - Naugatuck, Conn. 06770

Lot. No.

©1969, 1971 UNIROYAL, Inc. All Rights Reserved

1-29-74-5P

NEXT

LABEL

DANGER! KEEP OUT OF REACH OF CHILDREN.

Corrosive. Causes skin and eye damage.

Do not get in eyes, on skin or on clothing.

Wear goggles or face shield and rubber gloves when handling.

Harmful if swallowed. Avoid inhaling dust or spray.

Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol.

Call a physician immediately.

For other precautionary statements, see back panel.

OMITE[®] 30W AGRICULTURAL MITICIDE (WEST OF THE ROCKY MOUNTAINS)

ACCEPTED

MAR 14 1975

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 400-82

Net Weight: 50 POUNDS

COMPOSITION

Active Ingredient (% by weight)

Propargite 2-(p-tert-butylphenoxy)

cyclohexyl 2-propynyl sulfite* 30%

Inert Ingredients 70%

Total 100%

*U.S. PATENT NOS. 3,272,854 and 3,463,859

EPA REGISTRATION NO. 400-82-AA

EPA Est. No. 279-CA-2



Item 1
the addition of
greenhouse roses
(see attached page)

Item 2
the deletion of the
use restriction on the
feeding of apple
pomace

Item 3
a modification of
the use restrictions
on hops.

However, spent hops
from the extract
operation may be
fed.

A dry wettable powder for preparing sprays to control brown mite, citrus red, clover, European red, McDunnell, Pacific spider, peach silver, strawberry spider, two-spotted spider and Williams mites. Omit-30W is not systemic in action; therefore,

complete and uniform coverage of both upper and lower leaf surfaces and of fruit is necessary for effective control. Always use at least the minimum recommended amount of Omit-30W per acre. Omit-30W can be used in concentrate sprays.

DOSAGE INSTRUCTIONS

Crop	Mites controlled	Amount Omit-30W per acre per treatment	Omit-30W per 100 gallons of water West of Rocky Mountains	Gallons spray solution per acre	Total number of sprays / year	Last spray days before harvest
ALMONDS (California only)	clover, European red, two-spotted spider, strawberry spider, Pacific spider	5-22 lbs.	1-1 1/2 lbs.	500-1500	2	28
APPLES	European red two-spotted spider, Pacific spider, McDunnell	5-12 lbs.	1-1 1/2 lbs.	500-800	3	7
APRICOTS	Pacific spider, two-spotted spider	5-9 lbs.	1 1/2 lbs.	300-600	2	14
CALIFORNIA WALNUTS	European red two-spotted spider	7-22 lbs.	1 1/2 lbs.	500-1500	2	14
GRAPEFRUIT (California only)	citrus red	15 lbs.	1 1/2 lbs.	1000	2	7
GRAPES (California only)	Pacific spider, strawberry spider, Williams mite, two-spotted spider	5-9 lbs.	1 1/2 lbs.	350-600	2	21
HOPS	two-spotted spider	5 lbs.	2 1/2 lbs.	200	2	14
NECTARINES	Pacific spider, brown almond	5-9 lbs.	1 1/2 lbs.	300-600	2	14
ORANGES AND LEMONS (California only)	citrus red	10-15 lbs.	1-1 1/2 lbs.	600-1500	2	7
PEACHES	European red, two-spotted spider, strawberry spider, Pacific spider, peach silver	5-15 lbs.	1 1/2 lbs.	300-1000	2	14
PLUMS - PRUNES	European red two-spotted spider, Pacific spider	5-15 lbs.	1 1/2 lbs.	300-1000	2	14

Crop	Mites controlled	Amount Omit-30W per acre per treatment	Omit-30W per 100 gallons of water West of Rocky Mountains	Gallons spray solution per acre	Total no. of sprays / year	Last spray days before harvest
STRAWBERRIES (See application notes below)	Pacific spider, strawberry spider, two-spotted spider	5-10 lbs.	5 lbs.	100-200	3*	2

* Do not apply more than 3 applications of Omit-30W in any 40 day period during the harvesting season.

APPLICATION NOTES

1. Do not combine with other chemicals or spray adjuvants, as leaf and fruit injury may occur. (strawberries only)
2. California: Do not apply at day temperatures above 80° F as fruit burn may occur. (strawberries only)
3. Omit-30W may cause some leaf burn on new growth (leather growth) of oranges and lemons.
4. Omit-30W performs best when day temperatures average above 70° F.

FOR POST HARVEST AND NON-BEARING TREES ONLY

Non-bearing trees are those that will not bear fruit within one year of Omit Application

DOSAGE INSTRUCTIONS

Crop	Mites controlled	Amount Omit-30W per acre per treatment	Omit-30W per 100 gallons of water West of Rocky Mountains	Gallons spray solution per acre	Total number of sprays / year	Last spray days before harvest
CHERRIES	European red two-spotted spider, Pacific spider, McDunnell	6 lbs.	1 1/2 lbs.	400	-	-
PEARS	European red two-spotted spider	5-7 1/2 lbs.	1 1/2 lbs.	300-500	-	-

WARNING:

FISH AND WILDLIFE: This product is toxic to fish, shrimp. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

USE RESTRICTIONS: Do not graze or feed livestock on cover crops grown among the trees listed on this label. Do not feed animal-apple-pomace made from Omit-treated apples. Do not feed hop refuse or cones to livestock.

CAUTION:

- A. Leaf injury and/or fruit spotting may occur if the following conditions are not observed.
1. Do not apply Omit-30W with Diazinon-WP if air temperatures are expected to exceed 95° F the day of spraying apples and hops.
 2. Omit-30W is not compatible with foliar spray oils. (Further information available from supplier.)
 3. Sprint-38 is the spreader-sticker designed for use with Omit-30W; other spreader-stickers may be used (follow suppliers' recommendation on rates).

B. Omit-30W is not compatible with alkaline materials such as lime, lime sulfur or Bordeaux. The effectiveness of Omit will be reduced.

COMPATIBILITIES: Except as noted above, Omit-30W is compatible with most pesticides. (See caution statements.) Check with your supplier for details. Observe all cautions and limitations on labeling of all products used in mixtures.

CONTAINER DISPOSAL: Burn or bury container 18 inches below soil surface at safe disposal site. Never reuse.

IMPORTANT NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

400-82

3-14-1975

1/2

EPA-PR

2-11-75

<u>CROP</u>	<u>MITES CONTROLLED</u>	AMOUNT OMITE-30W PER ACRE PER TREATMENT	OMITE-30W PER 100 GALLONS OF WATER WEST OF ROCKY MTS.	GALLONS SPRAY SOLUTION PER ACRE	TOTAL NUMBER OF SPRAYS/ YEAR	LAST SPRAY DAYS BEFORE HARVEST
Roses (greenhouse grown)	two-spotted spider Pacific spider strawberry spider	-	1 lb.	-	-	-