

400-82

9-22-1975

1/2

DANGER! KEEP OUT OF REACH OF CHILDREN.

Corrosive. Causes skin and eye damage.

Do not get in eyes, on skin or on clothing.

Wear goggles or face shield and rubber gloves when handling.

Harmful if swallowed. Avoid inhaling dust or spray.


Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

For other precautionary statements, see back panel.

OMITE[®] 30W AGRICULTURAL MITICIDE

(East of the Rocky Mountains)



ACCEPTED
 SEP 22 1975
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 the above-named pesticide
 is hereby registered under
 EPA Reg. No. 400-82

Net Weight: 5 POUNDS

COMPOSITION

Active Ingredient (% by weight)	
Propargite 2-(p-tert-butylphenoxy) cyclohexyl 2-propynyl sulfite*	30%
Inert Ingredients	70%
Total	100%

*U.S. PATENT NOS. 3,272,854 and 3,463,859
EPA REGISTRATION NO. 400-82-AA

E P A Est. No.



A dry, wettable powder for preparing sprays to control European red, two-spotted spider, McDaniel, Pacific spider, peach silver, and strawberry spider mites.

Omite-30W is not systemic in action; there-

fore, complete and uniform coverage of both upper and lower leaf surfaces and of fruit is necessary for effective control. Always use at least the minimum recommended amount of Omite-30W per acre.

DOSAGE INSTRUCTIONS

CROP	Mites controlled	Amount OMITE-30W per acre per treatment	OMITE-30W per 100 gallons of water East of Rocky Mts.	Gallons spray solution per acre	Total number of sprays /year	Last spray days before harvest
APPLES	European red two-spotted spider Pacific spider McDaniel	5-12 lbs.	1¼ - 1½ lbs.	400- 800	3	7
PEACHES	European red two-spotted spider peach silver strawberry spider McDaniel Pacific spider	5-15 lbs.	1¼ - 1½ lbs.	400-1000	2	14
PLUMS PRUNES	European red two-spotted spider Pacific spider	5-15 lbs.	1¼ - 1½ lbs.	400-1000	2	14
CARNATIONS CHRYSANTHEMUMS ROSES	Two-Spotted spider	—	1-1½ lbs.	Spray to wet	—	—

CROP	Mites controlled	Amount OMITE-30W per acre per treatment	OMITE-30W per 100 gallons of water East of Rocky Mountains	Gallons spray solution per acre	Total no. of sprays/ crop season (bloom-harvest)	Last spray days before harvest
STRAWBERRIES (Florida and Louisiana only)	two-spotted spider	2½	2½	100	3*	3

* Do not apply more than 3 applications of Omite in any 21 day period during the harvesting season.

FOR POST HARVEST AND NON-BEARING TREES ONLY

Non-bearing trees are those that will not bear fruit within one year of Omite Application

DOSAGE INSTRUCTIONS

CROP	Mites controlled	Amount OMITE-30W per acre per treatment	OMITE-30W per 100 gallons of water East of Rocky Mts.	Gallons spray solution per acre	Total number of sprays /year	Last spray days before harvest
PEARS	European red two-spotted spider	5-7½ lbs.	1¼ - 1½ lbs.	400- 500	—	—

1. COMPLETE AND UNIFORM COVERAGE IS NECESSARY FOR OPTIMUM RESULTS.
2. ALWAYS USE AT LEAST THE MINIMUM RECOMMENDED AMOUNT OF OMITE-30W PER ACRE.
3. Omite-30W can be used in concentrate sprays.
4. Do not reduce the rate per acre when applying concentrate sprays.
5. Omite performance is best under normal summer temperatures.
6. Do not exceed the recommended amount of Omite-30W per acre.
7. Use on roses is limited to greenhouse, start and saran grown. Because cultivar reaction and cultural practices differ widely, the user should initially treat only a small portion of his crop to confirm plant safety under his conditions. Repeat applications of Omite-30W are normally necessary for extended control.

WARNING!

FISH AND WILDLIFE: This product is toxic to fish and shrimp. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

USE RESTRICTIONS: Do not graze or feed livestock on cover crops grown among the trees listed on this label.

CAUTION:

- A. Leaf injury and fruit spotting may occur if the following conditions are not observed:
1. Do not apply Omite-30W when air temperatures are above 90°F.
 2. Do not apply Omite-30W in combination with Guthion emulsifiable concentrate.
 3. Do not apply Omite-30W in combination with foliar spray oils.
 4. Do not use additional spray adjuvants.

B. Omite-30W is not compatible with alkaline materials such as lime, lime sulfur or Bordeaux. The effectiveness of Omite will be reduced.

COMPATIBILITIES: Except as noted above, Omite-30W is compatible with most pesticides. (See caution statements.) Check the Omite use booklet or with your supplier for details.

CONTAINER DISPOSAL: Burn or bury container 18 inches below soil surface at safe disposal site. Never reuse.

IMPORTANT NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.