

Best Available Copy

Wear goggles or face shield and rubber gloves when handling.

Harmful if swallowed. Avoid inhaling dust or spray.

Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol.

Call a physician immediately.

For other precautionary statements, see back panel.

OMITE[®]

30W

AGRICULTURAL
MITICIDE

(WEST OF THE ROCKY MOUNTAINS)


ACCEPTED
AUG 20 1976
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 400-82

Net Weight: 50 POUNDS

COMPOSITION

Active Ingredient (% by weight)
Propargite 2-(p-tert-butylphenoxy)
cyclohexyl 2-propynyl sulfite* 30%
Inert Ingredients 70%
Total 100%

* U.S. PATENT NOS 3,272,854 and 3,463,859
EPA REGISTRATION NO 400-82-AA



Crop	Mites controlled	Amount OMITE-30W per acre per treatment	Amount of water West of Rocky Mountains	Gallons spray solution per acre	Total number of sprays per year	Lat- ent days before harvest
ALMONDS (California only)	European red two-spotted spider, peach spider, Pacific spider	5-22 lbs.	1-1 1/2 lbs.	500-1500	2	28
APPLES	European red two-spotted spider Pacific spider McDaniel	5-12 lbs.	1-1 1/2 lbs.	500-800	3	7
APRICOTS	Pacific spider two-spotted spider	5-9 lbs.	1 1/2 lbs.	300-600	2	14
CALIFORNIA WALNUTS	European red two-spotted spider	7-22 lbs.	1 1/2 lbs.	500-1500	2	14
GRAPEFRUIT (California only)	citrus red	15 lbs.	1 1/2 lbs.	1000	2	7
GRAPES	Pacific spider stimulberry spider Wilmorra two-spotted spider	5-9 lbs.	1 1/2 lbs.	350-600	2	14
HOPS	two-spotted spider	5 lbs.	2 1/2 lbs.	200	2	14
NECTARINES	Pacific spider brown planad	5-9 lbs.	1 1/2 lbs.	300-600	2	14
ORANGES AND LEMONS (California only)	citrus red	10-15 lbs.	1-1 1/2 lbs.	600-1500	2	7
PEACHES	European red Pacific spider two-spotted spider stimulberry spider McDaniel peach silver	5-15 lbs.	1 1/2 lbs.	300-1000	2	14
PLUMS - PRUNES	European red two-spotted spider Pacific spider	5-15 lbs.	1 1/2 lbs.	300-1000	2	14

Crop	Mites controlled	Amount OMITE-30W per acre per treatment	Amount of water West of Rocky Mountains	Gallons spray solution per acre	Total number of sprays per year	Lat- ent days before harvest
STRAWBERRIES (See application notes below)	Pacific spider stimulberry spider two-spotted spider	5-10 lbs.	3 lbs.	100-200	3*	3

* Do not apply more than 3 applications of Omitin in any 40 day period during the harvesting season.

APPLICATION NOTES

- Do not combine with other chemicals or spray adjuvants, as leaf and fruit injury may occur. (See remarks.)
- California: Do not apply at day temperatures above 80° F as fruit burn may occur (see remarks only).
- Omitin 30W may cause some leaf burn on new growth (leather growth) of oranges and lemons.
- Omitin performance is best when daily temperatures average above 70° F.

FOR POST HARVEST AND NON-BEARING TREES ONLY

Non-bearing trees are those that will not bear fruit within one year of Omitin Application

DOSAGE INSTRUCTIONS

Crop	Mites controlled	Amount OMITE-30W per acre per treatment	Amount of water West of Rocky Mountains	Gallons spray solution per acre	Total number of sprays per year	Lat- ent days before harvest
CHERRIES	European red two-spotted spider Pacific spider McDaniel	6 lbs.	1 1/2 lbs.	400	-	-
PEARS	European red two-spotted spider	5-7 1/2 lbs.	1 1/2 lbs.	300-500	-	-

WARNING:

FISH AND WILDLIFE: This product is toxic to fish, shrimp. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

USE RESTRICTIONS: Do not graze or feed livestock on cover crops grown among the trees listed on this label. Do not feed animals apple pomace made from Omitin treated apples. Do not feed lup refuse or cores to livestock.

CAUTION:

- Leaf injury and/or fruit spotting may occur if the following conditions are not observed:
 - Do not apply Omitin-30W with Diazinon-WP if air temperatures are expected to exceed 95° F the day of spraying apples and hops.
 - Omitin-30W is not compatible with Isolan spray oils. (Further information available from supplier.)
 - Sprink-38 is the spreader-sticker designed for use with Omitin-30W other spreader-stickers may be used (follow suppliers' recommendation on rates).

B. Omitin-30W is not compatible with materials such as lime, lime sulfur or B. The effectiveness of Omitin will be reduced.

COMPATIBILITIES: Except as noted above, 30W is compatible with most insecticides. (See caution statements.) Check with your supplier for details. Observe all cautions and limitations labeling of all products used in combination.

CONTAINER DISPOSAL: Burn or bury plastic containers below soil surface at safe disposal. Never reuse.

IMPORTANT NOTICE: Seller warrants that product conforms to its chemical description reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, under abnormal conditions, or under conditions reasonably foreseeable to seller and buyer at the time of any such use.

400-82

8-20-1976

1/2

Best Available copy

2/2

A dry suitable powder for preparing sprays on control brown almond, cotton red, clover, European and McDaniel Pacific spider, peach silver, strawberry spider, two-spotted spider and Willamette mites. Omite-30W is not systemic in action; therefore,

Complete and uniform coverage of both upper and lower leaf surfaces of fruit is necessary for effective control. Omite-30W may be used in minimum recommended rate of 100-200 per acre. Omite-30W can be used in concentrated sprays.

DOSEAGE INSTRUCTIONS

Crop	Mites controlled	Amount Omite-30W per acre per treatment	Omite-30W per 100 gallons of water West of Rocky Mountains	Gallons spray solution per acre	Total number of sprays per year	Last spray days before harvest
ALMONDS (California only)	Mites controlled; European and two-spotted spider; peach silver spider; Pacific spider	5-22 lbs.	5-15 lbs.	500-1500	2	28
APPLES	European and two-spotted spider; Pacific spider; McDaniel	5-12 lbs.	5-15 lbs.	500-800	1	7
APRICOTS	Pacific spider; two-spotted spider	5-8 lbs.	1 1/2 lbs.	300-600	2	14
CALIFORNIA WALNUTS	European and two-spotted spider	7-22 lbs.	1 1/2 lbs.	500-1500	2	14
GRAPEFRUIT (California only)	cotton red	15 lbs.	1 1/2 lbs.	1000	2	7
GRAPES	Pacific spider; strawberry spider; Willamette; two-spotted spider	5-8 lbs.	1 1/2 lbs.	350-600	2	21
HOPS	European and two-spotted spider	5 lbs.	2 1/2 lbs.	200	2	14
NECTARINES	Pacific spider; brown almond	5-8 lbs.	1 1/2 lbs.	300-600	2	14
ORANGES AND LEMONS (California only)	cotton red	10-15 lbs.	1-1 1/2 lbs.	600-1500	2	7
PEACHES	European and Pacific spider; two-spotted spider; strawberry spider; McDaniel; peach silver	5-15 lbs.	1 1/2 lbs.	300-1000	2	14
PLUMS - PRUNES	European and two-spotted spider; Pacific spider	5-15 lbs.	1 1/2 lbs.	300-1000	2	14

Crop	Mites controlled	Amount Omite-30W per acre per treatment	Omite-30W per 100 gallons of water West of Rocky Mountains	Gallons spray solution per acre	Total no. of sprays per season (before harvest)	Last spray days before harvest
STRAWBERRIES (See application notes below)	Pacific spider; strawberry spider; two-spotted spider	5-10 lbs.	5 lbs.	100-200	2	3

* Do not apply more than 3 applications of Omite-30W over 40 day period during the harvesting season.

APPLICATION NOTES

- Do not combine with other chemicals or spray adjuvants, as leaf and fruit injury may occur (strawberries only).
- California: Do not apply at day temperatures above 80° F as fruit burn may occur (strawberries only).
- Omite-30W may cause some leaf burn on new growth (leaves) of oranges and lemons.
- Omite performance is best when day temperatures average above 70° F.

FOR POST HARVEST AND NON BEARING TREES ONLY

Nonbearing trees are those that will not bear fruit within one year of Omite Application.

DOSEAGE INSTRUCTIONS

Crop	Mites controlled	Amount Omite-30W per acre per treatment	Omite-30W per 100 gallons of water West of Rocky Mountains	Gallons spray solution per acre	Total number of sprays per year	Last spray days before harvest
CHERRIES	European and two-spotted spider; Pacific spider; McDaniel	4 lbs.	1 1/2 lbs.	400	-	-
PEARS	European and two-spotted spider	5-7 1/2 lbs.	1 1/2 lbs.	300-500	-	-

WARNING:

FISH AND WILDLIFE: This product is toxic to fish, shrimp. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply where weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of mixture. Apply this product only as specified on this label.

USE RESTRICTIONS: Do not spray on food from which or cover temperatures during the time listed on this label. Do not feed animals apple pomace made from Omite-treated apples. Do not feed lup lup infus or chips to livestock.

CAUTION

- Leaf injury and/or fruit splitting may occur if the following conditions are not observed:
 - Do not apply Omite-30W with (Etiator) WP if air temperatures are expected to exceed 90° F the day of spraying and/or high.
 - Omite-30W is not compatible with foliar spray oils. (Further information available from supplier.)
 - Spraying on the underside of leaves is not recommended for use with Omite-30W unless approved by the local extension agent or other qualified personnel.

8. Omite-30W is not compatible with alkaline materials such as lime, lime sulfur or Bordeaux. The effectiveness of Omite will be reduced.

COMPATIBILITIES: Except as noted above, Omite-30W is compatible with most pesticides. (See Chemical Compatibility Chart with your supplier for details. Observe all cautions and limitations on labeling of all products used in mixtures.)

CONTAINER DISPOSAL: Run or leak containers 12 inches below soil surface at safe disposal site. Never reuse.

IMPORTANT NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use. To the extent this warranty may be limited by any other warranty of merchantability or fitness for a particular purpose, express or implied, made to the use of this product in conformity with label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

NS)



100-100