

OMITE®-CR

AGRICULTURAL MITICIDE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

DANGER

Corrosive, causes eye damage. May be fatal if inhaled. Harmful if swallowed, or absorbed through skin. Do not breathe vapors or spray mist. Do not get in eyes, on skin or on clothing. Wear goggles or face shield when handling. Wash hands and face thoroughly with soap and water after use and before eating or smoking.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and shrimp. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Flammable, keep away from heat and open flame.

ACCEPTED

APR 2 1986

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 400-82

UNIROYAL

COMPOSITION

Active Ingredients: (% by weight)	
Propargite [2-(p-tert-butylphenoxy) cyclohexyl 2-propynyl sulfite]*	30.0%
Inert Ingredients:	70.0%
Total:	100.0%

*U.S. Patent Nos. 3,272,854; 3,463,859

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry location.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

KEEP OUT OF REACH OF CHILDREN

DANGER PELIGRO

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que le etiqueta haya sido explicado ampliamente.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites or gelatin solution. If these are not available, drink large quantities of water. Avoid alcohol. Call a physician or Poison Control Center immediately.

IF INHALED: See a physician if an abnormal reaction occurs.

IF ON SKIN: Wash thoroughly with soap and water.

IF IN EYES: Immediately flush eyes with plenty of water. See a physician.

AVOID EXPOSURE TO DUST

See left side panel for additional precautionary statement.

Uniroyal Chemical Company, Inc.
Middlebury, CT 06749

EPA REG. NO. 400-82AA

EPA EST. NO.

OMITE is a Registered Trademark of UNIROYAL, Inc.

©Copyright 1984 Uniroyal, Inc.

NET WEIGHT:

12/9/85
Lot No.

REENTRY STATEMENT

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until sprays have dried.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to the workers who are expected to be in a treated area or in an area to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers.

Written or oral warnings must include the following information:

"DANGER, Area to be treated with Propargite on (date of application). Do not enter without appropriate protective clothing until sprays have dried." Or in the case of avocados or grape vineyards, "Do not enter treated areas to perform activities that involve substantial or prolonged contact with treated foliage for 7 days. If accidentally exposed, consult the Statement of Practical Treatment portion of this label for first aid recommendations."

GENERAL INSTRUCTIONS

OMITE-CR is a dry wettable powder for preparing sprays to control brown almond, citrus red, clover, European red, McDaniel, Pacific spider, peach silver, strawberry spider, two-spotted spider and Willamette mites.

OMITE-CR is not systemic in action; therefore complete coverage of both upper and lower leaf surfaces and of fruit is necessary for effective control. Always use at least the minimum recommended amount of OMITE-CR per acre. OMITE-CR can be used in concentrate sprays.

AL USUARIO:

Si usted no puede leer o entender ingles no use este producto hasta que la etiqueta le haya sido explicada ampliamente.


TO THE USER:

If you cannot read or understand English, do not use this product until the label has been fully explained to you.

MIXING INSTRUCTIONS

This package contains 2x1½ pound water soluble bags of OMITE-CR. After opening package:

1. Do not open or perforate the inner water soluble bags of OMITE-CR. The water soluble bags and contents will dissolve in water.
2. Immediately dump entire contents into spray tank.
3. Do not touch water soluble bags as handling may cause breakage.
4. If only one water soluble bag is used, store the remaining bag in the original package in a dry location away from heat or cold.



DOSAGE INSTRUCTIONS

CROP	MITES CONTROLLED	NUMBER OF 1½ POUND WATER SOLUBLE BAGS PER ACRE	GALLONS SPRAY SOLUTION PER ACRE		TOTAL NUMBER OF SPRAYS PER YEAR	LAST SPRAY DAYS BEFORE HARVEST
			Ground	Aerial		
ALMONDS (CA only)	clover European red two-spotted spider strawberry spider Pacific spider	3-15	500-1500	—	2	28
APPLES	European red two-spotted spider Pacific spider McDaniel	3-8	500-800	—	3	7
APRICOTS	Pacific spider two-spotted spider	3-6	300-600	—	2	14
FIGS	two-spotted spider Pacific spider strawberry spider	2-3	200-400	—	2	14
GRAPES 7-Day reentry Interval (see note 6)	Pacific spider strawberry spider Willamette two-spotted spider	3-6	350-600	—	2	21
HOPS	two-spotted spider	3	200	—	2	14
LEMONS (AZ only)	citrus red	7-10	600-1500	—	2	7
NECTARINES	Pacific spider brown almond	3-6*	300-600	Minimum 20 gal.	2	14
ORNAMENTALS: (field, nursery, greenhouse)	two-spotted spider	1 See footnote 5	Spray to wet	—	—	—
ORANGES GRAPEFRUIT LEMONS (CA only)	citrus red two-spotted spider	7-10	1000	—	2	7
PEACHES	European red Pacific spider two-spotted spider strawberry spider McDaniel peach silver	3-10**	300-1000	Minimum 20 gal.	2	14
PLUMS PRUNES	European red two-spotted spider Pacific spider	3-10**	300-1000	Minimum 20 gal.	2	14
ROSES (greenhouse grown)	two-spotted spider Pacific spider strawberry spider	1 See footnote 5	150	—	—	—
ROSES (field grown)	two-spotted spider Pacific spider	1-3 See footnote 5	50-300	—	—	—
STRAWBERRIES (See application notes below) †	Pacific spider strawberry spider two-spotted spider	3-7	100-200	—	3†	3
WALNUTS (CA only)	European red two-spotted spider	5-15	500-1500	—	2	14

† Do not apply more than 3 applications of OMITE-CR in any 40 day period during the harvesting season.

* Use 5-6 water soluble bags per acre when applied by air.

** Use 5-7 water soluble bags per acre when applied by air.

APPLICATION NOTES:

1. Do not combine with other chemicals or spray adjuvants, when using on strawberries, as leaf and fruit injury may occur.
2. California: Do not apply at day temperatures above 80°F as fruit burn may occur. (Strawberries only).
3. OMITE-CR may cause some leaf burn on new growth (feather growth) of lemons.
4. Omite performance is best when daily temperatures average above 70°F.
5. Ornamentals - 1½ lb. of OMITE-CR per 150 gallons of water equals 1 ounce (28.4 grams) per 6.25 gallons. The user should initially treat only a small portion of his crop to confirm plant safety under his conditions.
6. Keep workers out for seven (7) days after application. There is a 7-day safety reentry interval for grapes. Workers shall not enter treated areas to perform activities that involve substantial or prolonged contact with treated foliage until the 7-day safety reentry has expired.
7. OMITE-CR when used alone may follow foliar oils at an interval of greater than 40 days after an oil application.
8. Foliar oil applications must not follow OMITE-CR treatments within 30 days.

FOR POST HARVEST AND NON-BEARING TREES ONLY

Non-bearing trees are those that will not bear fruit within one year of Omite Application.

DOSAGE INSTRUCTIONS

CROP	MITES CONTROLLED	NUMBER OF 1½ POUND WATER SOLUBLE BAGS PER ACRE	GALLONS SPRAY SOLUTION PER ACRE	TOTAL NUMBER OF SPRAYS PER YEAR	LAST SPRAY DAYS BEFORE HARVEST
CHERRIES	European red two-spotted spider Pacific spider McDaniel	4	400	—	—

USE RESTRICTIONS — Do not feed livestock on cover crops grown among the trees listed on this label.

CAUTION:

- A. Leaf injury and/or fruit spotting may occur if the following conditions are not observed.
 1. Do not apply OMITE-CR with Diazinon-WP if air temperatures are expected to exceed 95°F the day of spraying apples and hops.
 2. OMITE-CR is not compatible with foliar spray oils. (Further information from supplier or Uniroyal).
- B. OMITE-CR is not compatible with alkaline materials such as lime, lime sulfur or Bordeaux. The effectiveness of OMITE-CR will be reduced.

COMPATIBILITIES — Except as noted above OMITE-CR is compatible with many pesticides. (See caution statements). Check with your supplier or Uniroyal for details. Observe all cautions and limitations of labeling of all products used in mixtures.

IMPORTANT NOTICE — Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

