

PM 15 400 25 1 of 7 file



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

AUG 15 1994

WILLIARD F. CUMMINGS
UNIROYAL CHEMICAL COMPANY, INC.
74 AMITY ROAD
BETHANY, CT. 06524-3402

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Subject: Label Amendment Submission of 08/18/93 in Response to PR Notice 93-7
EPA Reg. No. 400-82
OMITE 30W

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling
- AND
- WITHIN one year from date of this acceptance.



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber

2 of 7

Page 2


Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,



Jim Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Attachment

3 of 1

Willard F. Cummings
Uniroyal

Comments for: EPA REG. NO. 400-82
OMITE 30W

The following specific comments pertain to your WPS labeling submission concerning the product cited above:

I assume you added chemical resistant gloves to your WPS label because they appear on the old label. You need to determine if the formation of this product requires chemical resistant gloves or if waterproof gloves would be sufficient. If chemical resistant gloves are required you need to add the chemical-resistant category statement to your label to state: "Some materials that are chemical-resistant to this product are listed below. If you want more options, follow instructions for category "B" on an EPA chemical-resistant category selection chart." The exact location is shown in Section A on Part 1 of the Product Worksheet. You also need to change the glove statement from chemical resistant gloves to chemical resistant gloves such as ?, or ?, or ?.

Correct the typographical errors circled on your proposed label

OMITE®-30W

1/07

AGRICULTURAL MITICIDE
RECOMMENDED FOR AGRICULTURAL USE ONLY

ACCEPTED
with COMMENTS
in EPA Letter Dated
7/15/81



Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
406-82

COMPOSITION

Active Ingredients: (% by weight)	
Propargite [2-(p-tert-butylphenoxy) cyclohexyl 2-propynyl sulfite]*	30.0%
Inert Ingredients	70.0%
Total:	100.0%
UNIROYAL CHEMICAL COMPANY, INC., Middlebury, CT 06749	008WPS
EPA REG. NO. 400-82	
EPA EST. NO.	

NET WEIGHT

KEEP OUT OF REACH OF CHILDREN
DANGER
PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

- IF IN EYES:** Immediately flush eyes with plenty of water. See a physician.
- IF INHALED:** Remove person to fresh air. Apply artificial respiration if symptoms indicate. Call a physician.
- IF ON SKIN:** Wash thoroughly with soap and water. Get medical attention.
- IF SWALLOWED:** Do not induce vomiting. Drink promptly a large quantity of milk, egg whites or gelatin solution. If these are not available, drink large quantities of water. Avoid alcohol. Call a physician or Poison Control Center immediately.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Corrosive, causes eye damage. Harmful if swallowed, inhaled or absorbed through skin. Do not breathe dust or spray mist. Do not get in eyes, on skin or on clothing. Wash hands and face thoroughly with soap and water after use and before eating or smoking.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and Other Handlers Must Wear: A long-sleeved shirt & long pants; chemical-resistant gloves; shoes plus socks; protective eyewear; chemical-resistant headgear for overhead exposure; chemical-resistant apron when cleaning equipment, mixing, or loading. Applicators if applying more than 10 lbs. of OMITE-30W per acre in air-blast equipment must be in an enclosed cab.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

- Users should:
- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
 - Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
 - Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift or runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

BEST AVAILABLE COPY

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) listed in chart below.

RESTRICTED ENTRY INTERVALS (REI)	
CROP	
Strawberries	3 days
Grapes (wine & raisin)	14 days
Grapes (table)	21 days
Citrus (10.5 lbs./ per acre or less)	21 days
Citrus (at rates more than 10.5 lbs.)	28 days
All other labeled crops	7 days

Exception: After the first 48 hours of the REI, workers may enter the treated area to perform hand labor or other tasks involving contact with anything that has been treated, such as plants, soil, or water, without time limit, if they wear the early-entry personal protective equipment listed below.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Chemical-resistant gloves
- Shoes plus socks
- Protective eyewear
- Chemical-resistant headgear for overhead exposure

Notify workers of the application by warning them orally and by posting warning signs at entrances to treated areas.

USE RESTRICTIONS

Applicators, if applying more than 10 lbs. of OMITE-30W per acre in air blast equipment must be in an enclosed cab.

Do not apply this product through any type of irrigation system.

Do not plant any food or feed crop in rotation within 6 months after last application of propargite unless the crop is a registered use for propargite.

Do not feed livestock on cover crops grown among the trees listed on this label.

DIRECTIONS FOR USE

OMITE-30W is a dry wettable powder for preparing sprays to control brown almond, citrus red, clover, European red, McDaniel, Pacific spider, peach silver, Southern red, strawberry spider, two-spotted spider and Willamette mites.

OMITE-30W is not systemic in action; therefore complete coverage of both upper and lower leaf surfaces and of fruit is necessary for effective control. Always use at least the minimum recommended amount of OMITE-30W per acre. OMITE-30W can be used in concentrate sprays, however, do not reduce the recommended rate per acre.

OMITE-30W performance is best when day temperatures average above 70°F.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry location.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

BEST AVAILABLE COPY

0071

FOR USE ON BEARING CROPS
DOSAGE INSTRUCTIONS (see application notes for specific directions)

CROP	MITES CONTROLLED	AMOUNT OMITE-30W PER ACRE	MINIMUM GALLONS SPRAY SOLUTION PER ACRE		TOTAL NUMBER OF SPRAYS PER YEAR	EARLIEST HARVEST DAYS AFTER APPLICATION
			Ground	Aerial		
ALMONDS (CA & AZ)	clover European red two-spotted spider strawberry spider Pacific spider	5-15 lbs.	50	—	2	28
APPLES ¹	European red two-spotted spider Pacific spider McDaniel	5 - 12 lbs.	500 - 800	—	3	7
APRICOTS (West of Rocky Mts.)	Pacific spider two-spotted spider	5 - 9 lbs.	50	—	2	14
FIGS	two-spotted spider Pacific spider strawberry spider	3 - 6 lbs.	50	—	2	14
GRAPES (West of Rocky Mts.)	Pacific spider strawberry spider Willamette two-spotted spider	5 - 9 lbs.	40	—	2	21
HOPS ¹	two-spotted spider	5 lbs.	100	—	2	14
LEMONS ² (CA & AZ)	citrus red	10 lbs.	100	—	2	21
		11 - 15 lbs.	100	—	2	28
NECTARINES (West of Rocky Mts.)	Pacific spider brown almond	5 - 9 lbs.**	50	20	2	14
ORNAMENTALS CARNATIONS CHRYSANTHEMUMS ³	two-spotted spider	1 - 1½ lbs. per 100 gals. water	Spray to wet	—	—	—
CHRISTMAS TREES & CONIFERS ⁴ (for plantation & nursery use only)	Spider mites	4½ - 7½ lbs. (west)	100	10	3	—
		3 - 7½ lbs. (east)				
ROSES ³ (field grown)	two-spotted spider Pacific spider Southern red	2 - 5 lbs.	50	—	—	—
OTHER ORNAMENTALS (field & nursery)	two-spotted spider Southern red	1 lbs. per 100 gallons	Spray to wet	—	—	—
PEACHES	European red Pacific spider two-spotted spider strawberry spider McDaniel peach silver	5 - 15 lbs. **	50	20	2	14
PEANUTS	two-spotted spider	3 - 5 lbs.	20	—	2	14
PLUMS PRUNES	European red two-spotted spider Pacific spider	5 - 15 lbs.**	50	20	2	12
STRAWBERRIES ⁴ (West of Rocky Mts.)	Pacific spider strawberry spider two-spotted spider	5 - 10 lbs.	100	—	3 per 40 day harvest season	3
STRAWBERRIES ⁴ (LA & FL)	Pacific spider strawberry spider two-spotted spider	2½ lbs.	100	—	3 per 21 day harvest season	3
WALNUTS (CA only)	European red two-spotted spider	7 - 22 lbs.	100	10	2	21

**Use a minimum of 7½ pounds of OMITE-30W per acre when applied by air.

BEST AVAILABLE COPY

7077

FOR USE AFTER HARVEST AND ON NON-BEARING TREES ONLY
Non-bearing trees are those that will not bear fruit within one year of Omite Application

DOSAGE INSTRUCTIONS

CROP	MITES CONTROLLED	AMOUNT OMITE-30W PER ACRE	MINIMUM GALLONS SPRAY SOLUTION PER ACRE	TOTAL NUMBER OF SPRAYS PER YEAR
NAVEL ORANGES ² (West of Rocky Mts.)	citrus red	10 - 15 lbs.	100	1
GRAPEFRUIT ² (West of Rocky Mts.)	citrus red	10 - 15 lbs.	100	1
CHERRIES (West of Rocky Mts.)	European red two-spotted spider Pacific spider McDaniel	6 lbs.	50	—
PEARS ⁶	European red two-spotted spider	5 - 7½ lbs.	50	For use after harvest only.

APPLICATION NOTES:

1. Apples and Hops: Leaf injury and/or fruit spotting may occur if the following conditions are not observed: Do not apply OMITE-30W with Diazinon WP if air temperatures are expected to exceed 95°F the day of spraying apples and hops.

Do not apply in combination with Guthion emulsifiable concentrate. Do not apply OMITE-30W with foliar spray oils because of incompatibility. See Compatibilities or contact your supplier or Uniroyal for further information.

2. Citrus. OMITE-30W may cause some leaf burn on new growth (feather growth) of lemons.

Foliar oil applications must not follow OMITE-30W treatments within 30 days.

OMITE-30W when used alone may follow foliar oils at an interval of greater than 40 days after an oil application.

Do not use on navel oranges or grapefruit after new fruit is exposed in the spring as fruit spotting may occur.

3. Ornamentals: 1 lb. of OMITE-30W per 100 gallons of water equals 1 ounce (28.4 grams) per 6.25 gallons. Because cultivars and cultural practices differ widely, the user should initially treat only a small portion of his crop to confirm plant safety under his conditions. See list of

ornamentals on this label which may show phytotoxicity. Repeat applications of OMITE-30W are normally necessary for extended control.

4. Strawberries: Do not combine with other chemicals or spray adjuvants, when using on strawberries, as leaf and fruit injury may occur. California: Do not apply at day temperatures above 80°F as fruit burn may occur.

5. Christmas Trees and Conifers: Higher or lower gallonage can be used depending upon tree size, mite population and equipment used to obtain thorough coverage.

6. Do not use on Asian pears (pear apples) as leaf injury may occur.

COMPATIBILITIES — Except as noted OMITE-30W is compatible with many pesticides (See application notes). Check with your Supplier or Uniroyal for details. Observe all cautions and limitations of labeling of all products used in mixtures.

- Do not use additional spray adjuvants.
- OMITE-30W is not compatible with alkaline materials such as lime, lime sulfur or Bordeaux. The effectiveness of OMITE-30W will be reduced.
- Do not apply in combination with foliar spray oils as phytotoxicity may result.

The following ornamentals may show some signs of phytotoxicity.

PLANTS SHOWING SLIGHT NECROSIS (leaf burn)

Abelia grandiflora	Cocculus laurifolius	Gardenia jasminoides 'Veitchi'	Lagerstroemia 'Petite Orchid'
Acer palmatum	Cotoneaster horizontalis	Hedera canariensis	Lagerstroemia 'Petite Pinkie'
Alectryon subcinerus	Cotoneaster salicifolia repandens	Hedera 'Ghost Tree'	Mahonia repens
Aralia seiboldii	Cotoneaster 'Skogsholmen'	Hydrangea macrophylla 'Hamburg'	Nyssa sylvatica
Aucuba japonica picturata	Cupania anacardioides	Hydrangea macrophylla hortensis compacta	Pachysandra terminalis
Aucuba japonica variegata	Eucalyptus cinerea	Hydrangea macrophylla hortensis 'Excelsior'	Philadelphus 'Biacier'
Beaumontia grandiflora	Eucalyptus globulus compacta	Hydrangea macrophylla 'Merril's Beauty'	Podocarpus 'glacilio'
Berberis thunbergii atropurpurea	Eucalyptus niphophila	Hydrangea macrophylla 'Revelation'	Prunus integrifolia
Berberis thunbergii atropurpurea nana 'Crimson Pygmy'	Eucalyptus rostrata	Hydrangea macrophylla 'Trophee'	Rosa Banksiae alba
Bougainvillea rhodamine	Eucalyptus sideroxylon rosea	Hydrangea macrophylla 'White'	Schinus terebinthifolius
Buxus microphylla 'Richardi'	Eucalyptus torquata	Ilex 'Nellie Stevens'	Tecoma stans
Cissus mandianum	Eucalyptus viminalis	Loelreuteria paniculata	Weigela 'Bristol Snowflake'
	Gardenia jasminoides 'Mystery'		

PLANTS SHOWING MODERATE TO SEVERE NECROSIS (leaf burn)

Acacia podalyriaefolia	Cissus capensis	Grevillea 'Noeli'	Philadelphus virginialis
Alnus rhombifolia	Cissus hypoglaucis	Hedera helix 'Goldheart'	Potentilla fruticosa 'Moonlight'
Aucuba japonica 'Dwarf Female'	Cotoneaster bullata floribunda	Leptospermum scoparium 'Keatley'	Potentilla grandiflora
Beloperone tomentosa	Dendromecon harfordi rhamnoides	Liquidambar orientalis	Quercus agrifolia
Berberis 'Mentorensis'	Eucalyptus ficifolia	Magnolia grandiflora 'Majestic Beauty'	Temstroemia japonica
Ceanothus 'Ray Hartman'	Gelsemium sempervirens	Philadelphus 'Minnesota Snowflake'	Tristania conferta

IMPORTANT NOTICE—Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

© OMITE is a Registered Trademark of Uniroyal Chemical Company, Inc.
© Copyright 1993, Uniroyal Chemical Company, Inc.

BEST AVAILABLE COPY