

OMITE[®]
57E AGRICULTURAL
MITICIDE

Compatibility

Omite-57E is compatible with captan, Chlorobenzilate, Cyrex, DDD, DDT, dieldrin, Diazinon, Endrin, Ethion, Folpet, fixed neutral copper, glyodin, Guthion, Karathane, lead arsenate, malathion, methyl parathion, parathion, Phosdrin, Phygon, Sevin, rotenone, Rimon, Systox, Sabadilla, Systox, TEPP, Trithion, Thiodan, thiram, toxaphene, zineb, and zinc oxide.

NOTE: Do not mix Omite with alkaline materials such as lime, Bordeaux mixture and lime sulfur. Compatibility with summer foliage or has not been determined.

Container Disposal

Bury container 18 inches below soil surface at safe disposal site. Never reuse for food.

IMPORTANT NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller.

LOT NO.

WARNING! KEEP OUT OF REACH OF CHILDREN.

See warning statement on side.

OMITE[®]
57E AGRICULTURAL
MITICIDE

ONE LIQUID GALLON

COMPOSITION
Active ingredient, by weight:
2,4-Dichlorophenoxy dimethyl
phosphorothioate 67.00%
Inert ingredients 43.00%
Total 100.00%

Number of pounds of active
ingredient per gallon

U.S. Pat. No. 3,272,814

another product of

UNIROYAL

© 1969 Uniroyal, Inc. All Rights Reserved

OMITE[®]
57E AGRICULTURAL
MITICIDE

WARNING!

Handling

Avoid inhaling spray.

Do not get in eyes. May cause eye damage. The wearing of goggles and respirator is recommended. In case of contact with eyes, flush with running water for 15 minutes and get medical attention.

In case of skin contact, wash thoroughly with warm water and soap.

May be harmful if swallowed.

Fish and Wildlife

Keep out of any body of water. This product is toxic to fish.

Use Restrictions

Do not graze or feed livestock on cover crops grown among the trees listed on this label.

Do not feed animals apple pomace made from Omite-treated apples.

KEEP OUT OF REACH OF CHILDREN.

OMITE[®]
AGRICULTURAL
MITICIDE

OMITE[®]
57E AGRICULTURAL
MITICIDE

WARNING!

Handling

Avoid inhaling spray.

Do not get in eyes. May cause eye damage. The wearing of goggles and respirator is recommended. In case of contact with eyes, flush with running water for 15 minutes and get medical attention.

In case of skin contact, wash thoroughly with warm water and soap.

May be harmful if swallowed.

Fish and Wildlife

Keep out of any body of water. This product is toxic to fish.

Use Restrictions

Do not graze or feed livestock on cover crops grown among the trees listed on this label.

Do not feed animals apple pomace made from treated apples.

An emulsifiable liquid for preparing sprays to control the European red, McDaniel, Pacific spider, Peach silver, strawberry spider and two-spotted spider mites.

OMITE[®]
57E AGRICULTURAL
MITICIDE

Omite-57E is not systemic in action, therefore, complete coverage of both upper and lower surfaces and fruit is necessary for effective control. Mites hit by the spray stop feeding and are killed within 48 to 72 hours, depending on the temperature. Young mites hatching from eggs after the spray is applied will be killed by the residue of Omite left on the leaves and fruit.

Add the recommended dosage of Omite-57E to the spray tank, add water, agitate and spray thoroughly to cover foliage and fruit for best results. See table for dosage rates.

CROPS and MITES CONTROLLED	DOSAGE INSTRUCTIONS				APPLICATION NOTES
	Amount	Dilute Spray		Concentrate Spray	
		OMITE 57E per acre either as dilute or concentrate Spray	Omite 57E per 100 gal- lons of water	Gallons Spray Solu- tion per acre	Omite 57E per acre
Apple European red spider mite Pacific spider mite Peach silver mite Strawberry spider mite Two-spotted spider mite	1.0	1.0	1.0	1.0	1.0
Cherry European red spider mite Pacific spider mite Peach silver mite Strawberry spider mite Two-spotted spider mite	1.0	1.0	1.0	1.0	1.0
Plum European red spider mite Pacific spider mite Peach silver mite Strawberry spider mite Two-spotted spider mite	1.0	1.0	1.0	1.0	1.0
Peach European red spider mite Pacific spider mite Peach silver mite Strawberry spider mite Two-spotted spider mite	1.0	1.0	1.0	1.0	1.0
Strawberry European red spider mite Pacific spider mite Peach silver mite Strawberry spider mite Two-spotted spider mite	1.0	1.0	1.0	1.0	1.0
Two-spotted European red spider mite Pacific spider mite Peach silver mite Strawberry spider mite Two-spotted spider mite	1.0	1.0	1.0	1.0	1.0
European red European red spider mite Pacific spider mite Peach silver mite Strawberry spider mite Two-spotted spider mite	1.0	1.0	1.0	1.0	1.0
Pacific spider European red spider mite Pacific spider mite Peach silver mite Strawberry spider mite Two-spotted spider mite	1.0	1.0	1.0	1.0	1.0
Peach silver European red spider mite Pacific spider mite Peach silver mite Strawberry spider mite Two-spotted spider mite	1.0	1.0	1.0	1.0	1.0
Strawberry European red spider mite Pacific spider mite Peach silver mite Strawberry spider mite Two-spotted spider mite	1.0	1.0	1.0	1.0	1.0
Two-spotted European red spider mite Pacific spider mite Peach silver mite Strawberry spider mite Two-spotted spider mite	1.0	1.0	1.0	1.0	1.0

8-15-69

400-83

U.S. PAT. 3,121,127

USDA REGISTRATION NO. 400-83

UNIROYAL CHEMICAL Division of UNIROYAL Inc. NAUGATUCK, CONNECTICUT 06770

another product of

UNIROYAL