

400-89

11-21-1972

12.

1/2

WARNING! KEEP OUT OF REACH OF CHILDREN.

400-89 (For other warning and caution statements see below)

ACCEPTED
NOV 21 1972
 FUNGICIDE
 MITE ACT
 REGISTER-
 SUBJECT
 TO A...

OMITE® - 6 E

AGRICULTURAL MITICIDE.

A liquid emulsifiable concentrate for preparing sprays to control the two-spotted spider mite. Omite-6E is not systemic in action; therefore complete coverage of both upper and lower leaf surfaces and of fruit is necessary for effective control.

Add recommended dosage (from table) of Omite-6E to the spray tank, agitate and spray thoroughly to cover foliage and fruit for best results.

DOSAGE INSTRUCTIONS

CROPS	MITES CONTROLLED	AMOUNT PER ACRE	Amount per 100 Gallons of Water	GALLONS OF SPRAY SOLUTION PER ACRE	TOTAL NUMBER OF SPRAYS PER YEAR	DAYS BEFORE HARVEST (LAST SPRAY)
			WEST OF ROCKY MOUNTAINS			
Hops	Two-spotted spider	2 pints	1 pint	200	2	14

Item 1
See page 2

Item 2
See page 2

HANDLING: Avoid inhaling vapor or spray mist. Do not get in eyes. May cause eye damage. The wearing of goggles is recommended. In case of contact with eyes, flush with running water for 15 minutes and get medical attention. In case of skin contact, wash thoroughly with warm water and soap. May be harmful if swallowed.

FISH AND WILDLIFE: Keep out of any body of water. This product is toxic to fish. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

USE RESTRICTIONS: Do not graze or feed livestock on cover crops grown among the vines listed on the label. Do not feed hop refuse or cones to livestock.

COMPATIBILITIES: Omite-6E is compatible with most pesticides (see caution statements). Check with your supplier for details.

CAUTION:

- A. Leaf injury may occur if the following conditions are not observed.
1. Do not apply Omite-6E in combination with Diazinon or Guthion WP when air temperatures are above 95° F.
 2. Do not apply Omite-6E before, with or following spring and summer foliar spray oils.
 3. Do not add more than four ounces of additional spray adjuvant per 100 gallons if Omite-6E is used alone. Add no spray adjuvant if Omite-6E is mixed with one or more pesticide formulations in the spray tank.
- B. Omite-6E is not compatible with alkaline materials such as lime, lime sulfur or Bordeaux. The effectiveness of Omite will be reduced.

CONTAINER DISPOSAL: Bury container 18 inches below soil surface at safe disposal site. Never reuse for food or water.

IMPORTANT NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Net Contents: 1 LIQUID GALLON

COMPOSITION


Active Ingredient (% by weight)	
2-(p-tert-butylphenoxy) cyclohexyl	
2-propynyl sulfite *	68.1** %
Inert Ingredients	31.9 %
Total	100.0 %

** 6 lbs. Active per Gallon

* U.S. Patents 3,272,854; 3,463,859

Lot No. _____

another product of



E P A Reg. No. 400-89-AA

Item 1

DOSAGE INSTRUCTIONS

<u>Crops</u>	<u>Mites Controlled</u>	<u>Amount Per Acre</u>	<u>Amount per 100 Gallons of Water West of Rocky Mountains</u>	<u>Gallons of Spray Solution Per Acre</u>	<u>Total Number of Sprays Per Year</u>	<u>Days Before Harvest (Last Spray)</u>
Walnuts	Two-spotted spider European Red	30-150 fluid ounces	6-10 fluid ounces	500-1500	2	14

Item 2

Application Note - Omite 6E can be applied by air to walnuts. Use 3 to 4 pints in a minimum of 10 gallons of water per acre.

1000

1000

13.
2/2