

Acceptance stamp on page 4 of 4

IMPORTANT NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Net Contents: 1 LIQUID GALLON

COMPOSITION

Active Ingredient (% by weight)	
Propargite 2-(p-tert-butylphenoxy) cyclohexyl 2-propynyl sulfite*	68.1%**
Inert Ingredients	31.9%
TOTAL	100.9%

UNIROYAL


* U.S. Patent Nos. 3,272,854; 3,463,859
**6 lbs. Active per Gallon

Lot NO. _____

EPA Reg. No. 400-89-AA

UNIROYAL CHEMICAL- Division of UNIROYAL, Inc. Naugatuck, Conn. 06770

© 1973 UNIROYAL, Inc. ALL RIGHTS RESERVED



WARNING!

FISH AND WILDLIFE: This product is toxic to fish and shrimp. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.


USE RESTRICTIONS: Do not graze or feed livestock on cover crops grown among the trees listed on this label.

COMPATIBILITIES: Omite-6E is compatible with most pesticides (see caution statements). Check with your supplier for details. Observe all cautions and limitations on labeling of all products used in mixtures.

CAUTION:

- A. Leaf injury may occur if the following conditions are not observed.
 - 1. Do not apply Omite-6E in combination with Diazinon or Guthion WP when air temperatures are above 95°F.
 - 2. Do not apply Omite-6E before, with or following spring and summer foliar spray oils.
 - 3. Do not add more than four ounces of additional spray adjuvant per 100 gallons if Omite-6E is used alone. Add no spray adjuvant if Omite-6E is mixed with one or more pesticide formulations in the spray tank.
- B. Omite-6E is not compatible with alkaline materials such as lime, lime sulfur or Bordeaux. The effectiveness of Omite will be reduced.

CONTAINER DISPOSAL: Bury container 18 inches below soil surface at safe disposal site. Never reuse.



DOSAGE INSTRUCTIONS

WEST OF ROCKY MOUNTAINS

<u>Crop</u>	<u>Mites Controlled</u>	<u>Amount Per Acre</u>	<u>Amount Per 100 Gallons of water</u>	<u>Gallons of Spray Solution Per Acre</u>	<u>Number of Sprays Per Year</u>	<u>Days before Harvest (Last Spraying)</u>
Almonds (California only)	two-spotted spider strawberry spider Pacific spider	3-4 pints	-	15 (1) (2)	2	28

APPLICATION NOTES

- (1) Omite-6E can be applied by air to almonds in a minimum of 15 gallons of spray solution per acre.
- (2) One application of Omite-6E may be applied by air to almonds over one application of Omite-30W.

DANGER: KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes skin and eye damage.
Do not get in eyes, on skin or on clothing.
Wear goggles or face shield and rubber gloves when handling
Harmful if swallowed. Do not breathe dust or spray mist.
Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin
with plenty of water for at least 15 minutes. For eyes, call a
physician. Remove and wash contaminated clothing before reuse.
If swallowed, drink promptly a large quantity of milk, egg whites,
gelatin solution, or if these are not available, drink large
quantities of water. Avoid alcohol. Call a physicial immediately.

FOR OTHER PRECAUTIONARY STATEMENTS SEE BELOW.

OMITE®-6E

Agricultural Miticide

A liquid emulsifiable concentrate for preparing sprays to
control brown almond, European red, Pacific spider, strawberry
spider and two-spotted spider mites.

Omite-6E is not systemic in action; therefore complete coverage
of both upper and lower leaf surfaces and of fruit is necessary
for effective control.

Add recommended dosage (from table) of Omite-6E to the spray
tank, agitate and spray thoroughly to cover foliage and fruit
for best results.

