

# DANGER! KEEP OUT OF REACH OF CHILDREN.

Corrosive. Causes skin and eye damage.  
Do not get in eyes, on skin or on clothing.  
Wear goggles or face shield and rubber gloves when handling.  
Harmful if swallowed. Do not breathe dust or spray mist.  
Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

FOR OTHER PRECAUTIONARY STATEMENTS SEE PACK PANEL.

# OMITE®-6E

## AGRICULTURAL MITICIDE

MASSACHUSETTS ONLY

Net Contents: 1 LIQUID GALLON

### COMPOSITION

Active Ingredient (% by weight)	
Propargite 2-(p-tert-butylphenoxy) cyclohexyl 2-propynyl sulfite*	68.1%**
Inert Ingredients	31.9%
Total	100.0%

\*U.S. Patent Nos. 3,272,854;3,463,859

\*\*6 lbs. Active per Gallon

Lot No.

EPA Reg. No. 400-89-AA

EPA Est.

ACCEPTED

OCT 14 1976

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
this pesticide is registered under  
EPA Reg. No. 400-89

UNIROYAL

A liquid emulsifiable concentrate for preparing sprays to control the Southern Red Mite.

Omite-6E is not systemic in action; therefore complete coverage of both upper and lower leaf surfaces and of fruit is necessary for effective control.

Add recommended dosage (from table) of Omite-6E to the spray tank, agitate and spray thoroughly to cover foliage and fruit for best results.

### DOSAGE INSTRUCTIONS

CROP	MITES CONTROLLED	AMOUNT PER ACRE	AMOUNT PER 100 GALLONS OF WATER	GALLONS OF SPRAY SOLUTION PER ACRE	NO. OF SPRAYS/ YEAR	DAYS BEFORE HARVEST (LAST SPRAY)
Cranberries (MASS. ONLY)	Southern Red Mite	30 fluid ounces	10 fluid ounces	300	1	14

### WARNING!

#### FISH AND WILDLIFE:

This product is toxic to fish, shrimp and oysters.

Keep out of any body of water. Do not apply when weather conditions favor drift from area treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

USE RESTRICTIONS: OMITE-6E is compatible with most pesticides (see caution statements). Check with your supplier for details. Observe all cautions and limitations on labeling of all products used in mixtures.

### CAUTION:

- A. Leaf injury may occur if the following conditions are not observed:
1. Do not apply OMITE-6E to cranberries if air temperatures are above 85° F.
  2. OMITE-6E is not compatible with foliar spray oils. (Further information available from supplier.)
  3. Sprint 38° is the spreader-sticker designed for use with OMITE-6E.
- B. OMITE-6E is not compatible with alkaline materials such as lime, lime sulfur or Bordeaux. The effectiveness of OMITE will be reduced.

CONTAINER DISPOSAL: Bury container 18 inches below soil surface at safe disposal site. Never reuse.

IMPORTANT NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.