

DANGER! KEEP OUT OF REACH OF CHILDREN.

Do not get in eyes.
Causes severe eye damage.
Wear goggles when handling.
In case of contact with eyes, flush immediately with running water and get medical attention

For other danger statements see below.

VITAVAX-200 FUNGICIDE
(VITAVAX WITH THIRAM)


Net Weight _____

COMPOSITION

Active Ingredient

Carboxin (5,6-dihydro-2-methyl-1,4-oxathiin-3-carboxanilide)*.....	37.5%
Thiram (tetramethylthiuram disulfide).....	37.5%
Inert Ingredients.....	25.0%
TOTAL.....	100.0%

*U.S. Patents 3,249,499, 3,393,202, 3,454,391



EPA Reg. No. 400-92-AA
EPA Est. No.



DIRECTIONS FOR USE

VITAVAX-200 Fungicide is a wettable powder seed treatment for use as a dry dust, spray mist or slurry seed treatment. In liquid systems, a thin paste should first be made using a portion of the required water and the recommended amount of VITAVAX-200 Fungicide. Stir this paste into the remainder of the water and provide enough agitation to maintain a uniform water suspension.

BARLEY, CORN, COTTON, OATS, PEANUTS AND WHEAT

VITAVAX-200 Fungicide combines the systemic action of carboxin with the surface action of thiram to control various seed and seedling diseases of barley, corn, cotton, oats, peanuts and wheat. It is particularly effective against Rhizoctonia solani.

In addition, loose smut, covered smut, flag smut, common bunt and barley stripe are controlled by Vitavax-200 Fungicide.

DOSAGE INSTRUCTIONS

CROP	DISEASES CONTROLLED	AMOUNT OF VITAVAX - 200 FUNGICIDE PER 100 POUNDS OF SEED
BARLEY	Seed rots Seedling diseases Barley Stripe Loose smut Covered smut	3-4 ounces
CORN	Seed rots Seedling diseases	4 ounces
COTTON	Seed rots Seedling diseases	8 ounces
OATS	Seed rots Seedling diseases Loose smut Covered smut	2 ounces
PEANUTS	Seed rots Seedling diseases	4-6 ounces
WHEAT	Seed rots Seedling diseases Loose smut Common bunt Flag smut	3-4 ounces

USE RESTRICTIONS

Cotton - Do not use treated seed for food, feed or oil purposes.
Do not graze or feed livestock on hay grown from treated seed.

Peanuts - Do not use treated seed for food, feed or oil purposes. Do not graze or feed livestock on treated areas. Do not hog down treated peanut fields prior to harvest.

Barley, Corn, Oats and Wheat - Do not use treated seed for food, feed or oil purposes. Do not graze or feed livestock on treated areas for six weeks after planting.


COMPATIBILITY (Cotton ONLY) - VITAVAX-200 Fungicide is compatible with seed treatment insecticides such as Di-Syston or thimet.

ADDITIONAL CAUTIONS AND INSTRUCTIONS

HANDLING - Harmful if swallowed. Avoid inhaling dust or spray. Wash hands and face thoroughly with soap and water after use and before eating or smoking. Keep away from food or food products. Care must be exercised in handling of treated seed. Consumption of alcoholic beverages increases the possibility of harm.

SEED LABELING

This seed is treated with VITAVAX-200 Fungicide. Do not use treated seed for food, feed or oil purposes. On cotton, do not graze or feed livestock on hay grown from treated seed. On peanuts, do not graze or feed livestock on treated areas. Do not hog down treated peanut field prior to harvest. On barley, corn, oats and wheat, do not graze or feed livestock on treated areas for six weeks after planting. Add appropriate information for any other chemical treatments.



5

COMPATIBILITIES - Observe all cautions and limitations on labeling of all products used in mixture with this product. Apply this product only as specified on this label.

FISH AND WILDLIFE - This product is toxic to fish. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

CONTAINER DISPOSAL - Burn or bury container 18 inches below soil surface at safe disposal site. Never reuse for food or water. If disposal is by burning, keep out of smoke.

IMPORTANT NOTICE - Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instruction, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

LOT NO. _____

UNIROYAL CHEMICAL - Division of UNIROYAL, Inc.
Naugatuck, Connecticut 06770