

DANGER! KEEP OUT OF REACH OF CHILDREN

Do not get in eyes.

Causes severe eye damage.

Wear goggles when handling.

In case of contact with eyes, flush immediately with running water and get medical attention.

For other danger statements see below.

VITAVAX with CAPTAN)

©1971 - UNIROYAL, Inc. - All Rights Reserved

EUN Reg. No. 400-93-AA

EPA Est. No.

UNIROYAL

DIRECTIONS FOR USE

VITAVAX-300 Fungicide is a wettable powder seed t_eatment for use as a dry dust. Spray-mist, or slurry seed treat-ment. In liquid systems, a thin paste should first be made using a portion of the required water and the recommended amount of VITAVAX-300 Fungicide. Stir this paste into the remainder of the water and provide enough agitation to maintain a uniform water suspension.

COTTON

VITAVAX-300 Fungicide combines the systemic action of carboxin with the surface action of captan to control various seed and seedling diseases of cotton. Seed rot, damping-off and sore-shin due to Rhizoctonia solani are prevented. VITAVAX-300 Fungicide can be used on both machine and acid delinted cottonseed. Use 8 ounces of VITAVAX-300 Fungicide per 100 pounds of seed.

COMPATIBILITY (cotton only) VITAVAX-300 Fungicide can be used in combination with commonly used cottonseed treatment insecticides such as Di-Syston or Thimet.

<u>USE RESTRICTIONS</u> - Do not use treated seed for food, feed or oil purposes. Do not graze or feed livestock on hay grown from treated seed.

PEANUTS

VITAVAX-300 Fungicide combines the <u>systemic</u> action of carboxin with the surface action of captan to control various seed and seedling diseases of peanuts. It is particularly effective against <u>Rhizoctonic</u> solani.

Use 4 to 6 ounces of VITAVAX-300 Fungicide per 100 pounds of seed.

USE RESTRICTIONS - Do not use treated seed for food, feed or oil purposes. Do not graze or feed livestock on treated areas. Do not hog down treated peanut fields prior to harvest.

ADDITIONAL CAUTIONS AND INSTRUCTIONS

HATOLING - Harmful if swallowed. Avoid inhaling dust or spray. Wach hands and face thoroughly with soap and water after use and before eating or smoking. Keep away from food or food products. Care must be exercised in handling of treated seed.

SDED LABELING

This seed is treated with VITAVAX-300 Fungicide. Do not use treated seed for food, feed or oil purposes. On cotton, do not graze or feed livestock on hay grown from treated seed. On peanuts, do not graze or feed livestock on treated areas. Do not hog down treated peanut fields prior to harvest. Add appropriate information for any other chemical treatments.

<u>CCMFATIBILITIES</u> - Observe all cautions and limitations on labeling of all products used in mixture with this product. Apply this product only as specified on this label.

FISH AND WILDLIFE - Do not contaminate water by cleaning of equipment or disposal of wastes.

CONTAINER DISPOSAL - Burn or bury container 18 inches below soil surface at safe disposal site. Never reuse for food or water. If disposal is by burning, keep out of smoke.

IMPORTANT NOTICE - Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use or this product, contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeably to seller, and buyer assumes the risk of any such use.

LOT NO.

UNIROYAL CHEMICAL - Division of UNIROYAL, Inc.