

400-104

10-11-1974

1/8

3

DANGER: KEEP OUT OF REACH OF CHILDREN.

Corrosive. Causes skin and eye damage.  
Do not get in eyes, on skin or on clothing.  
Wear goggles or face shield and rubber gloves when handling.  
Harmful if swallowed. Do not inhale dust or spray.  
Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

For other precautionary statements see back panel.

COMITE™

AGRICULTURAL MITICIDE

(West of the Rocky Mountains)

ACCEPTED  
OCT 11 1974  
UNDER THE FEDERAL PESTICIDE  
FUNGICIDE AND ROBOTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. 400-104 SUBJECT  
TO ATTACHED COMMENTS.

1 LIQUID GALLON

COMPOSITION


Active Ingredient (% by Weight) Propargite	
2-(p-tert-butylphenoxy)cyclohexyl	
2-propynyl sulfite*.....	75.0%**
Inert.....	25.0%
Total.....	100.0%

\*U.S. Patents 3,272,854; 3,463,859

\*\*Contains 6.75 pounds Comite per gallon

EPA Reg. No. \_\_\_\_\_

UNIROYAL



**COMITE™**

**AGRICULTURAL MITICIDE**

A liquid emulsifiable concentrate for preparing sprays to control the two-spotted, Pacific and strawberry spider mites.

Comite is not systemic in action; therefore, complete coverage of both upper and lower leaf surfaces is necessary for effective control.


Add recommended dosage (from table) of Comite to the spray tank, agitate and spray thoroughly to cover foliage for best results.



Crop	Controlled	Amount Per Acre	Amount Per 100 Gallons of Water	Gallons Spray Solution Per Acre	Total Number of Sprays Per Year	Days Before Harvest (Last Spray)
Potatoes (Pacific Northwest Only)	two-spotted spider	1-1/2-2-1/2 pints	--	20-50	2	14

Application Note

Comite can be applied by air to potatoes in a minimum of 10 gallons of spray solution per acre.



**WARNING:** This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

**USE RESTRICTIONS** - Do not graze or feed livestock on cover crops grown among the vines listed on this label.

COMPATIBILITIES

Comite is compatible with most pesticides (see caution statements). Check with your supplier for details. Observe all cautions and limitations on labeling of all products used in mixtures.

CAUTION:

Do not mix Comite with alkaline materials (such as lime, Bordeaux mixture and lime sulfur) or with materials containing a large amount of petroleum type solvents.

SPRAY ADJUVANTS

UNIROYAL SPRINT-38 is recommended for best results with Comite. The following rates are suggested:

Ground Sprays - 1 pt. SPRINT-38 per 100 gallons water

Aerial Sprays - 2 pts. SPRINT-38 per 100 gallons water

Concentrate Sprays - 2 pts. SPRINT-38 per 100 gallons water

Spray adjuvants other than SPRINT-38 should be used with caution and are not recommended for use with Comite.

CONTAINER DISPOSAL - Bury container 18 inches below soil surface at safe disposal site. Never reuse.

IMPORTANT NOTICE - Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions of use, but neither this warranty of merchantability of fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

UNIROYAL Chemical, Division of UNIROYAL, Inc., Naugatuck, Conn. 06770

Lot No. \_\_\_\_\_



5/8

7

DANGER: KEEP OUT OF REACH OF CHILDREN.

Corrosive. Causes skin and eye damage.  
Do not get in eyes, on skin or on clothing.  
Wear goggles or face shield and rubber gloves when handling.  
Harmful if swallowed. Do not inhale dust or spray.  
Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

For other precautionary statements see back panel.

COMITE™

AGRICULTURAL MITICIDE  
(East of the Rocky Mountains)

1 LIQUID GALLON

ACCEPTED  
11 OCT 1974  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
UNDER NO. .... SUBJECT  
TO ATTACHED COMMENTS.

COMPOSITION

Active Ingredient (% by Weight) Propargite	
2-(p-tert-butylphenoxy)cyclohexyl	
2-propynyl sulfite*.....	75.0%**
Inert.....	25.0%
Total.....	100.0%

\*U.S. Patents 3,272,854; 3,463,859  
\*\*Contains 6.75 pounds Comite per gallon

EPA Reg. No. \_\_\_\_\_

UNIROYAL



COMITE™

AGRICULTURAL MITICIDE

A liquid emulsifiable concentrate for preparing sprays to control the citrus red, citrus rust, Pacific spider, six-spotted, strawberry spider, Texas citrus and two-spotted spider mites.

Comite is not systemic in action; therefore, complete coverage of both upper and lower leaf surfaces and of fruit is necessary for effective control.

Add recommended dosage (from table) of Comite to the spray tank. After three-quarters full of water, fill tank, agitate and spray thoroughly to cover foliage and fruit for best results.




DOSAGE INSTRUCTIONS

Crops	Mites Controlled	Amount of Comite Per 100 Gallons of Water	Gallons Spray Solution Per Acre <sup>(2)</sup>	Total Number of Sprays Per Year	Days Before Harvest (Last Spray)
Oranges and Grapefruit	Citrus red Texas citrus Six-spotted Citrus rust False spider	5-8 <sup>(1)</sup> fluid ounces	600-1500 <sup>(3)</sup>	2	7

(1) Amount of Comite per 500 Gallon Tank - 25-40 Fluid Ounces

(2) Total Amount of Comite Per Acre - 30-120 Fluid Ounces

(3) Comite may be applied as a complete coverage spray in Texas at a rate of 1-1/2 pints/250 gallons of spray solution per acre.



6 7/8

WARNING!

This product is toxic to fish. Keep out of lakes, streams and ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

USE RESTRICTIONS - Do not graze or feed livestock on cover crops grown among the trees listed on this label.

COMPATIBILITIES

COMITE is compatible with most pesticides (see caution statements). Check with your supplier for details. Observe all cautions and limitations on labeling of all products used in mixtures.

CAUTION!

- A. On citrus, leaf injury may occur if Comite is tank mixed with oil or applied within two weeks prior to or following an oil application.
- B. Do not mix Comite with alkaline materials (such as lime, Bordeaux mixture and lime sulfur) or with materials containing a large amount of petroleum type solvents.

CONTAINER DISPOSAL - Bury container 18 inches below soil surface at safe disposal site. Never reuse.

IMPORTANT NOTICE - Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty of merchantability of fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

UNIROYAL Chemical, Division of UNIROYAL, Inc., Naugatuck, Conn. 06770

Lot No. \_\_\_\_\_

