

**DANGER! KEEP OUT OF REACH OF CHILDREN.**

Corrosive. Causes skin and eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Do not inhale dust or spray. Avoid contamination of food.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

For other precautionary statements see back panel.

# COMITE®

AGRICULTURAL MITICIDE  
(EAST OF THE ROCKY MOUNTAINS)

NET CONTENTS:

COMPOSITION

Active Ingredient (% by weight) Propargite	
2-(p-tert-butylphenoxy)cyclohexyl	
2-propynyl sulfite*	75.0%
Inert Ingredients	25.0%
Total	100.0%

\*U.S. Patents 3,272,854; 3,463,859

\*Contains 6.75 pounds COMITE per gallon.

**ACCEPTED**  
MAY 20 1977  
Under the Federal Insecticide, Fungicide, and Plant Disease Act, as amended, for the pesticide registration number EPA Reg. No. 400-104



EPA Reg. No. 400-104-AA

EPA Est.

# COMITE®

AGRICULTURAL MITICIDE

A liquid emulsifiable concentrate for preparing sprays to control the Banks grass, citrus red, citrus rust, false spider, Pacific spider, six-spotted, strawberry spider, Texas citrus and two-spotted spider mites.

Comite is not systemic in action; therefore, complete coverage of both upper and lower leaf surfaces and of fruit is necessary for effective control.

After three-quarters full of water, add recommended dosage (from table) of Comite to the spray tank. Fill tank, agitate and spray thoroughly to cover foliage and fruit for best results.

**DOSAGE INSTRUCTIONS**

Crop	Mites Controlled	Height of Cotton	Amount of COMITE Per Acre	Gallons of Spray Solution Per Acre		Total Number of Sprays Per Year	Days Before Harvest (Last Spray)
				Ground Application	Aerial Application		
Cotton	Two-spotted, Pacific and strawberry spider	10 to 18 inches <sup>1</sup>	1 pint	15 <sup>2</sup> to 30 gallons	Not recommended	3	Before bolls open
		14 to 24 inches	1 1/2 pints	25 <sup>2</sup> to 40 gallons	5 to 15 gallons		
		Over 24 inches	1 1/2 to 2 pints	25 <sup>2</sup> to 50 gallons	5 to 15 gallons		
Field corn	Two-spotted spider Banks grass	X	2 pints	minimum of 20 gallons	minimum of 2 gallons	1	30
Oranges and Grapefruit	Citrus red Texas citrus six-spotted citrus rust false spider	X	30-120 Fluid Ounces <sup>3</sup>	500-1500 gallons	X	2	7
		X	2-3 pints	minimum of 25 gallons	minimum of 10 gallons		

**APPLICATION NOTES — Cotton**

1. COMITE may be phytotoxic on young cotton under certain conditions. Consult your Uniroyal representative before spraying cotton less than 10 inches in height.
2. COMITE may be used in concentrate sprayers. Use only sprayers designed for concentrate row crop applications. Maintain COMITE dosage rate as listed.

**APPLICATION NOTES — Oranges and Grapefruit**

3. Amount of COMITE per 500 Gallon Tank — 25-40 Fluid Ounces

**FISH AND WILDLIFE** — This product is toxic to fish and shrimp. Keep out of lakes, streams, or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

**Use Restrictions** — On cotton, apply only before bolls open. Do not feed treated foliage or cotton trash to livestock. Do not graze or feed livestock on cover crops grown among the trees listed on this label.

**COMPATIBILITIES**

COMITE is compatible with most pesticides (see caution statements). Check with your supplier or Uniroyal for details. Observe all cautions and limitations on labeling of all products used in mixtures.

**CAUTION!**

- On citrus, leaf injury may occur if Comite is tank-mixed with oil or applied within two weeks prior to or following an oil application.
- Do not mix Comite with alkaline materials (such as lime, Bordeaux mixture and lime sulfur) or with materials containing a large amount of petroleum type solvents.

**CONTAINER DISPOSAL** — Destroy empty container and bury at an approved disposal site.

**IMPORTANT NOTICE** Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label, when used in accordance with the directions and instructions specified on the label under normal conditions of use. Seller neither warrants nor gives other warranties or representations, or makes any claims of efficacy, for the use of this product in any other conditions or for purposes not intended by the manufacturer.

400-104

5-20-1977

1/1