VITAVAX 19.# 400

PRECAUTIONARY STATEMENTS **NAZARDS TO NUMANS** DANGER

Corresive, causes eve damage, Narmful H swallowed, inhaled or absorbed through skin. Avoid breathing vapors or spray mist. Be not get in eyes, on skin or an ciothing. Wear goggles or face shield when handling. Wash hands and face theroughly with seap and water after use and before eating or smoking. Consumption of alcoholic beverages increases the possibility of harm.

ENVIRONMENTAL NAZARDS This product is toxic to fish.

So not apply directly to water or wetlands. Be not discharge lote lakes, streams, pends, or public waters unless in accordance with NPDES permit. For guidance, contact your Regional Office of the EPA. Be not contaminote water by cleaning of equipment or dispesal of wastes

PHYSICAL OR CHEMICAL HAZARDS Do not use or store noor bost or open flame.

BIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry location.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environ-1 mental Control Agency, or the Hazar dous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:


Bags: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning, if burned, stay

Fiber Drum: Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities, if drum is contaminated and cannot be reused, dispose of in the same manner.

A FUNGICIDE

FOR FORMULATING INTO REGISTERED END-USE PRODUCTS

AND FOR USE AS A SEED TREATMENT



APR 8 6%

Under the Federal to a Fungicide, and Red and as amended, for the permit it registered under Y00-/06

HOLTIZOSMOD

Active Ingredient: (% by weight) Carboxin (5,6-dihydro-2-methyl-1,4-oxathiin-3-carboxanilide)* 75% Inert Ingredients: 25% *U.S. Patent Nos. 3,249,499 - 3,393,202 3,454,391

KEEP OUT OF REACH OF CHILDREN. **DANGER**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center, Brink 1 or 2 plasses of water and induce vemiting by touching back of threat with finger. Be not induce vemiting or give anything by mouth to an unconscious person.

If Inhaled: See a physician if an abnormal reaction occurs.

If on skin: Wash thoroughly with soap and water.

If in eyes: Immediately flush eyes with plenty of water and get medical treatment

See left side panel for additional precautionary statement.". "

REST AVAILABLE COPY

CHEMICAL GROUP - Uniroyal Inc. Middlebury, ET 06749

EPA REG. 80. 400-106 EPA EST. NO.

VITAVAX is a Registered Trademark of UNINOYA!.. inc. "Convright 1985 University Inc.

MET WEIGHT:

MISTRUCTIONS FOR FORMULATION

This product is for use—by formulators in the manufacture of agricultural fungicide products, offered for sale to the public and which are duly registered with the Environmental Protection Agency, Washington, D.C. FORMULATION ASSISTANCE: Additional information regarding specific problems in formulation, involving this product may be obtained by writing or calling Uniroyal.

Obtain and read this information before undertaking the formulation of VITAVAX in order to avoid formulation hazards and insure a satisfactory finished product.

DIRECTIONS FOR END USE

PEANUTS

VITAVAX is a non-wettable powder fungicide seed treatment for use as a dry dust treatment. Stir VITAVAX well with seed to insure coverage.

Vi /AX Fungicide controls seed rots and provides systemic control of seedling diseases of peanuts. It is panicularly effective against Rhizoctonia solani. Use 3 to 6 ounces of VITAVAX Fungicide per 100 pounds of seed. VITAVAX Fungicide can also be used at 2 to 3 ounces per 100 pounds of seed when used with seed protectant fungicides such as captan, thiram or Difolatan.

COMPATIBILITY

VITAVAX Fungicide is compatible with seed protectant fungicides such as captan, thiram or Difolatan

USE RESTRICTIONS

Care must be exercised in the handling of treated seed.

- 1. Do not use treated seed for food, feed or oil purposes. 21 CFR, Chapter 1, Sec. 3.13 requires seed treated with poisonous substances in excess of recognized tolerances by suitably colored to prevent their inadvertent use for food, feed, or oil purposes.
- On peanuts do not graze or feed livestock on treated areas or hay grown from treated seed. Do not hog down treated peanut fields prior to harvest.

SEED LABELING

"This seed is treated with VITAVAX Fungicide. Do not use treated seed for food, feed or all purposes. And appropriate information for any other chemical treatments.

IMPORTANT NOTICE — Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability of fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label lightructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.