

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
CAUTION**

Harmful if swallowed, inhaled, or absorbed through the skin. In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. Wash hands and face thoroughly with soap and water after use or before eating or smoking.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL or CHEMICAL HAZARDS
Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

- 1 PROHIBITIONS**
Do not contaminate water, food, or feed by storage or disposal. Empty containers should be disposed of in a safe place. Do not dump into water.
- 2 PESTICIDE DISPOSAL**
Pesticide spray mixture or residue that cannot be used or chemically reprocessed should be disposed of in a safe place. Do not dump into water.
- 3 CONTAINER DISPOSAL**
Triple rinse (or equivalent) and then recycle or dispose of container in a safe place.
- 4 GENERAL**
Consult Federal, State, and local authorities for proper disposal procedures.
- 5 STORAGE**
Store in a dry place.

VITAVAX-200

FLOWABLE FUNGICIDE

VITAVAX WITH THIRAM



COMPOSITION

Active Ingredient	by weight	
Carboxin 5,6-dihydro-2-methyl-1,4-oxathin-3-carboxanilide *		17
Thiram tetramethylthiuram disulfide		17
Inert Ingredients		66
Total		100

*U.S. Patents 3,249,499 - 3,393,202 - 3,454,391

**KEEP OUT OF REACH OF CHILDREN.
CAUTION!**

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Induce vomiting and see a physician.
 - IF INHALED: See a physician if an abnormal reaction occurs.
 - IF ON SKIN: Wash thoroughly with soap and water.
 - IF IN EYES: Immediately flush eyes with plenty of water. See a physician.
- See left side panel for Additional Precautionary Statement.

Mfg. by UNIROYAL CHEMICAL, Division of UNIROYAL, Inc.,
Nauquatuck, Connecticut 06470
EPA Establishment No. 100-100-01
EPA Registration No. 100-100-01

NET WT. 100 LBS.

6-9-81

DIRECTIONS FOR USE

VITAVAX-200 Flowable Fungicide is a ready-to-use seed treatment.

RICE

VITAVAX-200 Flowable Fungicide combines the systemic action of carboxin with the surface action of thiram to control various seed and seedling diseases of rice. It is particularly effective against *Rhizoctonia solani* and *Helminthosporium oryzae*.

Use 3-4 fluid ounces of VITAVAX-200 Flowable Fungicide per 100 pounds of seed applied as a slurry treatment by machine. The higher rate is recommended for control of *Helminthosporium oryzae*.

In addition, leaf smut (*Ustilago nuda*) and covered smut (*Ustilago hordei*) are controlled on barley and loose smut (*Ustilago tritici*) and common bunt (*Tilletia caries*) are controlled on wheat by VITAVAX-200 Flowable Fungicide.

Barley, Wheat and Oats

Use 3-4 fluid ounces of VITAVAX-200 Flowable Fungicide per 100 pounds of seed. VITAVAX-200 Flowable Fungicide should be applied as a slurry treatment by machine.

Soybeans

Use 2 fluid ounces of VITAVAX-200 Flowable Fungicide per bushel of seed or 4 fluid ounces per 100 pounds of seed. VITAVAX-200 Flowable Fungicide should be applied as a slurry treatment by machine or to the hopper box as a pour on treatment.

Use Restrictions

Do not use treated seed for food or feed purposes. Do not graze or feed livestock on treated areas for six weeks after planting. Care must be exercised in the handling of treated seed. Do not graze or feed livestock on vines grown from treated seed.

Use Precaution

When using formulations that do not contain dye to comply with 21 CFR Chapter 1, Section 2.25, all grain and treated with an economic poison must be colored with an approved dye (40 CFR Part 100) to distinguish and prevent subsequent and inadvertent use as a food for man or feed for animals.

Compatibility

VITAVAX-200 Flowable Fungicide should not be tank mixed with any pesticide unless adequate physical compatibility and phytotoxicity tests have been completed and proved to be satisfactory.

SEED LABELING— This seed treated with VITAVAX-200 Flowable Fungicide. Do not use treated seed for food, feed or other purposes. Add appropriate information for any other chemical treatments.

IMPORTANT NOTICE— Seller warrants that this product conforms to its chemical description and label claims for the purposes stated on the label. Seller does not warrant with the directions and instructions printed on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller and buyer assumes the risk of any such use.